KOLKATA PORT TRUST

MRN/HMR/HD/D/196

HALDIA 'DAY' JANUARY'2017

H.M.(R)'S OFFICE Dated: 26/11/2016

ESTMATED FRESH WATER DRAFT FORECAST FOR THE MONTH OF JAN'2017 FOR HALDIA FOR VESSELS OF 12KTS. & OVER (SUBJECT TO ALTERATION)

FOR HALDIA FOR VESSELS OF 12KTS. & OVER (SUBJECT TO ALTERATION)						
INWARD:	Haldia Doc	k and Halo	lia Oil Jetties NOTES			
Date	Α	В				
1st	7.6	7.8	Calculated for 12kts. River Speed draft to be			
2nd	7.6	7.8	reduced 0.1mtr. for every knot below 12kts.			
3rd	7.6	7.8				
4th	7.5	7.7	2. OAL Category:			
5th	7.4	7.6	A) <u>Over 180 mtrs</u> .			
6th	7.3	7.5	B) Upto 180 mtrs			
7th	7.1	7.3				
*8th	7.1	7.3	3. Pilot embarkation at EDEN Channel. Time to be			
9th	7.2	7.4	confirmed from pilot station.			
10th	7.4	7.6				
11th	7.6	7.8	4. RIVER HUGLI ESTUARY INFORMATION CHART TO BE			
12th	7.7	7.9	OBTAINED BY MASTERS THROUGH THEIR AGENTS FROM			
13th	7.8	8.0	CHIEF HYDROGRAPHER OF KOPT.			
14th	7.8	8.0				
15th	7.7	7.9	5.Inward ships should report their ETA Sandheads to Pilots			
16th	7.6	7.8	Station for pilotage instructions between WCLV waypoint 1			
17th	7.5	7.7	(21*05.00'N, 087*51.30'E) and EDEN Channel before			
18th	7.3	7.5	proceeding up.			
19th	7.1	7.3				
20th	6.9	7.1	6.Inward Vessels awaiting pilot to anchor at Sandheads SE of			
21st	6.7	6.9	WCLV keeping clear shipping lane. VHF watch on Ch.16/68 &			
22nd	6.4	6.6	SSB 4147.4 KHz to be maintained for pilot instructions.			
*23rd	6.5	6.7				
24th	6.6	6.8	7. Assistance is available from VTMS/SAGAR VTS			
25th	6.9	7.1	on VHF Channel 16/68 FROM way point 3(21*21.7N, 087*48.6E)			
26th	7.1	7.3	to pilot boarding ground.			
27th	7.3	7.5				
28th	7.5	7.7	8. Waypoints & buoy positions may be confirmed with			
29th	7.6	7.8	SAGAR VTS / PILOT STATION.			
30th	7.7	7.9				
31st	7.7	7.9	9. Forecast applicable for Haldia Docks and HOJ.			
OUTWARE)		Subject to alteration.			
1st	7.5	7.7				
2nd	7.5	7.7	10. Mooring Rope requirements :			
3rd	7.5	7.7	A) HOJ1 - 5+3+3 FOR'D 3+3+5 AFT			
4th	7.4	7.6	HOJ2/3 - 4+4+3 FOR'D 3+4+4 "			
5th	7.3	7.5	B) Each rope should be a separate coil.			
6th	7.2	7.4				
7th	7.2	7.4	11. Restrictions are likely to be imposed on LOA/			
8th	7.4	7.6	DRAFT at HOJ1 due variations in soundings			
9th	7.6	7.8	Acceptance of Vessels at HOJ1 may be confirmed			
*10th	7.3	7.5	in advance from MMOH.			
11th	7.5	7.7				
12th	7.6	7.8	12. Soundings based on Jellingham - 4.0mtrs. and			
13th	7.6					
		7.8	Upper Eden - 4.6 mtrs.			
14th	7.6	7.8				
15th	7.6	7.8 7.8	13. All Vessels to ensure that their engines, steering etc.			
15th 16th	7.6 7.5	7.8 7.8 7.7				
15th 16th 17th	7.6 7.5 7.4	7.8 7.8 7.7 7.6	13. All Vessels to ensure that their engines, steering etc. are in good working order.			
15th 16th 17th 18th	7.6 7.5 7.4 7.2	7.8 7.8 7.7 7.6 7.4	13. All Vessels to ensure that their engines, steering etc. are in good working order.14) All vessels are required to have two serviceable			
15th 16th 17th 18th 19th	7.6 7.5 7.4 7.2 7.0	7.8 7.8 7.7 7.6 7.4 7.2	13. All Vessels to ensure that their engines, steering etc. are in good working order.			
15th 16th 17th 18th 19th 20th	7.6 7.5 7.4 7.2 7.0 6.8	7.8 7.8 7.7 7.6 7.4 7.2 7.0	13. All Vessels to ensure that their engines, steering etc. are in good working order.14) All vessels are required to have two serviceable bower anchors for safe transit.			
15th 16th 17th 18th 19th 20th 21st	7.6 7.5 7.4 7.2 7.0 6.8 6.6	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8	13. All Vessels to ensure that their engines, steering etc. are in good working order.14) All vessels are required to have two serviceable			
15th 16th 17th 18th 19th 20th 21st 22nd	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8	13. All Vessels to ensure that their engines, steering etc. are in good working order.14) All vessels are required to have two serviceable bower anchors for safe transit.			
15th 16th 17th 18th 19th 20th 21st 22nd 23rd	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6 6.9	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8 7.1	13. All Vessels to ensure that their engines, steering etc. are in good working order.14) All vessels are required to have two serviceable bower anchors for safe transit.			
15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6 6.9 7.1	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8 7.1 7.3	13. All Vessels to ensure that their engines, steering etc. are in good working order.14) All vessels are required to have two serviceable bower anchors for safe transit.			
15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th *25th	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6 6.9 7.1 6.8	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8 7.1 7.3 7.0	13. All Vessels to ensure that their engines, steering etc. are in good working order.14) All vessels are required to have two serviceable bower anchors for safe transit.			
15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th *25th 26th	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6 6.9 7.1 6.8 7.0	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8 7.1 7.3 7.0	13. All Vessels to ensure that their engines, steering etc. are in good working order.14) All vessels are required to have two serviceable bower anchors for safe transit.			
15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th *25th 26th 27th	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6 6.9 7.1 6.8 7.0 7.2	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8 7.1 7.3 7.0 7.2 7.4	13. All Vessels to ensure that their engines, steering etc. are in good working order. 14) All vessels are required to have two serviceable bower anchors for safe transit. 15) All vessels A.I.S. Pilot plug required to be operational.			
15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th *25th 26th 27th 28th	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6 6.9 7.1 6.8 7.0 7.2	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8 7.1 7.3 7.0 7.2 7.4 7.6	13. All Vessels to ensure that their engines, steering etc. are in good working order. 14) All vessels are required to have two serviceable bower anchors for safe transit. 15) All vessels A.I.S. Pilot plug required to be operational. (J.Ghosh)			
15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th *25th 26th 27th 28th 29th	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6 6.9 7.1 6.8 7.0 7.2 7.4 7.5	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8 7.1 7.3 7.0 7.2 7.4 7.6 7.7	13. All Vessels to ensure that their engines, steering etc. are in good working order. 14) All vessels are required to have two serviceable bower anchors for safe transit. 15) All vessels A.I.S. Pilot plug required to be operational. (J.Ghosh) Harbour Master (River)			
15th 16th 17th 18th 19th 20th 21st 22nd 23rd 24th *25th 26th 27th 28th	7.6 7.5 7.4 7.2 7.0 6.8 6.6 6.6 6.9 7.1 6.8 7.0 7.2	7.8 7.8 7.7 7.6 7.4 7.2 7.0 6.8 6.8 7.1 7.3 7.0 7.2 7.4 7.6	13. All Vessels to ensure that their engines, steering etc. are in good working order. 14) All vessels are required to have two serviceable bower anchors for safe transit. 15) All vessels A.I.S. Pilot plug required to be operational. (J.Ghosh)			

		4.05	KOLKATA PORT TRUST	
No. MRN/F	HMR/HD/N/	196	कोलकाता पत्तन न्यास	H.M.(R)'S OFFICE
INIVALOR	11-1	dia Dast	HALDIA 'NIGHT' JANUARY' 2017	Dated :26/11/2016
INWARD		dia Dock B	ESTIMATED FRESH WATER DRAFT FO	
Date 1st	A 7.9	8.1	JAN'17 FOR HALDIA , FOR VESSELS (SUBJECT TO AL	
2nd	7.8	8.0	(SUBJECT TO AL	TERATION)
3rd	7.8	8.0	NOTES	
4th	7.6	7.8		
5th	7.4	7.6	INWARD SHIPS A	T NIGHT
6th	7.2	7.4		
7th	7.2	7.4	1. For Haldia Docks - Upto 230 mtrs. I	_OA and maximum
*8th	7.5	7.7	draft upto 8.5 mtrs.	
9th	7.7	7.9		
10th	7.9	8.1	2. For No.1 Haldia Oil Jetty - Upto 150) mtrs. LOA
11th	8.0	8.2	and draft upto 6.5 mtrs.	
12th	8.1	8.3		
13th	8.1	8.3	3. IT IS EXPECTED VESSELS WILL I	
14th	8.0	8.2	EQUIPPED WITH SUITABLE RADARS ETC. FOR	
15th	7.8	8.0	BERTHING AT NIGHT.	
16th	7.7	7.9	4 IT IS COMPILE CODY FOR MACTES	R TO BBO
17th	7.5	7.7	4. IT IS COMPULSORY FOR MASTER TO PRO-	
18th	7.3	7.5	CURE ESTUARY RIVER CHARTS THR	
19th	7.0 6.7	7.2 6.9	THEIR AGENTS FOR THE SAFETY OF THEIR VESSELS.	
20th 21st	6.7	6.9	VEGGELG.	
21st 22nd	6.5	6.7	5. Night draft apply to tides available b	etween
*23rd	7.0	7.2	Sunset on that day and Sunrise the follo	
24th	7.2	7.4	Curiset on that day and Curinse the folio	wing day.
25th	7.5	7.7	6. All vessels to ensure that their engine	s. steering etc.
26th	7.7	7.9	are in good working order.	-,
27th	7.8	8.0	3	
28th	7.9	8.1	7. Pilot embarkation at EDEN Channel.	
29th	7.9	8.1		
30th	7.9	8.1	8. All vessels A.I.S. Pilot plug required to	o be operational.
31st	7.8	8.0		
OUTWAR	RD:			
1st	7.8	8.0		
2nd	7.7	7.9		
3rd	7.6	7.8		
4th	7.5	7.7		
5th	7.3	7.5		
6th 7th	7.1 7.1	7.3 7.3		
8th	7.1	7.3		
9th	7.1	7.3	(J Gho	sh)
*10th	7.1	8.0	HARBOUR MAS	
11th	7.9	8.1	बंदरगाह मास	
12th	8.0	8.2		. (/
13th	8.0	8.2		
14th	7.9	8.1		
15th	7.7	7.9		
16th	7.6	7.8		
17th	7.4	7.6		
18th	7.2	7.4		
19th	6.9	7.1		
20th	6.6	6.8		
21st	6.4	6.6		
22nd	6.4	6.6		
23rd	6.5	6.7		
24th	6.5	6.7		
*25th	7.4 7.6	7.6 7.8		
26th 27th	7.6	7.8		
27th 28th	7.7	7.9		
ZUIII				
20th	7 Ջ	2 0		
29th 30th	7.8 7.8	8.0 8.0		