

Office of the Sr. Dy. Manager, I&CF Divission,
Civil Maintenance office, Cluster-5,
P.O.- Haldia Township, Dist. Purba Medinipur - 721 607
Tele Phone - 03224-263389
Fax - 03224-252110
E-mail [id: bsengupta.hdc@nic.in](mailto:bsengupta.hdc@nic.in)

No.: I&CF/SDM/RZ/2018- 19/ET/34/ 835

Date: 11.02.2019

Sr. Public Relations Officer,
Kolkata Port Trust
15, Strand Road,
Kolkata – 700001.

Ref.: Earlier letter no.: I&CF/SDM/RZ/2018- 19/ET/34/796 dated 01.02.2019

Subject: - Publication of “Corrigendum Notice” in the Press.

REG: - "EXCAVATION AND CARRIAGE OF DREDGED SPOILS FROM WITHIN EARTHEN DYKES IN THE AREA TO THE WEST OF TURNING BASIN OF HALDIA DOCK COMPLEX FOR LAND FILLING, ETC. BY OUTSIDE AGENCIES ".

Please find enclosed herewith “Corrigendum Notice” for subject work which may be released for advertisement positively by 13-02-2019 in the classified columns of the leading daily newspapers in Bengali, Hindi & English and also in Indian Trade Journal, Kolkata.

Please return the duplicate copy of this letter indicating the names of newspapers along with their corresponding dates of publication of advertisement.

Enclo: (1) Corrigendum Notice for newspapers.

Sd/-
General Manager (Engineering),
Haldia Dock Complex.

Copy to: The **Sr. Dy. Manager (Admn.), HDC**, with a copy of Corrigendum Notice. He is requested to display the same at KoPT & HDC’s WEBSITES (to be sent thr’ e-mail).

Copy to: The **Sr. Dy. Manager (RZ & Spl. RT.), HDC** for information please. A copy of the Corrigendum Notice is enclosed.

Kolkata Port Trust
HALDIA DOCK COMPLEX

CORRIGENDUM NOTICE FOR:

NAME OF WORK: EXCAVATION AND CARRIAGE OF DREDGED SPOILS FROM WITHIN EARTHEN DYKES IN THE AREA TO THE WEST OF TURNING BASIN OF HALDIA DOCK COMPLEX FOR LAND FILLING, ETC. BY OUTSIDE AGENCIES.

Reference tender document vide no. I&CF/SDM/RZ/2018-19/ET34 for the subject work, the following amendments shall be applicable:

SL. NO.	REFERENCE	EXISTING DETAILS		TO BE READ AS	
		Quantity of Earth to be extracted as per Work Order	Maximum Time permissible	Quantity of Earth to be extracted as per Work Order	Maximum Time Permissible
1	Page-18, Clause No.: 8. [Time Completion] of			1 Lakh Cu. M.	2 Months.
		1,00,000 Cu. M.	11 Months.	Every additional 1 Lakh Cu. M.	1 Month for each additional 1 Lakh Cu. M.

Bidders are requested to submit the 'Corrigendum' notice duly signed under office seal along with the Tender Document as an acknowledgement and acceptance.

Sd/-
General Manager (Engineering),
Haldia Dock Complex.