Office of the Sr. Dy Manager (IZ&R) I&CF Division Haldia Dock Complex, 2<sup>ND</sup> Floor, Operational Building Chiranjibpur, P.O.-Haldia Purba Medinipur – 721604. Tele Fax No-03224-252110

Date: 30.10.2019

#### No. 1&CF/IZ&R/T/307/769

The Chief Public Relations Officer, Kolkata Port Trust 15, Strand Road, Kolkata – 700001.

Subject: - Release of Advertisement in the press and in the Website for Notice Inviting Tender.

# REG: - E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

#### [E -TENDER NO : 2019\_KoPT\_514941]

Enclosed please find a Short Tender Notice, which may be published, in the **Display column** of the daily leading newspapers in Bengali, English & Hindi and also in Indian Trade Journal, Kolkata, positively by **05-11-2019**.

Please return the duplicate copy of this letter indicating the names of newspapers along with their corresponding dates of publication of advertisement.

Enclo: (1) Short Tender Notice for newspapers- (FLAG - A).

A. GANESAN GENERAL MANAGER (ENGG) HALDIA DOCK COMPLEX

Copy to: P.S to Deputy Chairman for kind information of Deputy Chairman. [Enclo: FLAG-A]

- **Copy to**: The General Manager (Finance)I/C, HDC, for favour of his information please. A copy of the NIT **(FLAG-B)** is enclosed. He is requested to send his representative to attend the Pre-bid meeting as mentioned in the NIT. He is also requested to depute one of his officers to attend the opening of the bids as aforesaid.
- Copy to: The General Manager (T.O.) I/C, HDC, for favour of his information please. A copy of the NIT (FLAG-B) is enclosed.
- **Copy to**: The Sr. Dy. Manager (Admn.), HDC, with a copy of Tender Notice **(FLAG-B)**. He is requested to display the same at KoPT & HDC's WEBSITES (to be sent thr' e-mail).
- Copy to: The Sr. Dy. Manager (IZ&R), I&CF, HDC, for information please. A copy of the NIT (FLAG-B) is enclosed

#### SHORT TENDER NOTICE

E-Tender under single stage two part system (Techno-Commercial Bid and Price Bid) are invited as per Prequalification criteria stipulated in Tender Document for the following work at Haldia Dock Complex.

Name of work	:	WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA.
E-Tender No	:	2019_KoPT_514941
Estimated Cost	:	Rs. 4,55,32,372.20 (Rupees Four Crore Fifty Five Lakh Thirty Two Thousand Three Hundred Seventy Two and paise Twenty only).
Date and Time for pre- bid meeting & site visit		13-11-2019 at 12:00 Hrs. [Pre-bid meeting will be off line and will be held at the office of General Manager (Engg.) at Jawahar Tower, Haldia Township, Haldia followed by site visit]
Last date of submission of e- tender	:	28-11-2019 Submission Up to 15:00 hrs.

Details of the Tender & Tender Documents are available in KoPT website (www.kolkataporttrust.gov.in) and have to participate in bidding process through their website **https://eprocure.gov.in/eprocure/app** only. Interested bidders may contact at **pdasgupta.hdc@nic.in**.

# कलकता पत्तन न्यास

# KOLKATA PORT TRUST

## हल्दिया गोदी परिसर

## HALDIA DOCK COMPLEX

## **I&CF DIVISION**

### **BIDDING DOCUMENTS**

FOR

### E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA."

[ e-Tender No. 2019\_KoPT\_514941 ]

(Tender No.: I&CF/IZ&R/T/307)



## **October - 2019**

## **TABLE OF CONTENTS**

### [Tender No. : I&CF/SDM/IZ&R/T/307]

CL. NO	SUBJECT	PAGE MKD
1	SCHEDULE OF TENDER (SOT)	3
2	SHORT TENDER NOTICE	4
3	NOTICE INVITING TENDER	5 - 6
4	IMPORTANT INSTRUCTIONS FOR E-PROCUREMENT	7 - 8
5	INSTRUCTION TO BIDDER	9 - 12
6	SPECIAL CONDITIONS OF CONTRACT	13 - 20
7	PARTICULAR SPECIFICATIONS OF WORK	21 - 32
8	PREAMBLE TO THE BILL OF QUANTITIES	33
9	BILL OF QUANTITIES	34 - 49
10	ANNEXURE - IA	50
11	ANNEXURE - IB	51
12	ANNEXURE - II	52
13	ANNEXURE - III	53-54
14	ANNEXURE - IV	55
15	ANNEXURE - V	56
16	ANNEXURE - VI	57
16	GENERAL CONDITIONS OF CONTRACT	58 - 99

### 1. SCHEDULE OF TENDER (SOT)

E-Tender under single stage two part system (Techno-Commercial Bid and Price Bid) are invited from reliable, bonafide & experienced agency with required experience as per Prequalification criteria stipulated in Tender Document for "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA" as per Bill Of Quantities to Haldia Dock Complex. Bid Document may be seen from KoPT website (www.kolkataporttrust.gov.in). Corrigenda or clarifications, if any, shall be hosted on the above mentioned website only.

Bidders will have to participate in bidding process through website <u>https://eprocure.gov.in/eprocure/app</u> only.

a. TENDER NO.	I&CF/IZ&R/T/307
b. MODE OF TENDER	e-tendering System
c. E-Tender No.	2019_KoPT_514941
d. i) Date of NIT available to parties to download	01-11-2019 to 28-11-2019
ii) Date and Time for pre-bid meeting & site visit	13-11-2019 at 12:00 Hrs. [Pre-bid meeting will be off line and will be held at the office of General Manager(Engg.) at Jawahar Tower, Haldia Township, Haldia followed by site visit]
e. i) Estimated Cost Of Work	Rs. 4,55,32,372.20 (Rupees Four Crore Fifty Five Lakh Thirty Two Thousand Three Hundred Seventy Two and paise Twenty only).
ii) Bid Document fee	The intending bidders should submit Bid Document Fee of INR Rs. 2950.00 (Rupees Two Thousand Nine Hundred Fifty only) including 18% GST
iii) Earnest Money Deposit (EMD)	The intending bidders should submit Earnest Money of INR Rs. 9,10,650.00 (Rupees Nine Lakh Ten Thousand Six Hundred Fifty only).
<ul> <li>f. Last date of generation of Demand Draft (DD)</li> <li>/Banker's Cheque for EMD and Bid document fee before submission of online tender.</li> </ul>	28-11-2019 (upto 3:00 P.M.)
g. Last date of submission of original copy of DD/Banker's Cheque as EMD & Bid Document fee.	29-11-2019 (upto 3:00 P.M.)
h. Date of starting of online e-tender for submission of Techno-Commercial Bid & Price Bid.	18-11-2019
i. Date of closing of online e-tender for submission of Techno-Commercial Bid & Price Bid.	28-11-2019 (Up to 3:00 P.M.)
j. Date & time of opening of Techno-commercial Bid of Tender. Price bid opening would be intimated separately	29-11-2019 (After 3:30 P.M.)

#### 2. SHORT TENDER NOTICE

E-Tender under single stage two part system (Techno-Commercial Bid and Price Bid) are invited as per Prequalification criteria stipulated in Tender Document for the following work at Haldia Dock Complex.

Name of work	:	WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA.
E-Tender No	:	2019_KoPT_514941
Estimated Cost	:	Rs. 4,55,32,372.20 (Rupees Four Crore Fifty Five Lakh Thirty Two Thousand Three Hundred Seventy Two and paise Twenty only).
Date and Time for pre- bid meeting & site visit		13-11-2019 at 12:00 Hrs. [Pre-bid meeting will be off line and will be held at the office of General Manager(Engg.) at Jawahar Tower, Haldia Township, Haldia followed by site visit]
Last date of submission of e-tender	:	28-11-2019 Submission Up to 15:00 hrs.

Details of the Tender & Tender Documents are available in KoPT website (www.kolkataporttrust.gov.in) and the bidders have to participate in bidding process through their website <u>https://eprocure.gov.in/eprocure/app</u> only. Interested bidders may contact at <u>pdasgupta.hdc@nic.in</u>.

#### **3. NOTICE INVITING TENDER**

#### WORK TITLE: - WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA.

#### 3.1 E -TENDER NO : 2019\_KoPT\_514941

E-Tender under single stage two part system (Techno-Commercial Bid and Price Bid) are invited from resourceful, experienced and bonafide agencies with sound technical and financial capabilities on fulfilling the following Pre-qualification Criteria;

#### 3.2 PRE-QUALIFICATION CRITERIA FOR BIDDERS: -

- i) Average Annual Financial Turnover during the last three years, ending on **31-03-2019**, should be at least **Rs. 1,36,59,712.00**.
- ii) Experience of having successfully completed similar works during last 7 years ending last day of month previous to the one in which applications are invited should be either of the following:
  - a. Three similar completed works costing not less than **Rs. 1,82,12,949.00**

Or

b. Two similar completed works costing not less than  $\ensuremath{\text{Rs. 2,27,66,186.00}}$ 

Or

- c. One similar completed works costing not less than **Rs. 3,64,25,898.00**
- iii) Similar works means: -

Construction of Road / Pavement / Hardstand / Yard / Embankment with Bituminous course or in situconcrete or Paver blocks or Concrete blocks or any combination thereof.

Or

Construction and/or repairs and/or rehabilitation of Bridge / Marine Structure or any concrete work and /or any masonry work or any combination thereof.

#### TENDER AUTHORITY:-

General Manager (Engineering), Haldia Dock Complex, Jawahar Tower Complex, Haldia Township, Dist. Purba Medinipur – 721 607, Contact No. -7478005099, E-mail id: <u>aganesan.hdc@nic.in</u>

Due Date	28-11-2019	Time	UPTO 15:00 hrs.	Date Opening Tender	of of	29-11-2019	Time	15:30 hrs. onwards.
				-		<u>kolkataporttru</u>	<u>st.gov.in</u>	) Bidders will
	o participate ir <u>/eprocure.gov</u>	•••		•	ite			
	Date and Time for pre- bid meeting & site visit13-11-2019 at 12:00 Hrs. [Pre-bid meeting will be off line and will be held at the office of General Manager(Engg.) at Jawahar Tower, Haldia Township, Haldia followed by site visit]							
Cost Docume (Non-ref	of Tender nt fundable)	Rs. 2950.00 (Rupees Two Thousand Nine Hundred Fifty only).						
Earnest	Earnest Money Deposit Rs. 9,10,650.00 (Rupees Nine Lakh Ten Thousand Six Hundred Fifty only).							
Time Of	Completion	12 (Twelve) months.						
Estimate Work	ed Cost Of	Rs. 4,55,32,372.20 (Rupees Four Crore Fifty Five Lakh Thirty Two Thousand Three Hundred Seventy Two and paise Twenty only).						

#### 3.4 OTHER INSTRUCTIONS:-

3.4.1 E-Tenderers are invited on two Cover basis (Techno Commercial Part & Price Part) from resourceful, experienced and bonafide bidders with sound technical and financial capabilities for the above mentioned work at Haldia Dock Complex.

3.4.2 Details of the Tender Documents and Notification of any Addendum / Corrigendum to the tender Documents are available in web site from KoPT website (www.kolkataporttrust.gov.in) and have to participate in bidding process through their website <u>https://eprocure.gov.in/eprocure/app</u> only.

3.4.3 E-Tender Document shall neither be issued by post nor sold.

3.4.4 E-Tenderers are not permitted to alter/change/delete/modify any clause of the tender Document down loaded from the website. If any deviation / discrepancy is found after submission of tender, the submitted offer will be summarily rejected.

3.4.5 Bidders shall submit the Bid Document as stipulated in the "Instructions To Bidders" of the e-tender Document. Trustees reserve the right to verify the submitted copies of Documents / credentials with the original Documents.

3.4.6 The successful tenderer will be required to comply with the relevant provisions of BOCW (RECS) Act, 1996, West Bengal BOCW (RECS) Act, 2004 and BOCW Welfare Cess Act, 1996 and the rules framed there under. An amount of cess as per prevalent rate (presently @ 1% of the billed amount) shall be progressively recovered from all the bills of the contractor for onward transmission of the same to the appropriate authority.

3.4.7 E-Tenderers will be received through <u>https://eprocure.gov.in/eprocure/app</u> up to 15:00 hrs. on the last date of submission and opening of tender specified above.

3.4.8 Techno Commercial Part of the e-Tender will be opened shortly after 3.30 p.m. on the stipulated date.

3.4.9 Price Part of only technically & commercially qualified bidders will be opened at a later date under due intimation to all concerned.

3.4.10 In case of unscheduled Holiday / Bandh on the date of opening of E-Tender, the same will be opened on the next working day.

3.4.11 It is stated here that the subject tender may not be extended further.

3.4.12 Kolkata Port Trust reserves the right to reject any or all offers or to accept the offer in whole or in part without assigning any reason whatsoever thereof.

General Manager (Engg.) Haldia Dock Complex

### 4. Important instructions for E-procurement

Bidders are requested to use internet Browsers Firefox version below 50 / Internet Explorer version 8 or above, and Java 8 Update 151 or 161.

Further, bidders are requested to go through the following information and instructions available on the CPP Portal https://eprocure.gov.in/eprocure/app before responding to this e-tender:

- Bidders Manual Kit
- Help for Contractors
- ≻ FAQ

Contact Persons (Kolkata Port Trust, Haldia Dock Complex):

1. P. Dasgupta, Sr. Dy. Manager (I&CF), Mob: 9434062304, email: pdasgupta.hdc@nic.in

	Process of E-tender :
	THE TECHNICAL BID AND THE COMMERCIAL BID HAS TO BE SUBMITTED ON-LINE AT <u>https://eprocure.gov.in/eprocure/app/eprochome/</u> 1).Vendors are required to register themselves online with <u>https://eprocure.gov.in/eprocure/app</u>
	Contact person (Haldia Dock Complex): 1. Sri. P. Dasgupta Sr. Dy. Manager (IZ&R),I&CF Haldia Dock Complex Ph. No. 03224 252844 pdasgupta.hdc@nic.in
	<u>Contact persons (CPP Portal):</u> 1. Shri Nazmush – Mob: 9563251950 email: <u>webhelpdesk@gmail.com</u> See CPP Portal for Contact details.
2	The Techno-commercial Bid and the Price Bid shall have to be submitted online at <u>https://eprocure.gov.in/eprocure/app</u> Tenders will be opened electronically on specified date and time as given in the Tender.
3	All entries in the tender should be entered in online Technical & Commercial Formats without any ambiguity.
4	Information about tenders /corrigendum uploaded shall be sent by email only during the process till finalization of tender. Hence the vendors are required to ensure that their corporate email I.D. provided is valid and updated at the time of registration of vendor with <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> . Vendors are also requested to ensure validity of their DSC (Digital Signature Certificate).
5	E-tender cannot be accessed after the due date and time mentioned in NIT.
6	<ul> <li>Bidding in e-tender : <ul> <li>a) Vendor(s) need to submit necessary EMD and Tender fees to be eligible to bid online in the e-tender. Tender fees are non refundable. No interest will be paid on EMD. EMD of the unsuccessful vendor(s) will be refunded by the tender inviting authority.</li> <li>b) The process involves Electronic Bidding for submission of Technical and Commercial Bid.</li> <li>c) In all cases, vendor should use their own ID and Password along with Digital Signature at the time of submission of their bid.</li> <li>d) During the entire e-tender process, the vendors will remain completely anonymous to</li> </ul> </li> </ul>

	e) The e-tender floor shall remain open from the pre-announced date & time and for as much duration as mentioned above.				
	<ul> <li>f) All electronic bids submitted during the e-tender process shall be legally binding on the vendor. Any bid will be considered as the valid bid offered by that vendor and acceptance of the same by the Buyer will form a binding contract between Buyer and the Vendor for execution of supply.</li> </ul>				
	g) It is mandatory that all the bids are submitted with digital signature certificate otherwise the same will not be accepted by the system.				
	<ul> <li>h) Buyer reserves the right to cancel or reject or accept or withdraw or extend the tender in full or part as the case may be without assigning any reason thereof.</li> </ul>				
	<ul> <li>No deviation of the terms and conditions of the tender Document is acceptable. Submission of bid in the e-tender floor by any vendor confirms his acceptance of terms &amp; conditions for the tender.</li> </ul>				
7	Any order resulting from this tender shall be governed by the terms and conditions mentioned therein.				
8	No deviation to the technical and commercial terms & conditions are allowed.				
9	The tender inviting authority has the right to cancel this e-tender or extend the due date of receipt of bid(s) without assigning any reason thereof.				
10	Vendors are requested to read the vendor guide and see the video in the page <u>https://eprocure.gov.in/eprocure/app</u> to familiarize them with the system before bidding.				

11	No deviation of the terms and conditions of the tender Document is acceptable. Submission of bid in the e-tender floor by any bidder confirms his acceptance of terms & conditions for the tender.
12	The bidders must upload all the Documents required as per terms of NIT. Any other Document uploaded which is not required as per the terms of the NIT shall not be considered.
13	The bid will be evaluated based on the filled-in technical & commercial formats.
14	The Documents uploaded by bidder(s) will be scrutinized. In case any of the information furnished by the bidder is found to be false during scrutiny, EMD of defaulting bidder(s) will be forfeited. Punitive action including suspension and banning of business can also be taken against defaulting bidders.
15	Necessary addendum/ corrigendum (if any) of tender would only be hosted in the e-tendering portal of CPP.
16	Due date of submission of tender will not be extended under any situation.

### 5. INSTRUCTIONS TO BIDDER

# E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

#### E -TENDER NO : 2019\_KoPT\_514941

#### 5.0 PREFACE :

The work as described in the tender shall be executed in Haldia and in accordance with the attached General Conditions of Contract, Special Conditions of Contract, Particular Specifications, Drawings (if any) & detailed Bill Of Quantities. Location Plan of the place of work might be inspected at the office of the SR. DY. MANAGER (IZ&R), I&CF on any working day before quoting for the tender.

#### 5.1 EARNEST MONEY :

Earnest money and cost of tender Document [original copy] are to be physically deposited at the office of Sr. Dy. Manager [IZ&R], I&CF Division, 2nd floor Operational Building, Chiranjibpur, Haldia Dock Complex, Haldia, PIN- 721604, separately in a single sealed envelope, mentioning Tender no. with proper marking.

Demand Draft /Banker's Cheque against Earnest money and cost of tender Document should be drawn on any scheduled/ nationalised Bank, by the bidder in favour of **Kolkata Port Trust**, payable at **Haldia**.

5.1.1 Details of cost of e-tender paper remitted should be entered by the participating bidder in the space provided in the e-tender as indicated hereunder:

a)	Name of remitting bidder	:
b)	Tender No.	:
c)	Amount remitted	:
d)	Date of remittance	:
e)	DD/BC No.	:

5.1.2 Details of Earnest money remitted should be entered by the participating vendor/contractor in the space provided in the e-tender as indicated hereunder:

a) Name of remitting bidder :
b) Tender No. :
c) Amount remitted :
d) Date of remittance :
e) DD/BC No. :

Tender submitted without requisite Earnest Money and tender paper will be liable for rejection.

#### 5.2 MODE OF SUBMISSION OF BID :

- 5.2.1 All bidders must submit their offers through e- tendering in accordance with the terms and conditions set out in the bid Documents and no deviation will be accepted.
- 5.2.2 Techno commercial part shall contain the following which are to be uploaded:
  - a) A declaration as per annexure IB that the Bidding Firm has Not been debarred / de-listed by any Govt / Quasi Govt. / Public Sector undertaking in India.
  - b) A declaration as per annexure IB that the proprietor/partner(s)/authorized signatory of the bidding firm (in the case of proprietorship firm /partnership firm /limited company, as the case may be) is/are not associated with any other firm bidding for the same work.
  - c) The un-priced "Abstract Form Of Tender" & "Form Of Tender" (without price quoted) shall not only be signed and stamped by the Bidder, but must also be duly witnessed and scan copy to be uploaded.
  - d) A list of works which are in hand at the time of submitting the offer as per the enclosed proforma titled 'Concurrent Commitments of The Bidder' vide 'Annexure-II' in Volume-I of the tender Document.
  - e) A Declaration as per 'Annexure IA' that no conditions / deviations have been added in the price part of the Bid.
  - f) Scan copy of the following Documents to be uploaded:
    - i) PAN Card
    - ii) GST registration certificate.
    - iii) Valid Trade Licence.
    - iv) Valid Professional Tax Clearance Certificate / Up to date tax payment.
    - v) Proof of possessing valid Employees' Provident Fund (EPF) Account.
    - vi) Proof of being registered with Employees' State Insurance Corporation (ESIC).
- g) Details of the firm as per "BIDDER'S PROFILE" of the tender Document.
- h) Credentials in the form of copies of Letters of Award of Works along with corresponding Completion Certificates from owners to justify that the intending bidder satisfies the earlier mentioned prequalification criteria.
- i) Certified copies of audited balance sheet and Profit and Loss account / Trading account for the last 3 (three) financial years (i.e. 2016-2017, 2017-2018, 2018-2019).
- j) Addendum/Corrigendum / Notice / Extension Notice issued and drawings (if any) duly signed by the Bidder under office seal.

The bidder will have to produce the original Documents or any additional Documents, if asked for, to satisfy the Authorities.

5.2.3 All the bidders should submit the e-tender in accordance with the Mode of submission of Bid as aforesaid.

#### 5.3 OPENING OF BIDS :

Techno Commercial Part and Price Part as stated above will be opened on the date and time as fixed in the e-tender Document on line.

#### 5.4 SECURITY DEPOSIT :

- 5.4.1 For the successful Bidder, the Security Deposit shall be recovered from the Earnest Money deposit in accordance with clause 3.4 (f) and (g) of the General Conditions of Contract.
- 5.4.2 Refund of S.D. and forfeiture S.D. shall be guided by Cl. 3.5 (i) & (ii) of the G.C.C.

#### 5.5 REFUND OF EARNEST MONEY :

The Earnest Money received, will be refunded or released as the case may be to the unsuccessful Bidders without any interest after opening of Price bid of the e-Tender Document.

#### 5.6 VALIDITY OF OFFER :

The e-tender shall remain valid for a period of 120 [One Hundred Twenty] Days from the date of opening the same. If before expiry of this validity period, the Bidder amends his quoted rates or tender, making them unacceptable to the Trustees and / or withdraws his e-tender, the Earnest Money deposited shall be liable to forfeiture at the option of the Trustees/ Sanctioning Authority/Engineer.

#### 5.7 DETAILED SCRUTINY OF E-TENDERERS :

5.7.1 During the course of examination of Techno Commercial Part of the bid, the bidders, if asked for, shall furnish any or additional Document(s) for the purpose of evaluation of his / their bids. The price bids of those bidders who meet the qualifying criteria of NIT shall be opened.

5.7.2 During techno-Commercial Evaluation of tender, an offer shall be considered non-responsive in case :-

- (i) is not accompanied by requisite earnest money,
- (ii) is not accompanied by requisite tender Bid Document Fee,
- (iii) validity of the offer is less than tender stipulation,
- (iv) It does not meet the Qualification Criteria as stipulated in the NIT.
- (v) The bidder submits conditional offer / impose own terms and conditions / does not accept tender conditions completely.

In addition to above, a bidder may be disqualified if -

a) The bidder provides misleading or false information in the statements and Documents submitted.

b) Record of unsatisfactory performance during the last seven years, such as abandoning of work or rescinding of contract for which the reasons are attributable to the non-performance of the contractor or inordinate delays in completion or financial bankruptcy etc.

The decision of Kolkata Port Trust in this regard shall be final and binding on the Bidder.

#### 5.8 For Micro & Small Enterprises (MSEs) :-

- 5.8.1 Micro & Small Enterprises (MSEs) shall submit the following Documents for availing themselves waiver of EMD and cost of tender Documents :-
- 5.8.2 Micro and Small Enterprise registered with the authorities as mentioned in the Govt. of India gazette Notification dated 26.03.2012 shall be exempted from payment of Cost of Tender Document and depositing Earnest Money for which copies of valid MSE's Certificate along with the certificate of the authority as mentioned in the Govt. gazette with list of items registered must be submitted with tender.

#### 5.9 EVALUATION CRITERIA :

- 5.9.1 During evaluation of Price Part, provided that the bidder submits his offer following e-tender stipulations & specifications, **the overall lowest offer received** shall be considered for acceptance by the Trustees.
- 5.9.2 The MSE's registered with NSIC/ DIC shall not be eligible to get any benefit other than exemption from payment of EMD & cost of tender Document as per New Public Procurement Policy as notified by the Govt. of India, Ministry of Micro Small & Medium Enterprises (MSME) in the Gazette of India vide no. 503, dated 26.03.2012 as splitting of the work can not be done, it being a composite work.

#### 5.10 ACCEPTANCE OF TENDER :

- 5.10.1 Kolkata Port Trust reserves the right to accept / reject any / all offer(s) without assigning any reason thereof and also reserve the right to accept the tender in part or as a whole.
- 5.10.2 Any attempt to exercise undue influence in the matter of acceptance of Tender is strictly prohibited and any Tenderer who resorts to this will render his tender liable to rejection.

- 5.10.3 The successful Tenderer will be notified in writing of the acceptance of his tender. The "Tenderer" then becomes the "Contractor" and he shall forthwith take steps to execute the Contract Agreement within six weeks of issue of Letter Of acceptance and fulfill all his obligations as required by the Contract.
- 5.10.4 Work experience, as a sub-contractor or supply contractor shall not be considered as the requisite qualification.

#### 5.11 MISCELLANEOUS:

- (i) Bidder shall submit his offer for complete scope of work, strictly in accordance with the tender Documents. Any deviation from the tender Documents and / or any incomplete tender shall not be considered.
- (ii) The bidder shall not impose his own terms & conditions in his offer or quote his rates based on his own terms and conditions, such E-Tenderers are liable to rejection at the option of the Trustees without further reference to the bidder.
- (iii) All materials shall have to be procured by the successful Bidder and shall be of the best and approved quality conforming to relevant specifications. The successful Bidder shall also arrange for the supply of all labour, tools and plants as stipulated in the Special Conditions of Contract, required for efficient execution of the work.
- (iv) All measuring units are in Metric System and rates and sums in the tender are in Indian Currency. The language used throughout shall be in English.
- (v) The Tender Documents with all the enclosures, appendices, Abstract Form of Tender and Form of Tender shall be required to be complete, duly filled in and signed and uploaded.
- (vi) The Bidder shall give a declaration about the names of their relations employed in Kolkata Port Trust. It is not the intention to debar the Contractors from working if their relatives are working in Ko.P.T, but such a declaration is necessary in the interest of Trustees against any possible lapses.

\* \* \* \* \* \* \* \* \* \* \* \* \* \* \*

### 6. SPECIAL CONDITIONS OF CONTRACT

# E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

#### 6.0 PREFACE:

These provisions though given in a separate section are part of the tender Documents which must be read as a whole, the various sections being complementary to one another and are to be taken as mutually explanatory. These provisions shall be read in conjunction with the other parts of the tender Documents viz. General Conditions of Contract, Notice Inviting E-Tenderers, Instructions to Bidder, Particular Specifications, Drawings, Bill of Quantities and other Documents forming part of the Contract. In case of any discrepancy or ambiguity in the Documents, the order of precedence of the Documents as stated below will apply. In particular, these provisions will over ride those in the General Conditions provided there is discrepancy between them.

#### 6.1 CORRELATION AND ORDER OF PRECEDENCE OF TENDER DOCUMENTS:

If the stipulations in the various tender Documents be found to be at variance in any respect, one will override others (but only to the extent these are at variance) in the order of precedence as given in the list below, i.e. any particular item in the list will take precedence over all those placed lower down in the list.

- Order letter.Bill of Quantities.
- Bill of Quantitie
- Drawings.
- Particular Specifications of work.
- Special Conditions of Contract.
- General Conditions of Contract.

In case of any dispute, question or difference either during the execution of the work or any other time as to any matter or thing connected with or arising out of this Contract, the decision of the Sr. Dy. Manager (I&CF), Haldia Dock Complex, thereon shall be final and binding upon all parties.

#### 6.2 SCOPE OF WORK:

The work mainly comprises of (a) widening & up gradation of road including construction and repairing of drain & culverts (b) Shifting of boundary wall, providing of new Gate & Goomty and (c) providing of rail guard, safety tape, mirror etc. The work consists of the following major item of works:-

- (i) Dismantling work.
- (ii) Earthwork in excavation and filling
- (iii) Taking out flexible pavements (bituminous road)
- (iv) Rolling sub grade
- (v) Supplying and laying polythene sheet
- (vi) Providing and laying cement concrete in 1:1.5:3,
- (vii) Supplying and laying woven geotextile
- (viii) Providing, filling the excavated area with zone III Brown sand
- (ix) Taking out paver blocks of herring bone bond
- (x) Providing and laying cement concrete 1:4:8.
- (xi) Shuttering for concreting work.
- (xii) Supplying and laying of machine made pre cast M 50 grade concrete paver block.
- (xiii) Providing and laying laterite boulder
- (xiv) Cement concrete in nominal mix proportion 1:3:6
- (xv) Brick work with first class bricks in cement mortar 1:4
- (xvi) Providing and laying 35 mm thick artificial stone in floor, dado, staircase etc
- (xvii) Neat cement punning
- (xviii) Sorting out and take delivery of second hand Rails
- (xix) Placing and fixing the Rail post.
- (xx) Providing and applying one coat approved primer
- (xxi) MS Structural works
- (xxii) Reinforced Barbed Tape) Concertina fencing
- (xxiii) Wood and plumbing work

(xxiv) Dressing and chilchalling Road flanks.

(xxv) Cutting kutcha drain.

All the items of works as detailed above shall have to be carried out as per specification and as detailed in the "Bill of Quantities".

The scope of work also includes all other works as described in the attached "Bill Of Quantities" and ancillary and appurtenant works as may be required hereafter for successful completion of the work in accordance with the Trustee's General Conditions Of Contract, attached Special Conditions Of Contract, Particular Specifications, Bill Of Quantities and in accordance with PWD (West Bengal's) Specifications for materials and workmanship.

#### 6.3 LOCATION

The location of the site of work is at the Eastern side of Dock basin, Haldia Dock Complex, Haldia.

#### 6.4 ACCESS TO THE SITE:

(a) By Road:

All-weather hard top road approachable from N.H. 41 and State Highway exist right up to the bank of River Hoogly.

(b) By Rail:

S. E. Railway Branch Line connects Haldia with the Panskura Railway Station.

#### 6.5 INSPECTION OF SITE :

The Bidder shall inspect the site of work and thoroughly familiarise himself with the nature of work, site conditions, and access to the site and location before submission of the tender. He should contact the Sr. Dy. Manager (IZ&R), I&CF, Haldia dock Complex at his office at Chiranjibpur, Haldia for collecting information about the site before submission of the tender. No excuse will be entertained afterwards on the above ground. In case any part of the site cannot be handed over to the successful Bidder in time, no compensation for loss of labour or any other cause nor any claim will be entertained by the Trustees. Suitable extension of time shall, however, be granted to the successful Bidder on that ground if applied for.

#### 6.6 SITE CONDITIONS & METHOD OF WORK :

The location of the site of work is at the Eastern side of Dock basin, Haldia Dock Complex, Haldia which is partly outside of the Dock boundary, as well as partly inside of the Dock boundary.

The sequence of work shall have to be programmed by the successful Bidder without hampering the traffic movement and other activities therein. The working hours may have to be adjusted as the situation demands. No claim for idle labour on this account shall be entertained.

The Contractor shall take all possible care so that other construction and / or operational works around the area, if any, are not unduly hampered for his work. Proper care should be taken to provide adequate protection to the existing structures, cables (Electric / Computer), water lines and all such installations against any damage at the Contractor's risk and expense. Any defect arising during execution of work shall have to be rectified forthwith as directed to the satisfaction of the Engineer, without charging extra cost.

The execution of work shall have to be so carried out by the Contractor as not to obstruct the working of other agencies that may be deployed in the same area.

The contractor may be required to barricade the area under repair, duly demarcating the same by red flag, lighting signal etc and also to deploy suitable personnel with red and green flag, light for controlling the vehicular traffic, the cost of which shall have to be included in the quoted rates. The contractor shall take every necessary step to ensure the safety of the vehicular traffic as well as of his men deployed for the work. No claim on this account shall be entertained.

#### 6.7 TIME OF COMPLETION :

The work is urgent in nature and must be commenced immediately on receipt of the work order and to be completed in all respects within **12 (Twelve) months** including preliminary time from the date of placement of work order.

#### 6.8 MAINTENANCE PERIOD :

The Contractor shall maintain the works allotted to him as per Clause 9.0 of the General Conditions of Contract for a period of **3 (three)** years from the date of completion as certified by the Engineer or his representative in Form G.C. 1.

#### 6.9 METHOD OF MEASUREMENT:

Unless otherwise specified in the Particular Specifications and Bill of Quantities, the work shall be measured according to the P.W.D Schedule of Rates (Buildings & Roads), 2017, Govt. of West Bengal. For details of measurement not covered by the above, S.P.-27, 1987 of B.I.S. shall be referred to.

#### 6.10 PAYMENT:

On account payment to the Contractor shall be arranged as and when required at the discretion of the Sr. Dy. Manager (I&CF) on the basis of measurements of completed works at the quoted rates in the Bill of Quantities. The terms of payment shall be in accordance with Clause-6 of the General Conditions of Contract.

As per existing norms, HDC will make payment directly to the contractor's designated bank account. For this purpose, the contractor will have to indicate (i) Name of Bank (ii) Branch name (iii) Branch code and (iv) Designated Account Number in the "Abstract Form Of Tender ". In case payment is made directly through bank, the contractor may be required to submit a pre-receipt as per instruction of HDC.

#### 6.11 PARTICULARS OF EXISTING WORKS:

Such information as may be given in the specification as to the existing features and works other than those now under construction as part of the present Haldia Dock Complex given without warranty of accuracy and neither the Trustees nor the Engineer will be liable for any discrepancies therein.

#### 6.12 PROGRAMME OF WORK AND PROGRESS REPORT:

The successful bidder shall suitably schedule various activities required for completion of the work and shall submit detailed programme of work in writing in the form of a Bar Chart before commencement of the work.

If desired by the Engineer, the contractor, during execution of the work, shall submit on the first day of each month the progress report of the work in a manner as directed, showing therein corrective measures to be taken to make up the backlog, if there be any.

#### 6.13 SAFETY MEASURES:

The contractor shall adhere to safe construction practice, guard against hazardous and unsafe working conditions and follow all safety precautions for prevention of injury or accidents and safeguarding life and property.

The contractor shall provide all personal protective equipments like safety shoe, helmet, safety belt, reflective Jackets etc. to its labourers during entire period of execution of work. All necessary first aid measures to be available in proper condition.

The successful bidder shall also ensure that -

- (i) No damage is caused to plants and vegetations unless the same is required for execution of the project proper.
- (ii) The work shall not pollute any source of water / land / air surrounding the work site so as to affect adversely the quality or appearance thereof or cause injury or death to animal and plant life.

- (iii) His office & labour hutment etc. shall be maintained in a clean and hygienic condition throughout the period of their use and different effluents of the labour hutment shall have to be disposed off suitably.
- (iv) Proper safety measure including insurance coverage of workmen during execution of work will be ensured by the Contractor. In case of any untoward incident happened during execution of work, Contractor will be solely responsible for such incidence.
- (v) Since the work has to be carried out without hampering the shipping actives at Lead-in-Jetty the contractor should keep the Jetty face clean for mooring and other activities.

#### 6.14 POWER SUPPLY:

If available and if required, suitable power supply may be arranged by the Trustees at the nearest existing supply point of the site of work on receipt of request letter from the Contractor to that effect. All necessary arrangements for the distribution at site will have to be made by the Contractor at his own cost as approved by the Trustees' Plant and Equipment Division.

Charges for consumption of power shall be periodically recovered from the Contractor's Bill at the rates of WBSEDCL as prevalent/ amended from time to time for Haldia region along with departmental overhead of 19.25% including installation and hire charges for meters. The Trustees do not guarantee uninterrupted power supply from the above sources and Contractor shall not be compensated for any delay in providing / irregularity of power supply. The Contractor shall have to arrange for the supply of power at his own cost during such periods.

#### 6.15 WATER:

The Contractor will arrange for supply of water both for drinking and for construction purposes. However, on written request from the Contractor, water for drinking and for construction purposes may be made available from the exiting water line of the Trustees at a point near the site of work. The contractor will have to arrange for laying pipelines, as necessary, as per approval of the Engineer or his representative, for storing and distributing the same to the work point at his own cost.

For supply of water by Trustees to the Contractor, an amount equivalent of **1% (one percent)** of the gross bill value for cementitious items only shall be progressively recovered from the running bill including final bill as applicable.

#### 6.16 KEEPING THE SITE AND WORKING AREA CLEAR:

The Contractor shall at all times keep the site and working areas free from all surplus materials, rubbish and offensive matter all of which shall be disposed off in a manner to be approved by the Engineer's Representative.

#### 6.17 CONSTRUCTION OF SITE OFFICE, STORE ETC:

On an application from the Contractor, land near to the site of work will be allotted by the Trustees for the construction of Site Office, Store etc. For such allotment a rent will be recovered from Contractor's bill at the rates indicated in the prevailing schedule of rates (S.O.R.) of HDC plus applicable GST. The Contractor shall hand over vacant possession of the land free from all encumbrances within two months from actual date of completion of work (as stated in G.C.-I). In case the contractor does not remove the site offices, store etc. within two months from the actual date of completion, the contractor will have to pay compensation equivalent to **three times** the applicable licence fee for the plot of land allotted to him temporarily for site offices, store etc. as per Schedule of Rent of Ko.PT's land and buildings at Haldia and to be recovered from his final bill / Security Deposit. The Contractor shall build office, sheds etc. on the land allotted to him as approved by the Engineer or his representative and shall maintain a clean hygienic condition throughout the period of their use.

The Contractor shall maintain a Site Order Book at his site office and all orders and instructions issued to him from time to time by the Engineer or his representative will be recorded in the Site Order Book. The Contractor shall promptly sign each entry as a token of having received such orders.

#### 6.18 MATERIALS :

The Contractor shall make his own arrangements for procuring and supplying all materials of best and approved quality at site.

#### 6.19 TESTING OF MATERIALS :

The Contractor shall undertake all field tests and laboratory tests for all such materials and workmanships as directed by the Engineer or his representative at his own cost.

The samples shall be taken for test jointly by the representatives of the Engineer and the contractor at the worksite and tested /sent to a Govt. registered laboratory or Institutional laboratory as may be decided by the Engineer for testing. In case of field test, the contractor shall undertake the test by his own testing equipments or by any approved agency in presence of the representatives of the Engineer and the contractor at the worksite. All the testing charges and all incidental charges like packaging and transporting the test samples, equipments etc. shall be borne by the Contractor.

#### 6.20 LABOUR, TOOLS & PLANTS:

The contractor shall supply all necessary labour, tools, plants and equipments required for satisfactory execution of the work, all at his own risk, cost and expense.

#### 6.21 ESCALATION / VARIATION ON PRICES:

No Escalation / Variation on the prices on any account will be considered for adjustment/payment.

#### 6.22A CONTRACT LABOUR LAWS:

The Contractor must comply with the provisions of Contract labour (Regulation & Abolition) Act 1970 and Contract Labour (Regulation & Abolition) Central Rules 1971 and the rules framed there under with all modifications/amendments being enforced from time to time.

The Contractor shall indicate **maximum number of workmen** to be engaged on any day for execution of the work in the appropriate place in the **ABSTRACT FORM OF TENDER** & he shall have to obtain a regular /permanent license as per sec12(1) of the Contract Labour Act.

Further , whenever a contract work has commenced or completed , the contractor has to intimate the same to the Assistant Labour Commissioner(Central) /labour Enforcement Officer (Central) in Form IV-A , within 15 days of such commencement or completion.

Also, as per "Building & Other Construction Workers (Regulation Of Employment & Conditions Of Service ) Act-1996 and Central Rule 1998, contractors engaging ten(10) or more building workers in any building or other construction works, has to obtain a certificate of registration without fail under the referred act.

The contractor has to arrange for displaying the name of the Regional Labour Commissioner (Central), Asst. Labour Commissioner (Central) & Labour Enforcement Officer (Central) at his worksite(s).

The contractor shall inform the Principal Employer the date, time & venue of disbursement to be made by him to his workers.

The successful bidder shall also be required to put up a notice at the site of work mentioning the date, time & venue of disbursement to be made by him to his workers and he or his authorized representative shall have to be present during period of disbursement.

#### 6.22B COMPLIANCE WITH E.P.F & M. P. ACT:

The successful contractor will have to comply with provision of EPF & MP Act –1952 (along with amendments, if any), issued from time to time.

The contractor will be required to submit Xerox of all payment challans and produce the original for verification to the representative of the principal employer, i.e Sr. Dy. Manager (I&CF).

#### 6.22C COMPLIANCE WITH E.S.I ACT:

If applicable , the successful bidder will have to comply with provisions of "Employers State Insurance Act – 1948", along with amendments (if any) issued from time to time. He shall obtain ESI registration and shall deduct employees' contribution @ applicable rate of the wages of each of the employees' and shall deposit the same together with employer's contribution @ applicable rate of total wages payable to the employees or at such rates as fixed by the competent authority from time to time.

In case, where an employee is Not covered under ESIC Scheme (or contribution Not paid for him regularly) and meet an accident during and arising out of his employment, the contractor being the immediate employer, shall be liable to pay him suitable compensation.

The contractor will be required to submit Xerox of all payment challans and produce the original for verification to the representative of the principal employer, i.e Sr. Dy. Manager (I&CF).

#### 6.22D INDEMNIFICATION:

The successful bidder shall be deemed to indemnify and keep indemnified the Trustees from and against all actions, claims, demands and liabilities whatsoever under and in respect of the breach of any of the provisions of any law, rules or regulations having the force of law, including but not limited to:-

- (a) The Minimum Wages Act, 1948.
- (b) The Dock Workers (Regulation Of Employment) Act, 1948
- (c) The Building And Other Construction Workers (Regulation of Employment & Conditions of Service) Act, 1996
- (d) The Dock Workers' Safety, Health & Welfare Act, 1986
- (e) The Payment of Wages Act, 1936.
- (f) The Workmen's Compensation Act, 1923.
- (g) The Employees Provident Fund Act, 1952.
- (h) The Contract Labour (Regulation and Abolition) Act, 1970; Rules 1971.
- (i) The Payment of Bonus Act, 1965.
- (j) The Payment of Gratuity Act, 1972.
- (k) The Equal Remuneration Act, 1976.
- (I) The Employees State Insurance Act, 1948 & Employees State Insurance (Amendment) Act ,1989
- (m) Child Labour (Prohibition and Regulation) Act,1986
- (n) The Maternity Benefits Act 1961
- (o) Interstate Migrant Workmen (Regulation Of Employment & Conditions Of Service) Act , 1979.
- (p) Motor Vehicle Act (Latest revision).

#### 6.23 FORCE MAJEURE:

In the event of either party rendered unable by Force Majeure to perform any obligation required to be performed by them under the Contract, relevant obligation of the party affected by such Force Majeure shall upon notification to the other party be suspended for the period which Force Majeure events lasts. The cost and loss sustained by the either party shall be borne by the respective parties.

The term "Force Majeure" as employed shall mean the events as below:-

- (i) Riot (unless solely restricted to or perpetuated by employees of the Contractor or his subcontractors / suppliers or occurring outside India) so far as it is uninsurable.
- (ii) War, hostilities (whether war be declared or not), invasion, directed to or by India or act of foreign enemies, directed to India.
- (iii) Rebellion, revolutions, insurrection, or military or usurped power, or civil war in India.
- (iv) Fire, flood, cyclone, hurricane and acts of God.

Time of performance shall be extended by the period of delay, which is directly caused by the Force Majeure. Upon the occurrence of such cause and upon its termination, the party alleging that it has been rendered unable

as aforesaid shall notify the other party in writing immediately but not later than forty eight hours of the alleged beginning and ending thereof, giving full particulars and satisfactory evidence in support of his claim.

Time of performance of the relative obligation suspended by the Force Majeure shall stand extended by the period for which such event lasts and affects the relative obligation directly. Such extension of time shall be without prejudice to the provision that time is essence of the Contract and any other terms and conditions related to time of completion as may provided elsewhere in the Contract

If the work is affected by Force Majeure lasting for more than 60 days at a stretch, the parties to the Contract shall settle the issue mutually.

#### 6.24 DOCK PERMIT:

Dock permits which may be necessary for any purpose related to the work shall be issued **against payment at the prevailing rates of HDC** along with **GST**. The entry permit will be issued as per requirement following latest permit scheme of Haldia Dock Complex. All existing rules, including any amendments thereto, in future, will have to be complied with by the contractor.

#### 6.25 TAXES :

The quoted rates should include all other Taxes excluding GST. GST as applicable shall be paid extra against proper invoice submitted by the successful contractor.

The contractor will be required to submit GST compliant invoice with all required details and also to be required to file timely and proper return so as to enable KoPT to get due input credit against GST paid of.

In case of any failure on the above account, GST amount even if paid by KoPT shall be recoverable from the contractor, along with applicable interest if any.

#### 6.26 SETTLEMENT OF DISPUTES:

If a dispute of any kind whatsoever arises between the Employer and the Contractor in connection with or arising out of the contract or the execution of the works, the same shall be dealt as per relevant provisions of the General Conditions of Contract and THE ARBITRATION AND CONCILITATION (AMENDMENT) ACT, 2015 and any statutory amendment thereof.

#### 6.27 PROVISIONS FOR SITE STAFF OF ENGINEER:-

After the issue of Engineer's notice to commence, the contractor shall as soon as possible make available of the following facilities for the staff of the Engineer at the Site of Work, all in accordance with the approval of the Engineer or his Representative and the Contract Price shall be deemed to be inclusive of the provision for all these facilities.

(a) Office Facilities :- Throughout the period of Contract, office accommodation at site for two rooms with electricity and water supply and adequate ventilation for the sole use of Engineer's Representative and his staff. The room shall be provided and maintained with suitable furniture, peon facility as directed by the Engineer. An independent toilet facility shall have to be provided solely for the use of the client.

(b) Equipment Facilities: - Provide and maintain all necessary equipments in working condition for use of Engineer's staff such survey, testing of materials and any other instruments, equipment and apparatus as they may require for carrying out the contractual obligations.

(c) Transport facilities :- Shall make available, maintain and operate one good 4 wheeler vehicle (Jeep/Maruti/Ambassador etc.) having a minimum sitting capacity for 4 persons with driver, fuel, etc for the use of the Engineer or his representative for survey, testing, inspection, measurement etc related to the work on working days from 8:00 A.M to 10:00 P.M during currency of contract. The vehicle shall not be more than 5(five) years old. Any failure in supply / sudden withdrawal / stoppage will attract deduction from bills @ HDC's similar operating transport contract. In case of exigency and work during night hours, the car shall be made available for the entire night. The supply of vehicle shall start on 15 th day from the date of work order and shall finish on the date of completion of work including extension of date of completion, if any.

\* \* \* \* \* \* \* \* \* \* \* \* \* \*

#### 7. PARTICULAR SPECIFICATIONS OF WORK

# E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

#### 7.1 GENERAL: -

The materials supplied and the workmanship shall satisfy the Specifications as given in the PWD Schedule of Rates as applicable and the job specifications contained in the Bill Of quantities of the tender. In absence of the above, relevant Indian Standards shall be referred to.

In absence of any Standard / Specification / Code of Practice covering any part of the work related to this tender, instruction / directions of the Engineer will be binding on the contractor.

All works to be done as detailed in the bill of Quantities.

#### 7.2 EARTH WORK :

#### 7.2.1 INITIAL MEASUREMENTS AND JOINT RECORDS:

Before commencement of excavation or filling, the Contractor shall take initial measurements and spot levels at intervals as ordered by the Engineer and after verification by the Engineer these shall be signed by the Contractor and serve as the initial record for earth work measurement.

#### 7.2.2 EXCAVATION 7.2.2.1 SCOPE OF EXCAVATION WORK

Excavation for construction of pavement, trench, drains etc. or other work shall consist of removal of vegetation over the area, cutting, removal and satisfactory disposal of all materials as necessary for the construction of the facilities or other purposes, in accordance with the requirements of these specifications to lines, grades and cross-sections shown in the drawings or as indicated by the Engineer. The work shall also include the hauling and stacking of suitable cut materials as directed, as also the disposal of unsuitable cut materials in specified manner, and trimming and finishing of the excavation to the specified dimensions or as directed by the Engineer.

For purposes of excavation work under this contract, there shall be no classification of soils.

#### 7.2.2.2 CUTTING GENERAL:

All excavations shall be carried out in conformity with the directions laid herein under and in a manner approved by the Engineer.

While planning or executing excavations, the Contractor shall take adequate precautions against collapse of sides, soil erosion, water pollution etc. If necessary excavation shall be carried out manually as directed by the Engineer.

All vegetation over the area shall be removed prior to commencement of excavation and disposed at locations approved by the Engineer.

The excavations shall conform to the grades, side slopes and levels shown on the drawings or directed by the Engineer. The Contractor shall not excavate outside the slopes or below the formation level or loosen any material outside or below the limits of excavation.

Foundation pits shall not be excavated to the full depth unless construction is imminent; the last 150 mm of the depth of excavation shall not be removed until just before concreting.

If the bottom of any excavation has been left exposed and in the opinion of the Engineer, has become badly affected by the atmosphere or by water, the contractor shall remove such portions of the deteriorated foundation material as directed by the Engineer and shall make good with lean concrete and/or sand, all at his own cost and expense.

Any excess depth excavated below the specified levels shall be made good with silver sand or lean concrete at the cost of the contractor as per the directions of the Engineer.

#### 7.2.2.3 ADJACENT STRUCTURES :

Where the excavation is to be carried out below the foundation level of adjacent structures, the contractor shall take precautions such as underpinning, shoring or strutting as directed by the Engineer, before proceeding with the excavation. The cost of such measures shall be borne by the contractor.

#### 7.2.2.4 STRUTING AND SHORING :

Any shoring, strutting and planking, close or open required for the execution of the work according to the specifications and directions of the Engineer, shall be carried out by the contractor at his own cost and expense and is deemed to be covered in his rates for earthwork, except in cases specifically mentioned in BOQ. All the safety requirements will be the responsibility of the contractor, notwithstanding any approval of the shoring, strutting arrangements by the Engineer.

The shoring, strutting and other planking shall be in position as long as all relevant work in the excavation is completed and approved and shall be removed after the permission to do so is granted.

#### 7.2.2.5 METHODS , TOOLS AND EQUIPMENT :

Only such methods, tools and equipment as approved by the Engineer, shall be used in the work.

#### 7.2.2.6 DISPOSAL OF EXCAVATED MATERIALS :

All the excavated materials shall be the property of the Employer and shall be handled as directed by the Engineer. If any thing such as fossils, ancient coins etc. are found while excavating the earth that shall have to be handed over to the employer immediately and shall be the property of the employer.

Unsuitable and surplus materials not intended for use in any filling or otherwise shall be disposed off as directed by the Engineer.

#### 7.2.2.7 CONSTRUCTION OPERATIONS:

**7.2.2.7.1.** Setting out:- After the site has been cleared, the limits of excavation shall be set out true to lines, curves, slopes, grades and sections, as shown in the sketches or as directed by the Engineer's Representative. The contractor shall provide surveyor, all labour, survey instruments and materials such as strings, pegs, nails, bamboos, stones, lime, mortar, concrete etc. required in connection with the setting out of works and establishment of bench marks. The contractor shall be responsible for the maintenance of bench marks and other marks and stakes as long as they required for the work in the opinion of the Engineer's Representative.

**7.2.2.7.2.** Excavation:- All excavations shall be carried out in conformity with the directions laid herein under and in a manner approved by the Engineer's Representative. The work shall be so planned that the suitable materials available from excavation are satisfactorily utilised as directed upon beforehand.

The excavation shall conform to the lines, grades, side slopes and levels shown on the drawings or directed by the Engineer's Representative. The Contractor shall not excavate outside the slopes or below the established grades or loosen any material outside the limits of excavation. Subject to the permitted tolerances, any excess depth excavated below the specified levels on the roadway shall be made good at the cost of the contractor with silver sand or lean concrete and compacted.

All debris and loose materials on the slopes of cutting shall be removed. No back filling shall be allowed to obtain required slopes excepting that when boulders or soft materials are encountered in cut slopes these shall be excavated to approved depth on instructions of the Engineer's Representative and the resulting cavities filled with silver sand or lean concrete, as per direction of the Engineer and at the cost of the contractor.

**7.2.2.7.3**. Excavation of road shoulders: If directed by the Engineer's Representative, the shoulders shall be removed to their full width and to levels shown on the drawings or as directed by the Engineer's Representative. While doing so, care shall be taken to see that no portion of the existing pavement designated to be retained is loosened or disturbed.

#### 7.2.2.7.4 Slides :

If slides occur in cuttings during the process of construction, they shall be removed at the cost of the contractor as ordered by the Engineer.

#### 7.2.2.7.5 Dewatering:

If water is met with in the excavated trenches due to springs, seepage, rain or other causes, it shall be removed by suitable diversions, pumping or bailing out and the excavation pit kept dry whenever so required or directed by the Engineer at the cost of the contractor. Care shall be taken to discharge the drained water as not to cause damage to the works, crops or any other property.

However if conditions met are such that conventional methods of dewatering are not adequate and well point or other such methods are necessary, the contractor shall submit details thereof for consideration and approval by the Engineer.

#### 7.2.2.7.6 Back filling:

Back filling around completed foundation or other work shall commence only after the relevant work has been inspected and approved by the Engineer. Backfilling/filling shall be done with Zone-III brown sand only and the cost will be separately payable.

The filling shall be done in horizontal layers not exceeding 300 mm in loose thickness with proper ramming, watering and consolidation to obtain the degree of compaction as directed by the Engineer.

#### 7.2.2.7.7 Compacting original ground:

In all cases, the original ground shall be consolidated by rolling, as directed by the Engineer's Representative, but with a minimum of ten passes of vibro roller of suitable capacity.

Where so directed by the Engineer's Representative, any unsuitable materials occurring in foundation shall be removed and replaced by approved materials suitably consolidated.

Payment for earthwork in excavation shall be made in Cu.Mtr based on the measurement of the volume of the pit or trench with working space as per IS: 1200 and side slopes of stepping as permitted by the Engineer.

#### 7.3 SAND FILLING:-

The materials for filling shall be fine / medium, brown sand conforming to Zone-III of IS 383, as detailed in the Bill of Quantities.

The materials shall be spread uniformly on the prepared sub-grade with the help of a Pay loader, drag spreader, motor grader or other approved means as permitted by the Engineer's Representative. The thickness of loose layers shall be so regulated that the maximum thickness of the layer after consolidation does not exceed 200 mm. Thereafter, the area shall be flooded with water, allowed to stay for some time for sand to settle to its maximum natural dense state and then the water slowly allowed to drain out without any ruts or piping. Sand shall be consolidated by mechanical Vibro-roller of L&T / Ingersoll-Rand or any other approved make of suitable capacity.

The surface of any layer of material on completion of compaction shall be well closed, free from movement under equipment and from consolidation planes, ridges, cracks of loose material. All loose segregated or otherwise defective area shall be made good to the full thickness of layer and re-compacted.

The effectiveness of consolidation shall be tested with respect to Relative Density measured by Sand Replacement Method using procedures laid down in relevant IS codes.

#### 7.3.1 PAYMENT :-

Payment for sand filling shall be done on the basis of volume of consolidated filling based on pre-work and postwork levels.

#### 7.4 CEMENT CONCRETE WORKS:

**7.4.1 Standards :** All connecting work shall be done to IS:456 -2000 – Code of Practice for Plain and Reinforced Concrete and other standards mentioned therein, unless otherwise specified or directed by the Engineer.

#### 7.4.2 CEMENT:

Unless specifically mentioned otherwise the cement to be used in the Works shall be Ordinary Portland Cement Grade 53/43/33 conforming to IS: 12269 / IS: 8112 / IS: 269 or cement conforming to IS:455 /IS1489 or grades approved by the Engineer. The source of supply shall be subject to prior approval of the Engineer. The Contractor shall endeavour to get approval of at least two makes / sources, so as to have an alternative make / source in hand in case of disruption in supply from the other make / source.

Once the quality and make of cement to be used in the Works is approved the Contractor shall endeavour to obtain further supplies from the same source and make. The Contractor should be prepared to furnish Manufacturer's test certificate as and when required to do so by the Engineer.

For each delivery of cement to the Site the Contractor shall forward to the Engineer a certificate to the effect that such cement was tested and analysed at the Factory and the results of such tests and analysis meet the specifications stipulated in the relevant Indian Standards. The supplier shall also furnish the date of manufacture of the lot from which the contractor has drawn the consignment.

Notwithstanding the provisions of certificate as stated above, each consignment of cement may after delivery on site and at the discretion of the Engineer be subjected to part or whole of the tests and analyses required by relevant IS Codes. Cost of all such tests shall be borne by the Contractor. No cement shall be used in the works until the Engineer has accepted it as satisfactory.

Storage space shall be adequate to store the required quantity of cement to suit the concreting program for the entire work as well as to permit proper storage.

Cement shall be stored in a proper manner in suitable dry and waterproof sheds to prevent damage from weather or improper storage. Where cement in bags are stacked, the stacking shall be at least 10 to 20 cms above the floor with at least a space of 60 cms kept all round between exterior walls and the stacks. The height of the stacks shall not be more than 10 bags. Further safeguards shall be undertaken in monsoon such as covering the stacks with polythene sheets.

The cement storage at site shall be at Contractor's expense and risk. Damage, if any, occurring to cement due to faulty storage, shall be the liability of the Contractor.

Any consignment or part of a consignment of cement which has deteriorated in any way or which does not otherwise comply with the specifications shall not be used in the Works and shall be removed from the Site by the Contractor at no extra cost to the Employer.

Storage of cement shall be such as to permit easy identification of the different consignments stored. Records must be maintained by the Contractor showing the date-wise receipts with consignment numbers, amounts used and the balance.

Removal of cement from storage sheds for use in the Works shall be on "First in, First out" basis.

**7.4.3 COARSE AGGREGATE:** Stone aggregates required for works or aggregate for cement concrete (Plain or reinforced) shall be hard, of uniform and fine texture, free from faults or planes of weakness and free from weathered faces. These must also be free from loam, clay, free from organic matter or other impurities. The materials shall be stacked at roadside lands or other lands (as directed by the Engineer's Representative) in specified heights without causing inconvenience to traffic and in such a way as to afford maximum facilities of work. Aggregates for Cement concrete work should conform to IS: 383. Physical requirements and grading of aggregates for pavement courses shall be as specified for particular type of work and as described in P.W.D. (Roads) and the job specifications contained in the Bill of Quantities of the tender. Only stones as is available from quarries in Pakur areas will be normally used.

All coarse aggregate for concrete works must be well graded. These shall be screened for removal of dust and if so necessary in the opinion of the Engineer's Representative, shall be washed at the cost and expense of the contractor.

**7.4.4 FINE AGGREGATE (SAND):-** All sand shall be clean, sharp and free from clay, loam, organic or any other foreign matter and shall be obtained from the approved source. The contractor shall get the sample of sand to be used in different kinds of work approved by the Engineer before using the same in work. Sand that in the opinion of the Engineer is dirty must be washed to his satisfaction at the cost and expenses of the contractor. Sand for cement concrete work must be Zone-II sand. Medium sand may be used for cement mortar for masonry

plaster etc. Sand filling in bed shall be done with Zone-III brown sand or as specified in the Bill of Quantities. The gradation of sand as per IS-383 is given below:-

IS SIEVE	PERCENTAGE	PERCENTAGE	PERCENTAGE	PERCENTAGE
DESIGNATION	PASSING FOR	PASSING FOR	PASSING FOR	PASSING FOR
	ZONE-I	ZONE-II	ZONE-III	ZONE-IV
10 mm	100	100	100	100
4.75 mm	90-100	90-100	90-100	95-100
2.36 mm	60-95	75-100	85-100	95-100
1.18 mm	30-70	55-90	75-100	90-100
600 micron	15-34	35-59	60-79	80-100
300 micron	5-20	8-30	12-40	15-50
150 micron	0-10	0-10	0-10	0-15

#### 7.4.5 WATER:

Water used for mortars, grout, concrete, curing and for other purposes on the Works, shall be clean and free from deleterious materials such as acids, alkalis, salts, vegetable or organic matters in injurious quantities. Potable water, in general, shall be used. The water shall satisfy the requirements laid down in IS: 456-2000. The Contractor shall arrange to have the water he proposes to use in the Works, tested at approved laboratories at his own cost. The Engineer may at any time refuse to permit the use of water, which contains sugar, or excess of alkali, acid or salt as shown by tests. River/Dock Basin water shall not, for any reason whatsoever, be permitted to be used in the work.

#### 7.4.6 SHUTTERING / FORMWORK:

Wherever necessary, shuttering / formwork must be provided. Payment will be made for such shuttering as mentioned in B.O.Q of the tender.

Shuttering must be ply board shuttering or steel shuttering true to line as approved by the Engineer. Surface in contact with concrete are to be smooth except where otherwise stated. Joints of the shuttering are to be such as to prevent the loss of liquid from the concrete. In timber shuttering, joints shall therefore, be either tongued or grooved or the joints must be perfectly closed and lined with craft paper or other types of approved materials.

All shuttering and framing must adequately be stayed and braced to the satisfaction of the Engineer for properly supporting the concrete during the period of hardening. It shall be so constructed that it may be removed without shock or vibration to the concrete.

Before the concrete is placed, the shuttering shall, if considered necessary, be coated with an approved lubricant for preventing the adhesion of the concrete to the moulds and it is to be of such a nature and so applied that the surface of the finished concrete is not stained. Care shall also be taken that such approved preparation shall be kept out of contact with reinforcement.

All formwork shall be removed without shock or vibration before the formwork is stripped, the concrete surface shall be exposed where necessary in order to ascertain that the concrete has hardened sufficiently. Before stripping the shuttering of structural members, the contractor shall take prior permission of the Engineer or his representative

Re-Use Of Forms :- Forms shall be surface cleaned of all adhering mortar , concrete and other foreign matter, all damages due to previous use repaired to restore the original condition , cracks and gaps closed to prevent loss of mortar , surface restored and treated with permitted composition . Forms, which in the opinion of the Engineer, are not in a condition to be re-used, shall be removed from the site forthwith.

#### 7.4.7 GRADE & TYPE OF CONCRETE MIX :-

The grades of concrete shall be as specified in the Bill of Quantities.

#### 7.4.8 BATCHING & MIXING: -

Unless specified otherwise in these specifications, for 1:3:6 and 1:1.5:3 nominal mix concrete(by volume), tilting type stationery mixers with hoppers, pan mixers, truck mixers or digital weigh batcher of approved make, design and capacity may be used. The mixing equipment shall be capable of combining the aggregates, cement and water into a throughly mixed and uniform mass within the specified time and of discharging the mixture

without segregation. The mixers shall be maintained in a satisfactory operating condition and mixer drums kept free of hardened concrete. Mixers shall be properly cleaned before and after every mixing operation.

Mixer blades shall be replaced when worn down more than ten percent (10%) of their depth. Use of mixers which do not function satisfactorily and have leaking drums or other defects shall be discontinued and they shall be repaired or replaced to the Engineer's satisfaction.

Batching and mixing for the paving block concrete shall be done in a controlled manner at a suitable place.

Ready-mixed concrete supplied from mechanised Batching Plants and transported to the site of work by Transit Mixers may be used with due approval of the Engineer. Batching plant if used shall conform to IS: 4925:2004 and pan mixers used shall conform to IS-12119:1987.

The type and capacity of the plant shall be got approved by the Engineer before commencement of the work. The weighing balances shall be calibrated. All measuring equipments should be maintained in a clean serviceable condition, and their accuracy periodically checked.

#### 7.4.9 MIXING TIME:

Mixing shall be continued until there is a uniform distribution of the materials and the mass is uniform in colour and consistency. There shall be no segregation while or after unloading the mix. The mixing time shall be about 1.5 to 2 minutes or as decided by the Engineer.

Each batch shall be discharged before charging the next batch. Mixing periods shall be measured from the time when all of the solid materials are in the mixer drum, provided that all of the mixing mortar shall be introduced before a quarter of the mixing time has elapsed.

#### 7.4.10 CONCRETING DURING RAINS:

To prevent damage to freshly laid concrete during rains, the contractor shall provide an adequate supply of tarpaulins or other waterproof covering material. The contractor may require to use make-shift tent like structures with water proof claddings to carry out the work during light drizzles/mild shower, if directed by the Engineer. Any concrete damaged by rain shall be removed and replaced by the contractor at his own cost as directed by the Engineer.

#### 7.4.11 PROTECTION & CURING:

The contractor shall adequately protect freshly laid concrete after its laying .Curing of concrete shall be carried out in accordance with IS: 456-2000. All equipments and materials required for curing shall be available and ready for use before concrete is placed.

#### 7.4.12 SAMPLING & STRENGTH OF CONCRETE MIX :-

Samples from fresh concrete shall be taken as per IS 1199 and cubes shall be made, cured & tested at 28 days in accordance with IS 516. In this regard all provisions of IS 456-2000 shall apply.

#### 7.4.13 PAYMENT :

Payment for Plain / Reinforced Cement Concrete cast in situ or Pre-cast shall be made on the basis of volume in cubic meters of the actual finished concrete done or as per approved drawings for the work , whichever is less and the payment shall be inclusive of all labour, materials, machinery hire, transportation, all leads, lifts and descents, cost of leaving pockets, making channels or grooves as necessary, supply and application of cement slurry, all cost for testing of constituents as well as concrete, compacting , surface finish, cleaning, attendance during concreting, curing , protecting etc. and all other works of every description connected with any or all aspects of concreting excepting reinforcement shuttering which will be paid for separately. For pre-cast members the rate shall also include cost of carriage from casting yard and placing / hoisting in position.

#### 7.6.0 GEOTEXTILE FOR PAVEMENT: -

7.6.1 General

The work under this item shall consist of providing and laying suitable Geotextiles to be used for sub grade improvement in pavement in accordance with these specifications and in reasonable close conformity to the lines, grades, and dimensions shown on the plans or as directed by the Engineer.

7.6.2 Material Description and Properties

The geo textile shall be manufactured from polypropylene /polyester, shall be dimensionally stable and able to retain its geometry under construction stresses and resistant to ultraviolet degradation, thermal degradation and are unaffected by naturally occurring acids, alkalis and organisms, e.g bacteria, fungi etc, to be encountered in the application. The geo-textile shall possess the following properties: -

The woven polypropylene geotextile shall conform to properties based on Minimum Average Roll Value (MARV) as shown in Table 'A' and, for Apparent Opening Size, according to Maximum Average Roll Value as shown in Table 'B':-

#### TABLE : PROPERTIES OF GEOTEXTILE

TABLE - A

S. No.	Property	Test Method	MINIMUM AVERAGE ROLL VALUE (MARV)
1	Grab Tensile Strength	ASTM D 4632	1.11 kN
2	Grab Elongation		15%
3	Mullen Burst	ASTM D 3786	3450 kPa
4	Puncture Strength	ASTM D 4833	0.489 kN
5	Trapezoid Tear Strength	ASTM D 4533	0.400 kN
6	Ultraviolet resistance	ASTM D 4355	70% at 500 hr
7	Permittivity	ASTM D 4491	0.05 sec <sup>-1</sup>
8	Flow Rate		160 L/min/ m <sup>2</sup>

#### TABLE - B

S. No.	Property	Test Method	MAXIMUM AVERAGE ROLL VALUE (MARV)
1	Apparent opening size	ASTM D 4751	0.425 mm

The values listed are a result of testing conducted in on-site laboratories. A letter certifying the minimum average roll values shall have to be issued from the manufacturing plant by the Quality Control Manager at the time shipment is made.

#### 7.6.3 Delivery, Storage and handling

The Contractor shall inspect the materials upon delivery to assure that the proper type and grade have been received. The Contractor shall protect all materials from damage. All geosynthetic materials shall be stored at temperatures above –60C and below 600C. Rolls of geosynthetic materials shall not be laid uncovered (exposed to sunlight) for more than 7 days. The Contractor at no additional cost to the Employer shall replace any materials damaged during storage.

#### 7.6.4 Installation

The Geotextiles shall be laid smooth without wrinkles or folds on the prepared subgrade in the direction of construction traffic. Adjacent geotextile rolls shall be overlapped, sewn or joined as required in the plans. Overlaps minimum of 600 mm shall be in the direction as shown on the plans.

On curves, the geotextile may be folded or cut to conform to the curves. The fold or overlap shall be in the direction of construction and held in place by pins, staples, or piles of fill or rock.

Prior to covering, the geotextile shall be inspected by a certified inspector of the Engineer to ensure that the geotextile has not been damaged during installation. Damaged geotextile, as identified by the Engineer, shall be repaired immediately. Cover the damaged area with a geotextile patch, which extends an amount equal to the required overlap beyond the damaged area.

The sub base shall be placed by end dumping onto the geotextile from the edge of the geotextile, or over previously placed sub base aggregate.

Any ruts occurring during construction shall be filled with additional sub base material, and compacted to the specified density.

If placement of the backfill material causes damage to the geotextile, the damaged area shall be repaired as previously described above. The placement procedure shall then be modified to eliminate further damage from taking place.

#### 7.6.5 **Certification And Testing For Geotextiles**

Samples of the geotextile shall be submitted along with documentation stating that the material proposed will meet the specification.

No alternative material shall be brought to site or used prior to the Engineer's approval.

The Engineer may at his discretion require batch testing of material supplied to site from time to time to check conformance to specification. The testing of geotextile shall be carried out by the Contractor at his own cost for all the characteristics of the geotextile, as given in the above Table from Indian Institute of Technology, Chennai, CWPRS, Pune or any other University / Institute or Laboratory approved by Government as desired by the Engineer. The Contractor shall furnish the Manufacturer's Test Certificate along with supply of materials. The materials will be inspected by the Engineer's representative at Manufacturer's works / Contractor's works at site or authorised dealer's godowns/ Contractor's site stores before being delivered at site / used in the works. Samples will be collected by the representative of Engineer jointly with the Contractor or his authorised representative and will be sent for testing at Contractor's cost.

A minimum of five rolls out of every hundred rolls of geotextile shall be selected at random. From each of these five rolls selected at random, a full width piece of 1 M long as approved by the Engineer shall be taken and sealed and despatched for testing. Even in case of consignment consisting of less than 100 rolls, 5 [five] rolls shall be selected at random for testing.

Each sample piece will be cut to required number and size and 5 [five] numbers of tests will be performed for each property from a particular sample. The average of each of such test results must be at least equal to or more than the MARV as specified in the Tender.

The physical properties of the geo – textile, the seam strength and efficiency, etc. as specified, shall be verified and tested, as the case may be, with the approval of the Engineer, from the samples collected above from the five rolls out of 100 rolls at random, as described above, if feasible. Otherwise, separate sampling shall be done for the purpose in the similar manner.

For UV resistance test 5 rolls out of every 500 rolls of geotextile shall be selected at random and the sampling and testing shall be done in the similar manner as described above for "MARV".

Any consignment not conforming to the Tender specifications in respect of any of the properties shall be rejected outright and shall be removed from the site by the Contractor.

All charges on sampling and testing including transport and ancillary expenses shall be borne by the Contractor.

#### 7.7 PROVIDING & LAYING PRE-CAST CONCRETE PAVING BLOCK PAVEMENT:-

7.7.1 Scope Of Work :- The scope of work includes providing from source as approved by the Engineer / manufacturing by approved means machine made pre-cast concrete paving blocks, laying true to line, level, slope and camber for repairing roads/hardstands as per provisions of the specifications detailed herein below and as directed by the Engineer. Collection of samples for testing of paver blocks shall be made at working site. 7.7.2 Parameters For Concrete Paving Blocks:-

Parameter	Value	Reference Test Procedure and Sampling Frequency &Tolerance		
Width	100 mm	As per IS 15658: 2006 with Amendment no 1&2		
Length	200 mm	-do-		
Thickness	100 mm	-do-		
Arris/Chamfer	5 to 7 mm	-do-		
Squareness		-do-		
Water Absorption	Average of 3 units shall not be more than 6% by mass. In individual samples, water absorption shall not be more than 7%.	-do-		
Minimum Average Compressive Strength	54.5 Mpa (N/Sq.mm)	-do-		
Minimum Compressive Strength of Individual paver block	42.5 Mpa(N/Sq.mm)	-do-		
Flexural Strength/ Breaking Load	7 KN (minimum)	-do-		

7.7.3 Cement: - Cement: - Cement used in the manufacture of concrete paving blocks shall comply with the requirements relevant Indian Standards and the cement shall be ISI marked. The supplier or the contractor shall do testing of cement, if directed by the Engineer.

7.7.4 Aggregates:- As per relevant IS Codes.

7.7.5 Water: - The water shall be clean and free from any deleterious material. It shall meet the requirements as stipulated in IS456-2000 as well as IS 15658: 2006.

7.7.6 Manufacture of Paving Blocks: - All paver blocks shall be machine made. Handmade paving blocks shall not be accepted. The blocks shall be obtained from source as approved by Sr. Dy. Manager, IZ&R (I&CF). If approved by the Engineer, the contractor will be allowed to manufacture paving blocks at site using approved machineries and methods till such time the approval is not withdrawn.

#### 7.7.7 THIRD PARTY INSPECTION:

Inspection and testing of Concrete Paver Block according to applicable standards / specifications shall be carried out by statutory inspection Authorities i.e Third Party Inspecting Agency (TPIA) approved by the Engineer. The inspection and testing shall be carried out at the laboratories of the TPIA and/or at other laboratories approved by the Engineer. The sample of the concrete paver blocks to be tested will be collected from the site only by the TPIA in presence of the representative of the contractor and representative of the Engineer of the contract.

The Third Party Inspecting Agency (TPIA) will be appointed by HDC and payment to the TPIA will also be made by HDC. The bidder shall include all other inspection related costs and expenses in his rates and the contractor shall not be paid any additional amount in this regard.

Notwithstanding the inspection and passing of materials by the approved TPIA, any material found at the time of delivery to be defective in quality and not conforming to the relevant specifications due to any reason whatsoever, shall be liable to rejection and the contractor shall replace the same at his own cost and arrangement at the earliest.

7.7.8 Technical Specifications For Laying Concrete Paving Blocks:-

(i) Base: - The Finished surface of the base shall match the design profile of the concrete blocks within  $\pm$  10 mm.

(ii) Sand Bedding: - Paving blocks shall be placed on a bed of 50 mm compacted thickness of Zone – III brown sand , obtained either from a single source or blended to achieve grading as approved by Engineer.

Single sized, gap-graded sands or those containing an excessive amount of fines will not be used. The sand particles should preferably be angular type. Preferably, the sand shall be slightly moist.

(iii) Laying the Paving Unit: - Wherever possible, laying shall commence adjacent to or against an edge and proceed towards inner side. The first few square meters should be carefully placed and checked to ensure that large gaps between paving units do not occur. Close checking of paving unit alignment at this stage will assist subsequent paving. The laying pattern and face should be established to permit first easy laying such that it is

never necessary to force a paving unit between units already placed. The blocks will be placed to different bonds or patterns. e.g :- Stretcher or running bond , Herringbone bond and basket weave or parquet bond etc. To commence, only full units should be used, cutting and infilling at edges should follow. Laying shall proceed in one direction only, along the entire width of the area to be paved. On a sloping site, laying shall start from the lowest point and proceed uphill on a continuous basis, to avoid downhill creep in incomplete areas. Paving units must be lightly butted. Units, which are butted, may be subject to spalling and even facture and will result in loss of uniformity in the laying pattern. Nominal joint widths of 4 mm (maximum 5 mm) will be maintained using the normal practice of holding a paving unit lightly against the face of an adjacent unit and allowing it to slide into position. Cutting paving units for infilling against edge restraint etc. should be deferred until sufficient work has been completed to allow a reasonably continuous operation. Hydraulic splitter or mechanical guillotine block cutters or power saws shall be used for this purpose. Generally use of cut units less than about 25% of a full unit is prohibited. Where space does not permit the use of a larger segment, premixed concrete as directed by the Engineer shall be used.

(iv) Compaction:- For compaction of the bedding sand and the blocks laid over it, vibratory plate compactors shall be used over the laid paving units and at least two passes of the vibratory plate compactor are needed. Such vibratory compaction shall be continued till the top of each paving block is level with its adjacent blocks. It will not be allowed to leave compaction till end of the day, as some blocks may move under construction traffic. There should be minimal delay in compaction after laying of the paving blocks to achieve uniformity of compaction and retention of the pattern of laying. However, compaction shall not proceed closer than 1mtr from the laying face, except after completion of the pavement.

Heavy duty compactors weighting 300-600 kg, having a plate area of about 0.5-0.6 Sq.Mtr shall be used for compaction. After compaction by vibratory plate compactors, 2 to 6 passes of a vibratory roller (with rubber coated drums or those of static weight less than 4 tonnes and nominal amplitude of not more than 0.6 mm) shall be used for compaction of bedding sand and joint filling.

(v) Filling The Joints: - Following completion of the bedding compaction, the joints between paving units shall be completely filled with Zone-III brown sand obtained either from a single source or blended to achieve grading as approved by Engineer.

The content of fines (silt and / or clay) shall be restricted to 10 %. If directed, the joint filling sand shall be washed to overcome the problem of efflorescence on the surface of paving block layer.

Both the sand and the paving units should be as dry as possible when sand is spread. Due to the narrowness of the joints, damp sand may bridge across them, and resist compaction.

The sand should be broomed or spread over the surface with a small surcharge and a rate to keep up with the paving. However, where appearance is a major consideration any sand surcharge may need to be swept clear prior to using the plate compactor. If the weather does not allow sand and blocks to be dry, the joint filling sand shall

be washed in by light sprinkling of water. Sufficient passes of the plate compactor are required to vibrate the sand down into the joints and to completely fill them. There should be minimum delay in joint filling; the process shall in any case be completed by the end of the day's work.

Once the entire pavement has been laid, final compaction shall be achieved by not less than ten passes of a heavy roller. Pavements which deform by more than 8 mm over a 3 Mtr section during final compaction shall be taken out and reconstructed to the satisfaction of the Engineer.

(vi) Opening to Traffic: -As soon as the joint-filling operations have been completed the pavement can normally be opened to service traffic. However, until the joints have been filled, traffic over the pavement should be restricted to equipment or vehicles involved in construction the pavement. The block pavement shall be inspected frequently to ensure that any incomplete filled joints, exposed by traffic / and / or weather are promptly filled. Such frequent inspection shall be continued till dust and detritus from the pavement tightens the surface of the joints.

7.7.8 Measurement: - The measurement shall be done on the area covered in square meter correct up to two decimal places. The rate shall be inclusive supply of precast paving blocks as specified, preparation and providing 50 mm compacted Zone-III sand cushion as levelling course, laying and compacting paving blocks, providing sand for joint and joint filling, sampling and testing all as per specification and as directed by Engineer. The solid concrete guard walls / edge restraint beams, if any, shall be measured in cubic meter and be payable separately.

#### 7.8 LATERITE BOULDERS: -

Laterite boulders shall be clean, free from loose earth and organic matter and shall be hard, durable, free from cracks and angular in shape.

# The specific weight shall not be less than 2.20 T/Cu. M subject to tolerance as mentioned here in below.

#### 7.8.1 Certification and Testing:

The sampling frequency for testing of boulders shall be minimum five boulders collected at random at different times from the supply of every 500 Cu.M of laterite boulders or part thereof. The representative of the Engineer will collect all samples jointly with the Contractor or his authorized representative.

The laterite boulders shall be tested for specific weight. The average value of specific weight for every 500 Cu. M or part thereof will be the average of the specific weight of the five samples.

The limit of tolerance for the purpose of acceptance of the laterite boulders is (-) 10% of the specific weight of 2.20 M.T. per Cu.M. as indicated above. If, specific weight of any set of sample is found to be below the said limit of tolerance, the entire consignment of 500 Cu.M. Would be rejected outright and the same shall have to be removed from the site immediately.

# All charges on sampling and testing including transport and ancillary expenses shall be borne by the Contractor.

The testing of laterite boulders for specific weight shall be carried out by the Contractor at his own cost from approved Laboratory as per directive of the Engineer.

#### 7.8.2 STORAGE OF MATERIALS:

All materials shall be stored in accordance with the provisions of given hereunder and other relevant IS Specifications. All efforts must be made to store the materials in proper places so as to prevent their deterioration or contamination by foreign matter and to ensure their satisfactory quality and fitness for the work. The platform where aggregates are stockpiled shall be appropriately made. The area shall have slope and drain to drain off rain water. The storage space must also permit easy inspection, removal and storage of the materials. Aggregates of different sizes shall be stored in partitioned stack-yards. All such materials even though stored in approved godowns must be subjected to acceptance test as per these specifications immediately prior to their use.

7.8.2.1. General:-All materials may be stored at proper places so as to prevent their deterioration or intrusion by foreign matter and to ensure their satisfactory quality and fitness for the work. The storage space must also permit easy inspection, removal and re-storage of the materials. All such materials even though stored in approved godowns/places, must be subjected to acceptance test prior to their immediate use.

7.8.2.2 Brick: Bricks shall not be dumped at site. They shall be stacked in regular tiers as they are unloaded, to minimize breakage and defacement. The supply of bricks shall be available at site at any time. Bricks selected for use in different situation shall be stacked separately.

7.8.2.3. Aggregates: -Aggregate stockpiles may be made on ground that is denuded of vegetation, is hard and well drained. If necessary, the ground shall be covered with 50 mm plank.

Coarse aggregates, unless otherwise agreed by the Engineer in writing, 20 mm and downgraded Pakur variety stone chips. Aggregates placed directly on the ground shall not be removed from the stockpile within 30 cm. of the ground until the final cleaning up of the work, and then only the clean aggregate will be permitted to be used.

In the case of fine aggregates, these shall be deposited at the mixing site not less than 8 hours before use and shall have been tested and approved by the Engineer.

7.8.2.4 Cement:-Cement shall be transported, handled and stored on the site in such a manner as to avoid deterioration or contamination. Cement shall be stored above ground level in perfectly dry and water-tight sheds and shall be stacked not more than eight bags high. Wherever bulk storage containers are used their capacity should be sufficient to cater to the requirement at site and should be cleaned at least once every 3 to 4 months.

Each consignment shall be stored separately so that it may be readily identified and inspected and cement shall be used in the sequence in which it is delivered at site. Any consignment or part of a consignment of cement which had deteriorated in any way, during storage, shall not be used in the works and shall be removed from the site by the Contractor without charge to the Employer.

The Contractor shall prepare and maintain proper records on site in respect of delivery, handling, storage and use of cement and these records shall be available for inspection by the Engineer at all times.

The Contractor shall make a monthly return to the Engineer on the date corresponding to the interim certificate date, showing the quantities of cement received and issued during the month and in stock at the end of the month.

7.8.2.5 Water:- Water shall be stored in containers/tanks covered at top and cleaned at regular intervals in order to prevent intrusion by foreign matter or growth of organic matter. Water from shallow, muddy or marshy surface shall not be permitted. The intake pipe shall be enclosed to exclude silt, mud, grass and other solid materials and there shall be a minimum depth of 0.60 m of water below the intake at all times.

#### 7.9 QUALITY CONTROL FOR WORKS:-

(i) The contractor shall carry out quality control tests on the materials and work to the frequency stipulated in subsequent paragraphs. In the absence of clear indication about method and frequency of tests for any item, the instructions of Engineer shall be followed.

(ii)The contractor shall provide necessary co-operation and assistance in obtaining the samples for tests and carrying out the field tests as required by the Engineer from time to time. This may include provision of labour, attendants, assistance in packing and despatching and any other assistance considered

(iii) The contractor shall carry out modifications in the procedure of work, if found necessary, as directed by the Engineer during inspection. Works falling short of quality shall be rectified/ redone by the Contractor at his own cost, and defective work shall also be removed from the site of works by the Contractor at his own cost.

(iv) Cost of all equipment, tools, materials, labours & incidentals to perform tests and other operations of quality control according to the specification requirements shall be deemed to be incidental to the work and no extra payment shall be made for the same.

(v) Where essential tests are to be carried out at the manufacturer's plants or at laboratories other than the site laboratory, the cost of samples, sampling, testing and furnishing of test certificates shall be borne by the Contractor. He shall also furnish the test certificate to the Engineer.

(vi) The sample of the concrete paver blocks to be tested will be collected from the site only in presence of the representative of the contractor and representative of the Engineer of the contract.

(vii)The supply of aggregates for construction of road pavement shall be from quarries approved by the Engineer. Responsibility for arranging supply of materials from the source shall be that of the contractor.

(viii) **DEFECTIVE MATERIALS:-** All materials which the Engineer /his representative has determined as not conforming to the requirements of the contract shall be rejected whether in place or not ; they shall be removed immediately from the site as directed . Materials, which have been subsequently corrected, shall not be used in the work unless approval is accorded in writing by the Engineer. Upon failure of the contractor to comply with any order of the Engineer/his representative, given under this clause, the Engineer/ his representative shall have authority to cause the removal of rejected material and to deduct the removal cost thereof from any payments due to the contractor.

(ix) Works performed shall conform to the lines, grades, cross sections and dimensions shown on the drawings or as directed by the Engineer, subject to the permitted tolerances described here in after.

#### 7.9.1 Control Tests & Their Minimum Frequency:

Frequency & tests for cement, aggregates, water, admixture, curing compounds, reinforcements etc. will be as detailed in the relevant IS Codes, PWD schedule and as approved by the Engineer.

#### \* \* \* \* \* \* \* \* \* \* \* \* \* \* \* \* \*

### 8. PREAMBLE TO THE BILL OF QUANTITIES

# E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

- 8.1 The Bill of Quantities must be read with the General Conditions of Contract, the Special Conditions of Contract and the Particular Specifications of Work and the Bidder is deemed to have examined the above Documents and to have thoroughly familiarise himself with the total scope of work and its mode of execution.
- 8.2 The quantities given in the Bill of Quantities are approximate only and are given to provide a common basis for tendering. Payment will be made according to the quantities of each item of work actually carried out at the accepted rates as per Order Letter. The measurements of each item of work shall be measured jointly by the Engineer or his Representative.
- 8.3 This being a percentage rate tender, the Bidder shall quote his rates as percentage above / below / at par with the estimated amount put to tender **on line** based on his own analysis .

The Tender Price thus established would be taken for comparative evaluation of E-Tenderers .

\* \* \* \* \* \* \* \* \* \* \* \* \* \* \* \*

#### 9. BILL OF QUANTITIES

# E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

#### SECTION A [ROADS & DRAINS]

SI. No.	Description Of Item	Quantity		Rate [In Rs]	Unit	Amount [In Rs]
1	<b>Dismantling all types of masonry</b> excepting cement concrete palin or reinforced and removing rubbish as directed within a lead of 75 mtr.	5	Cu.M	451.00	Cu.M	2255.00
2	<b>Dismantling all types of plain cement</b> <b>concrete works</b> , stacking serviceable materials at site and removing rubbish as directed within a lead of 75 mtr.	5	Cu.M	948.00	Cu.M	4740.00
3	<b>Dismantling R.C. concrete works</b> including cutting rods from beam, slab etc.and removing rubbish as directed within a lead of 75 mtr.	3	Cu.M	1976.00	Cu.M	5928.00
4	Dismantling of barbed wire fencing / wire mesh fencing including posts, foundation concrete, backfilling of pit by manual means, stacking serviceable material and unserviceable material separately including disposal of dismantled material with all lifts and upto a lead of 1000 m, as per direction of Engineer-in-charge.	200	M	42.00	М	8400.00
5	<b>Earth work in excavation</b> in all sorts of soil (including mixed soil with laterite & moorum) including removing, spreading or stacking the spoils within a lead of 75m, as directed. The item includes necessary trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water as required complete.	8350	Cu.M	141.00	Cu.M	1177350.00
6	Taking out flexible pavements (bituminous road) surface to required depth including disposal the same as directed.	40	Cu.M	280.00	Cu.M	11200.00
7	Rolling subgrade with heavy duty mechanical vibro-roller of appropriate capacity as directed in all kinds of soil to proper level, camber and grade including watering as per direction and satisfaction of the Engineer. Include for supply of vibro- roller, cost of fuel, operator and helper etc. all complete for satisfactory completion of the work.	7600	Sq. M	4.00	Sq. M	30400.00
8	Supplying and laying polythene sheet (150gm/sqm) in foundation trenches.	7270	Sq.M	27.00	Sq.M	196290.00

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
9	Providing, fitting and fixing approved quality shuttering with Steel shuttering OR 9 mm to 12 mm thick approved quality ply board shuttering for guard wall, buttress, columns, slab etc with centering and necessary staging, fixed in position using bracings, runners etc. and striking out carefully after completion of work, all complete.	4600	SqM	399.00	SqM	1835400.00
10	<b>Provide, supply, bend, bind &amp; place</b> <b>reinforcement</b> in proper position with Tor steel as approved including removal of loose rust from reinforcement , initial straightening and binding with approved gauge black annealed wire at every intersection before casting of concrete all complete and as directed.	57.80	MT	78738.00	MT	4551056.40
11	Providing and laying of Reinforced <b>Cement</b> concrete in nominal mix proportion (1:1.5:3) with Pakur stone chips 20 mm down in column, beams,guard walls, drains, culverts, struts etc. and in other places as directed including compacting, proper curing for specified period but excluding shuttering, staging and reinforcement, all complete and as directed.	644	Cu.M	6671.00	Cu.M	4296124.00
12	Supply, deliver, stitch and lay suitable woven geotextile of approved make, made from polypropylene or any other polymer of a reputed manufacturer as approved by the Engineer over subgrade on a sand cushion and duly secured by 'U'-shaped M.S. staples at an interval of 750 mm or as per direction of EIC. Laps will have to be provided while laying of geotextile as per specification. No extra payment for laps will be made. (Payment will be made on the finished area of geotextile laid.)	7200	Sq.M	82.88	Sq.M	596736.00
13	Provide, spread & fill the excavated area with zone - III Brown sand , in layers of thickness not exceeding 300 mm including consolidation by sprinkling of water and rolling by mechanically operated Vibro- Roller of appropriate capacity , all inclusive as directed by the Engineer. [ Payment will be made as per consolidated volume of sand calculated on the basis of pre work and post work level ]	4170	Cu.M	938.00	Cu.M	3911460.00

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
14	Taking out paver blocks of herring bone bond from the road surface and laying the same in herring bone bond pattern in proper position, grade, camber and level, filling interstices between blocks with sand etc. all complete as per direction of the Engineer-in-charge.	500	Sq.M	25.00	Sq.M	12500.00
15	Provide, place & lay lean cement concrete in nominal mix 1:4:8 in layers not exceeding 200 mm thickness and minimum cement content of 172 Kg/Cu.M as base course of pre-cast concrete block pavement to proper level, camber and grade as shown in the drawing or as per specification/ direction with approved stone chips and sand. The moisture content shall be as specified so as to ensure full compaction under rolling by an approved capacity vibro roller. The rate shall include cost of necessary compaction, curing with water and cost and carriage of all materials and labour, tools, plants, cleaning of aggregates, testing etc. all complete as per direction of the Engineer. [Payment will be made on volume of concrete based on Pre- level & Post level measurements.]	2500	Cu.M	4834.00	Cu.M	12085000.00
16	Provide, supply & fix in position machine made precast concrete paver block (M50) ) of size 200mm(L) X 100mm (B) and 100mm thickness over a layer of 50mm thick (ave) clean brown coarse sand(zone III) cushion as levelling course as specified. The blocks must be cast and cured in an approved manner.Include for transportation from site of manufacture to site of work including loading, unloading and stacking , dressing, sand cushioning, compacting the sand layer suitably, laying of the blocks in proper position, grade ,camber and level, filling interstices between blocks with sand by vibrating with heavy duty plate vibrators, cutting paver blocks where ever required with hydraulic splitter including cost of all materials, labour, tools, plants etc. all complete as directed and as per specification. The paving blocks shall have an average crushing strength as stipulated in clause - xxx of Particular Specification of the Work. Include for testing and submission of test reports of paving block and all construction materials as per specification.					
	actual finished area of paver blocks laid at site with 200 mm X 100 mm surface of the block horizontal.)	9060	Sq.M	1105.00	Sq.M	10011300.00

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
17	Earth work in filling in foundation trenches with good earth in layers not exceeding 150mm including watering and ramming etc. layer by layer complete (Payment to be made on the basis of measurement of finished quantity of work) with earth obtained form excavation of foundation or from excavation of land arranged by Department within a lead of 150m.	1375	Cu.M	78.00	Cu.M	107250.00
18	Loading, unloading and carriage of earth, rubbish, dismantled conc. etc. with in a lead of 5 Km.	2000	Cu.M	184.00	Cu.M	368000.00
19	<b>Supply and lay laterite boulder</b> to requisite thickness in layers each of 150 mm (approx. finished thickness) including rough dressing, breaking, necessry hand packing and ramming down small pieces in the interstices including rolling and preparing the bed to proper level and camber with necessary cushioning over bed and ultimate filling the voids by providing and spreading moorum of requisite quantity, consolidation by power driven roller of 8 / 10 ton capasity for at least five passes including dry and wet blinding and admixed with slaked lime (with 5% of the volume of moorum) including cost of all materials. (Payment is to be made on the basis of finished comacted volume measured by pre-work level and post-work level method.)	350.00	Cu.M	2538.00	Cu.M	888300.00
20	Provide and lay cement concrete in nominal mix proportion 1:3:6 (1 cement: 3 coarse sand: 6, 20 mm down graded Pakur variety stone chips) in guard wall, foundation of catch pits, hume pipe, cable trenches etc. as per drawing and as directed. Include for compacting, curing.	37.00	Cu.M	5164.00	Cu.M	191068.00
21	Brick work with first class bricks in cement moratr 1:4 (1- Cement : 4 - medium coarse sand) in foundation and plinth including racking out joints, curing etc. complete. (a) In foundation and plinth	60.00	Cu.M	6029.00	Cu.M	361740.00
		00.00		0029.00		361740.00
22	Cement plaster 15 mm thick with 1:4 (1- Cement : 4 - medium coarse sand) cement plaster including for making scaffolding all complete as directed.	200.00	Sq.M	170.00	Sq.M	34000.00
23	<b>Neat cement punning</b> over the plastered surfaces of dado, skirting and floor surfaces etc. all complete and as directed.	130.00	Sq.M	38.00	Sq.M	4940.00

No.	Description Of Item           Providing and laying 150 mm dia G. I.           pipes of TATA make medium quality           underground including cutting pipes,           making threads etc. complete in all respect           including cutting trenches up to 1.5 metre           below surface in all sorts of soil and refilling           the same as directed. (Payment will be           made on the centre line measurement of           total pipeline)	Quantity		Rate [In Rs]	Unit	Amount [In Rs]
24		100.00	Mtr	1425.00	Mtr	142,500.00
25	Cutting of branches of trees shrubs from the road way and / or trimming of grass and weeds from the shoulders / berms and disposing off the same to suitable locations as per direction of Engineer.	1000	Sq.M	2.00	Sq.M	2000.00
26	<b>Dressing and chilchalling Road flanks</b> including cutting and filling with earth up to 150 mm average thickness finished with outward cross-grade of 1 in 30.	2000	Sq.M	12.00	Sq.M	24000.00
27	<b>Cutting kutcha drain</b> through mixed soil of 600 mm wide and depth up to 300 mm, including disposal of excavated material in embankment slopes within a lead of 50 m.	300	Rm	16.00	Rm	4800.00
				Tot	al = Rs.	4,08,64,737.40

# E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

### SECTION - B [B/WALL, GATE, GOOMTY]

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
1	<b>Dismantling all types of masonry</b> excepting cement concrete palin or reinforced and removing rubbish as directed within a lead of 75 mtr.	245	Cu.M	451.00	Cu.M	110495.00
2	<b>Dismantling all types of plain cement</b> <b>concrete works</b> , stacking serviceable materials at site and removing rubbish as directed within a lead of 75 mtr.	5	Cu.M	948.00	Cu.M	4740.00
3	<b>Dismantling R.C. concrete works</b> including cutting rods from beam, slab etc.and removing rubbish as directed within a lead of 75 mtr.	2	Cu.M	1976.00	Cu.M	3952.00
4	<b>Earth work in excavation</b> in all sorts of soil (including mixed soil with laterite & moorum) including removing, spreading or stacking the spoils within a lead of 75m, as directed. The item includes necessary trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water as required complete.	350	Cu.M	141.00	Cu.M	49350.00
5	Supplying and laying polythene sheet (150gm/sqm) in foundation trenches.	69.345	Sq.M	27.00	Sq.M	1872.31
6	Providing, fitting and fixing approved quality shuttering with Steel shuttering OR 9 mm to 12 mm thick approved quality ply board shuttering for guard wall, buttress, columns, slab etc with centering and necessary staging, fixed in position using bracings, runners etc. and striking out carefully after completion of work, all complete.	200	Sq.M	399.00	Sq.M	79800.00
7	<b>Provide, supply, bend, bind &amp; place</b> <b>reinforcement</b> in proper position with Tor steel as approved including removal of loose rust from reinforcement , initial straightening and binding with approved gauge black annealed wire at every intersection before casting of concrete all complete and as directed.	2.20	MT	78738.00	MT	173223.60

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
8	Providing and laying of Reinforced <b>Cement</b> concrete in nominal mix proportion (1:1.5:3) with Pakur stone chips 20 mm down in column, beams,guard walls, drains, culverts, struts etc. and in other places as directed including compacting, proper curing for specified period but excluding shuttering, staging and reinforcement, all complete and as directed.	12.39	Cu.M	6671.00	Cu.M	82653.69
9	Provide, spread & fill the excavated area with zone - III Brown sand , in layers of thickness not exceeding 300 mm including consolidation by sprinkling of water and rolling by mechanically operated Vibro- Roller of appropriate capacity , all inclusive as directed by the Engineer. [ Payment will be made as per consolidated volume of sand calculated on the basis of pre work and post work level ]	30	Cu.M	938.00	Cu.M	28140.00
10	<b>Earth work in filling in foundation</b> trenches with good earth in layers not exceeding 150mm including watering and ramming etc. layer by layer complete (Payment to be made on the basis of measurement of finished quantity of work) with earth obtained form excavation of foundation or from excavation of land arranged by Department within a lead of 150m.	125	Cu.M	78.00	Cu.M	9750.00
11	Provide and lay cement concrete in nominal mix proportion 1:3:6 (1 cement: 3 coarse sand: 6, 20 mm down graded Pakur variety stone chips) in guard wall, foundation of catch pits, hume pipe, cable trenches etc. as per drawing and as directed. Include for compacting, curing.	33.00	Cu.M	5164.00	Cu.M	170412.00
12	<b>Brick work with first class bricks</b> in cement moratr 1:4 (1- Cement : 4 - medium coarse sand) in foundation and plinth including racking out joints, curing etc. complete.					
	(a) In foundation and plinth (b) In superstructure	120.00 190.00	Cu.M Cu.M	6029.00 6277.00	Cu.M Cu.M	723480.00 1192630.00
13	<b>Providing and laying 40 mm thick damp</b> <b>proof course</b> with cement concrete (1:1.5:3) (with graded stone chips 20 mm nominal size) with water proofing compound of approved brand @ 0.2% weight of cement including cost of materials all complete as directed.	90	Sq.M	309.00	Sq.M	27810.00

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
14	Providing and laying 35 mm thick artificial stone in floor, dado, staircase etc with cement concrete (1:2:4) with stone chips, laid in panels as directed with topping made with ordinary cement slurry, including smooth finishing and rounding off corners including raking out joints or roughening of concrete surface and application of cement slurry before flooring works using cement @ 1.75 kg/sq.m all complete including all materials and labour.	50	Sq.M	357.00	Sq.M	17850.00
15	Cement plaster 15 mm thick with 1:4 (1- Cement : 4 - medium coarse sand) cement plaster including for making scaffolding all complete as directed.	1300.00	Sq.M	170.00	Sq.M	221000.00
16	Provide and lay 10 mm thick 1:4 cement plaster (1 - cement : 4 Med. Coarse sand) including curing etc.	50	Sq.M	138.00	Sq.M	6900.00
17	<b>Neat cement punning</b> over the plastered surfaces of dado, skirting and floor surfaces etc. all complete and as directed.	170.00	Sq.M	38.00	Sq.M	6460.00
18	<b>Providing and applying one coat</b> <b>approved primer</b> to rails, other steel structures etc. include for scrapping, brushing, sand papering and cleaning the surfaces smooth before application of primer all complete as directed.	270	Sq.M	32.00	Sq.M	8640.00
19	<b>Providing and applying paint</b> on steel work with two coats of approved synthetic enamel paint (other than high gloss of approved quality) including scrapping, brushing and cleaning the surfaces if necessary all complete as directed.	270	Sq.M	80.00	Sq.M	21600.00
20	<b>M.S. structural works</b> in columns, beams etc. with simple rolled structural members (e.g. joists, <b>angle, channel</b> sections conforming to IS: 226, IS: 808 & SP (6)-1964 connected to one another with bracket, gussets, cleats as per design, direction of Engineer-incharge complete including cutting to requisite shape and length, fabrication with necessary bolting, metal arc welding conforming to IS: 816-1969 & IS: 1995 using electrodes of approved make and brand conforming to IS:814- 2004, haulage, hoisting and erection all complete. The rate includes the cost of rolled steel section, consumables such as electrodes, gas and hire charge of all tools and plants and labour required for the work including all incidental chages such as electricity charges, labour insurance charges etc.	1.0	М.Т.	65681.00	М.Т.	65681.00

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
21	Supplying fitting and fixing 600 mm (+/- 30 mm) diametre R.B.T(Reinforced Barbed Tape) Concertina fencing on wall top using concertina coils stretched to approx.6 meters length at site clipped with two nos. of horizontal R.B.T strands which will be tensioned and fixed with the vertical M.S angle iron posts by means of security fasteners (such as 'C' clips, R.B.T clips etc.) all complete and as directed.(The rate is exclusive of the cost of posts)	170.00	Mtr.	453.00	Mtr.	77010.00
22	Providing, fitting and fixing Gate made up of G.I. pipes or M. S. Structural members like angle, plate etc. as per approved design made of strong G. I. / M.S. frame work, intermediate stiffeners and round / square bars or angles. M.S. sheet (not less than 14 gauge) gussets, cleats etc. including necessary riveting, bolting, welding, locking and hanging arrangements, fitting and fixing complete as per direction of the Engineer-in-charge.	7.00	Qntl.	8405.00	Qntl.	58835.00
23	<b>M.S.or W.I. Ornamental grill of approved</b> <b>design</b> joints continuously welded with M.S, W.I. Flats and bars of windows, railing etc. fitted and fixed with necessary screws and lugs	1.00	Qntl.	8041.00	Qntl.	8041.00
24	Supplying, fitting and fixing openable steel windows and ventilators as per IS sizes with side hung shutters and horizotal glazing bars without integrated grills conforming to IS 1038-1975 and manufactured from rolled steel sections conforming to IS 7452-1974 with non- friction projecting type, box type hinges, glazing clips, lugs locking bracket, handle plate etc, including hoisting in position, straightening if required, fixing lugs in cement concrete (1:2:4) with stone chips 20 mm down cutting holes and mending good damages to match with existing surface complete in all respect excluding glazing.	7.00	Sq.M	1848.00	Sq.M	12936.00
25	Provide & supply Local sal Wood work in door and window frame fitted and fixed in position complete including a protective coat of painting at the contact surface of the frame exluding cost of concrete, Iron Butt Hinges and M.S clamps.	0.10	Cu.M	81052.00	Cu.M	8105.20
26	<b>Provide &amp; fix MS clamp</b> made of 40mm x 6mm ms flat & 200mm long or as required at site to the door, window, cupboard frame.	12.0	Nos.	28.00	Each	336.00

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
27	Supply of 35 mm. thick Panel shutters with 19 mm. thick panel of door and window, as per design ( each panel consisting of single plank with out joint), including fitting and fixing the same in position but excluding the cost of hinge and other fittings. with sishu, gamar, champ					
	other fittings. with sishu, gamar, champ etc. wood.	5.0	Sq.M	3099.00	Sq.M	15495.00
28	Provide & fix 125 mm long wooden buffer block with Malayasian sal.	4	Nos.	57.00	Each	228.00
29	Supply, fit and fix 3 mm thick best indian sheet glass panes set in putty with nails (as per I.S. specification) in all floors all complete and as directed.	8	Sq.M	530.00	Sq.M	4240.00
30	Provide & fix approved quality oxidised iron butt hinges as per requirement. i) 100mmx75mmx3.5mm	12	Nos.	73.00	Each	876.00
31	<b>Supply, fit and fix of anodised aluminum</b> <b>tower bolt</b> of approved quality manufacture from extra date section confirming to IS 204/74 fitted and fixed with cadmium plates screw.					
	a) 225 mm long x 10mm dia bolt .	2	Nos.	93.00	Each	186.00
32	Supply, fit and fix of iron hasp bolt of approved quality complete (oxidised) 250 mm long 16 mm dia rod with centre bolt and round fitting.	2	Nos.	177.00	Each	354.00
33	<b>Provide and apply one coat of primer</b> of approved brand and manufacture to timber or plastered surface after necessary preparation of surfaces, all complete and as directed.	20.0	Sq.M	42.00	Sq.M	840.00
34	Providing and applying paint on wood or wall surface with two coats of approved synthetic enamel paint (other than high gloss of approved quality) include for scrapping and preparation of surface with brushing and cleaning before painting.	20.0	Sq.M	83.00	Sq.M	1660.00
35	Provide and apply 2 (two) coats of white wash until white and bright on all interior surfaces (New and Old surfaces) by scrapping, sand papering including necessary repairs to scratches etc all complete and as directed.	50	Sq.M	20.00	Sq.M	1000.00
36	<b>Provide and apply 2 (two) coats of colour wash</b> with any shed with strainers on all interior surfaces (New and Old surfaces) by scrapping, sand papering including necessary repairs to scratches etc all complete and as directed.	150	Sq.M	23.00	Sq.M	3450.00

SI.	Description Of Item	Quar	ntity	Rate	Unit	Amount
No.	Description of item	Quantity		[In Rs]	Onit	[In Rs]
37	Providing and applying two coats decorative cement based paint of approved quality after preparing the surface including scraping the same thoroughly (plastered or concrete surface) as per manufacturer's specification.	2000	Sq.M	54.44	Sq.M	108,880.00
38	Supplying, fitting and fixing PVC pipes of approved make of schedule 80 (medium duty) conforming to ASTMD - 1785 and and threaded to match with G.I pipes as per IS :1239 with all necessary accessories, specials viz socket, bend, tee, union,elbo, nipple longscrew, reducing socket,reducing tee etc fitted with holder bats clamps including cutting pipes, making threads, fitting, fixing etc.complete in all respectincluding cost of all necessary fitting as required, jointing materials etc.	20	Mar	170.00	Mtx	5270.00
	i) 25mm dia pipe	30	Mtr	179.00	Mtr	5370.00
	ii) 20mm dia pipe	120	Mtr	130.00	Mtr	15600.00
	iii)15mm dia pipe	30	Mtr	102.00	Mtr	3060.00
39	Supply, fitting & fixing E.W.C with P- trap in white glazed vitreous chinaware of approved make complete in position with necessary bolts, nuts complete.	2	Nos.	1435.00	Each	2870.00
40	Provide and fix gun metal 15mm. / 20mm. Dia. bib cock / stop cock approved quality in position including taking out damaged stop cock and bib cock and return to store all complete as directed. a) 15mm. Dia.	6	Nos.	171.00	Each	1026.00
41	Supply,fit and fix Peet's valve fullway gunmetal standard pattern best quality of approved brand bearing ISI marking with fittings(tested to 21kg per sq.cm.). a) 25 mm	1	No.	921.00	Each	921.00
	a) 20 mm	2	Nos.	664.00	Each	1328.00
	b) 15 mm	2	Nos.	526.00	Each	1052.00
42	Supply, fit and fix 10 litre P.V.C low-down cistern with P.V.C fittings complete, Cl brackets including two coats of painting to bracket etc.	2	Nos.	1025.00	Each	2050.00

SI.	Description Of Item	Quan	tity	Rate	Unit	Amount
No.	Description of item	Quan	itty	[In Rs]	Onit	[In Rs]
				[		
43	Supply, fit and fix white vitreous china best quality approved make wash basin of size-550mm x 400mm with C.I. / G.I. pipe Brackets of required dia. on 75mm. x 75 mm. wooden blocks or inside wall ,C.P. waste fittings of 32 mm. dia. one approved quality brass C.P. pillar coak of 15 mm. dia, C.P. chain with rubber plug of 30 mm dia, approved quality PVC connection pipe with heavy brass CP nut of required length including mending good all damages and painting the brackets with two coats of approved paint all complete as directed.	2	Nos.	2208.00	Each	4,416.00
44	Supplying , fitting & fixing best quality Indian make beveled edged mirror 5.5mm. thick with silver red as per IS3438/1965 specification with C.P. hinges. size 600mm. X 450mm.	2	Nos.	489.00	Each	978.00
45	Provide fit and fix 110 mm dia internal dia UPVC soil pipes (B-Type) with all necessary fittings like bend, tee, 'Y' junction etc.conforming to IS 13592-1992 in position with necessary clamps, nails including making holes in the walls, floors etc and cutting trenches in any soil through masonry concrete and mending good damages including joining with jointing materials complete as directed. (Payment to be made as per centre line length of laid pipe lines.)	10	Mtr	295.00	Mtr	2,950.00
46	Provide fit and fix 110 mm dia internal dia UPVC down pipes (A-Type) conforming to IS 13592-1992 including necessary bend, shoe, tee etc. in position with necessary clamps, nails including making holes in the walls, floors etc and cutting trenches in any soil through masonry concrete and mending good damages including joining with jointing materials complete as directed.	10	Mtr	279.00	Mtr	2,790.00
47	Supplying P.V.C. water storage tank of 1000 litre capacity of approved quality with closed top with lid (Black) - Multilayer	2	Nos.	5179.00	Each	10,358.00

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]	
48	<b>Construction of septic tank for 10 users</b> as per approved drawing with 1st class brick work in cement mortar (1:4) including two 560 mm dia. R.C.C. manhole cover(heavy type)of approved make supplied, fitted and fixed in the 100mm thick R.C.C (1:1.5:3) top slab with necessary fittings, 20mm thick cement plaster (4 : 1) with neat cement finish to the internal surfaces and 15 mm thick cement laster (4 : 1) to outside wall upto 200 mm below G.L floor finished with 25 mm thick grey artificial stone over 100 mm thick R.C.C(1:1.5:3) bottom slab including supplying, fitting and fixing all necessry specials, fittings, S.W. tees, C.I. foot rest etc. including excavation earth in all sorts of soil, shoring, bailing out and pumping out water as necessary, ramming, dressing the bed and fefilling the sides of the tanks with earth, removing spoils, filling up the chamber with clear water, removing foreign materials from the chamber and including constructing attached inspection pit as per approved drawing and connecting all necessary pipes, joints etc. with internal plaster work and artificial stone flooring.	2.0	Nos.	34980	Each	69,960.00	
49	<b>Construction of circular soak well 2.5</b> <b>metre deep</b> in all types of sandy soils with dry brick work upto 1.6 metre from the bottom having 150 mm intermediate cement brick work (1:4) band all round and cement brick work (1:4) upto 0.90 metre from top with 20mm thick cement plastering (1:4) to inside face upto the depth of cement brick work, 15mm thick cement plaster (1:4) on outer face from top of the well upto G.L. and 6 mm thick cement plaster (1:4) on top of the R.C.C. cover slab including filling bottom 1.00 metre of inside of the well with brick metal (50 mm to 63 mm size) including R.C.C. cover slab of 100 mm thick with cement conc (1:1.5:3) with stone chips with necessary reinforcement and shuttering including one 560 mm dia. R.C.C. manhole cover (heavy type) of approved make supplied, fitted and fixed in the cover slab with necessary fittings, making nacessary arrangements for pipe connections, excavation of well including shoring, dewatering and removing the excess earth from the premises as per direction complete in all recpect with all cost of labour and						
	materials. (1.0m inside dia)	2	Nos.	16298.00	Each	32,596.00	
				Total = Rs. 34,66,236.80			

# E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

### SECTION - C [SAFETY INSTRUMENTS]

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
1	<b>Earth work in excavation</b> in all sorts of soil (including mixed soil with laterite & moorum) including removing, spreading or stacking the spoils within a lead of 75m, as directed. The item includes necessary trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water as required complete.	100	Cu.M	141.00	Cu.M	14100.00
2	Sort out and take delivery of second				+ +	
	hand 90 lbs / yard or 60 Kg. /Mtr. Rails from Trustees PW Store Yards at HDC and loading, transport through road upto a distance of 5 KM, unloading and stacking the same at the site of work, all complete.	80	M.T	180.00	M.T	14400.00
3	Cutting to requisite length or shape of					
	Departmental Rail. [Payment to be made on area of cutting surface]	31200	Sq.cm	9.00	Sq.cm	280800.00
4	Providing, fitting and fixing approved quality shuttering with Steel shuttering OR 9 mm to 12 mm thick approved quality ply board shuttering for guard wall, buttress, columns, slab etc with centering and necessary staging, fixed in position using bracings, runners etc. and striking out carefully after completion of work, all complete.	300	Sq.M	399.00	Sq.M	119700.00
5	Labour for placing and fixing the Rail post (available from item no7 below) in proper line and plumb etc. with 1 :3 : 6 cement concrete, including fitting and fixing of horizontal rails with bolts and nuts & washers etc. all complete as per satisfaction of EIC. [Cost of Bolts and nuts, foundation concrete & earth cutting will be paid separately]	800	Qntl.	458.00	Qntl.	366400.00
6	Supplying, fitting, fixing bolts with nuts and washer of required size to the rails and other steel structures etc.	250	Kg.	128.00	Kg.	32000.00
7	Provide and lay cement concrete in nominal mix proportion 1:3:6 (1 cement: 3 coarse sand: 6, 20 mm down graded Pakur variety stone chips) in guard wall, foundation of catch pits, hume pipe, cable trenches etc. as per drawing and as directed. Include for compacting, curing.	30.00	Cu.M	5164.00	Cu.M	154920.00

SI. No.	Description Of Item	Quan	tity	Rate [In Rs]	Unit	Amount [In Rs]
				[]		[]
8	<b>Earth work in filling in foundation</b> trenches with good earth in layers not exceeding 150mm including watering and ramming etc. layer by layer complete (Payment to be made on the basis of measurement of finished quantity of work) with earth obtained form excavation of foundation or from excavation of land arranged by Department within a lead of 150m.	100	Cu.M	78.00	Cu.M	7800.00
9	Providing and applying one coat					
	<b>approved primer</b> to rails, other steel structures etc. include for scrapping, brushing, sand papering and cleaning the surfaces smooth before application of primer all complete as directed.	1230	Sq.M	32.00	Sq.M	39360.00
10	<b>Providing and applying paint</b> on steel work with two coats of approved synthetic enamel paint (other than high gloss of approved quality) including scrapping, brushing and cleaning the surfaces if necessary all complete as directed.	1230	Sq.M	80.00	Sq.M	98400.00
11	Providing & erecting polycarbonate convex mirror of 800 mm dia including 80 mm dia GI pipe post, clamp, nut & bolt, painting & grouting etc all complete.	6	Nos.	10553.00	Each	63318.00
12	<b>Providing and fixing retro- reflectory</b> <b>tape</b> at different locations like CISF Gate, roadside rails or other structures etc complete as per direction of Engineer-in- charge.	6	Sq.M	1700.00	Sq.M	10200.00
				То	tal = Rs	12,01,398.00
	(Rupees Twelve Lakh One Tho	ousand Three	e Hundred	Ninety Eight o	only)	

# E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

## **ABSTRACT**

Total Amount for Section-A (ROADS & DRAINS):	:	Rs. 4,08,64,737.40
Total Amount for Section-B (B/WALL, GATE, GOOMTY):	:	Rs. 34,66,236.80
Total Amount for Section-C (SAFETY INSTRUMENTS):	:	Rs. 12,01,398.00
TOTAL ESTIMATED COST	:	Rs. 4,55,32,372.20
		(Rupees Four Crore Fifty Five Lakh Thirty Two Thousand Three Hundred Seventy Two and paise Twenty only).

### DECLARATION BY THE BIDDER

(To be submitted on Company's Letter Head along with Techno Commercial Bid duly stamped and signed)

Sr. Dy. Manager (I&CF), Haldia Dock Complex. Kolkata Port Trust

#### SUB:- E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

Dear Sir,

We do hereby confirm that our offer is strictly in accordance with the terms and conditions of the Tender Document without any deviation / condition.

We further confirm that Part-II of the bid does not contain any condition / deviation.

Signature of the Bidder with Office Seal.

Date:

Place:

### **DECLARATION BY THE BIDDER**

(To be submitted on Company's Letter Head along with Techno Commercial Bid duly stamped and signed)

Sr. Dy. Manager (I&CF), Haldia Dock Complex. Kolkata Port Trust

#### SUB:- E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".

Dear Sir,

a) The bidding firm has not been debarred / delisted by any Govt / Quasi Govt. / Public sector undertaking in India.

b) The proprietor / partner(s)/ authorised signatory of the bidding firm is/are not associated with other firm bidding for the same work.

Signature of the Bidder with Office Seal.

Date:

Place:

# CONCURRENT COMMITMENT(S) OF THE BIDDER (To be submitted with Techno-Commercial Bid)

SI.	Full particulars of works to be executed	Sanctioned	Completion time	Name and address to
No.	concurrently by the bidder.	Tender Value.	as stated in	whom reference can be
	(i) Name of work.	(in Rs.)	tender.	made.
	(ii) Client.			
1	(iii) W.O. No. & Date. (i)			
	(ii)			
	(iii)	-		
2	(i)			
		-		
	(ii)			
	(iii)	-		
3	(i)			
	(ii)			
	(iii)			
4	(i)			
	(ii)	4		
	(iii)	1		

### ANNEXURE - III

## **BIDDER'S PROFILE**

(To be submitted with Techno Commercial Bid)

The Bidders are also requested to furnish the following particulars:-

A)	In case of Limited Company -	
1)	Name of Company	:
2)	Address of its present registered office.	:
3)	Date of its incorporation	:
4)	Full name and address of each of its Directors – any special particulars as to Directors if desire to be stated.	:
5)	Name, address and other necessary particulars of Managing Agents, if any appointed by the Company.	:
	Copies of Memorandum, Articles of Association ith the latest amendments, if any).	:
7)	Copies of audited balance sheets of the Company for the last two years.	:
B)	In case of a firm -	
		:
1)	In case of a firm -	:
1) 2)	In case of a firm - Name and address of the firm.	:
1) 2) 3)	In case of a firm - Name and address of the firm. When business started If registered a certified copy of certificate of	:
1) 2) 3) 4)	In case of a firm - Name and address of the firm. When business started If registered a certified copy of certificate of registration.	:

- C) In case of an Individual:
- 1) Full name and address of the Bidder : any special particulars of the Bidder if desired to be stated.
- 2) Name of the father of the Bidder. :
- Whether the Bidder carries on : business in his own name or any other name.
- 4) When business was started and by : whom.
- 5) Whether any other person is : interested in the business directly or indirectly, if so, name and address etc. of such persons and the nature of such interest.
- 6) Whether the Bidder pays Income Tax : over Rs.10, 000/- per year.

Dated:

(Full signature of Bidder)

### ABSTRACT FORM OF TENDER (UNPRICED)

(To be submitted with Techno Commercial Bid)

I / We hereby tender for the under mentioned work for its execution within the specified time and in accordance, in all respects with the specifications, design, drawing and instructions in writing and with such materials as are provided for, by and in all other respects in accordance with such conditions so far as practicable.

(a) Name of Work.	:	E-TENDER FOR "WIDENING AND UPGRADATION OF ROAD NETWORK AT THE EASTERN SIDE OF DOCK BASIN, HALDIA DOCK COMPLEX, HALDIA".
(b) Estimated Cost.	:	Rs. 4,55,32,372.20 (Rupees Four Crore Fifty Five Lakh Thirty Two Thousand Three Hundred Seventy Two and paise Twenty only).
(c) Earnest Money	:	Rs. 9,10,650.00 (Rupees Nine Lakh Ten Thousand Six Hundred Fifty only).
<ul><li>(e) Time allowed for completion of the work</li><li>(f) Permanent I/T A/C No.</li></ul>	:	12 (Twelve) months.
(g) Maximum number of workmen to be engaged on any day.	:	
(h) Bank Details		
Name of Bank:		Branch:
Branch Code:		Account Number:
IFS Code:-		

(Signature of the Bidder)

Address:

(Name in block letters)

Address:-

Witness:

Occupation:-

#### FORM OF TENDER (UNPRICED)

### (To be submitted with Techno Commercial Bid)

To The Sr. Dy. Manager (I&CF), Haldia Dock Complex

I/We\_

\_hav

ing examined the site of work, inspected the Drawings and read the specifications, General & Special Conditions of Contract and Conditions of the Tender, hereby tender and undertake to execute and complete all the works required to be performed in accordance with the Specification, Bill of Quantities, General & Special Conditions of Contract and Drawings prepared by or on behalf of the Trustees and at the rates & prices set out in the annexed Bill of Quantities within \_\_\_\_\_\_ months / weeks from the date of order to commence the work and in the event of our tender being accepted in full or in part. I / We also undertake to enter into a Contract Agreement in the form hereto annexed with such alterations or additions thereto which may be necessary to give effect to the acceptance of the Tender and I / We hereby agree that until such Contract Agreement is executed the said Specification, Bill of Quantities, Conditions of Contract and the Tender, together with the acceptance thereof in writing by or on behalf of the Trustees shall be the Contract.

I / We require \_\_\_\_\_\_days / months preliminary time to arrange and procure the materials required by the work from the date of acceptance of tender before I We could commence the work.

I / We have deposited with the Trustees' Manager (Finance), HDC, vide Receipt No. \_\_\_\_\_ of \_\_\_\_\_ as Earnest Money.

I / We agree that the period for which the tender shall remain open for acceptance shall not be less than four months.

Dated:

Seal)

WITNESS :

Signature :

Name :

(In Block letters)

Address :

Occupation :

(Signature of Bidder with

Name of the Bidder :

Address :

## <u>CHECK LIST</u>

## ( TO BE FILLED- UP BY THE BIDDER)

## E -TENDER NO : 2019\_KoPT\_514941

1	Declarations	Declaration submitted	Yes / No
	a) The bidding firm has not been debarred / delisted by	Declaration submitted	1637 100
	any Govt / Quasi Govt. / Public sector undertaking in		
	India.		
	b) The proprietor / partner(s)/ authorised signatory of the		
	bidding firm is/are not associated with other firm bidding		
	for the same work.		
2	Application money towards cost of tender Documents.	Deposited	Yes / No
3	Earnest Money	Deposited	Yes / No
4	Declaration as per Annex-I that no conditions / deviations	Submitted on company's	Yes / No
	have been added in Volume-II in the tender offer.	letter head.	
5	PAN Card	Submitted	Yes / No
6	GST registration certificate.	Submitted	Yes / No
0	Valid Trade License.	Valid up to	
		Submitted	Yes / No
7			
	Professional Tax Clearance Certificate. / Upto date tax	Valid up to	
0	payment challan.	Submitted	Yes / No
8	Valid Employees' Provident Fund Account	Submitted	Yes / No
	Valia Employees Provident Pana Account	Photo copy of latest	Yes / No
9		payment challan of EPF	1037110
		submitted	
10	ESI registration	Submitted	Yes / No
	5	Photo copy of latest	Yes / No
		payment challan of ESI	
		submitted	
11	Details of firm as per Bidder's Profile	Format fill-up	Yes / No
12	Concurrent Commitments of the Bidder	Format fill-up	Yes / No
13	Credential within seven years	i) Amount	
		ii) Amount	
		iii) Amount	
		Credentials as per pre-	Yes / No
		qualification criteria.	
		Letter of award works and	Yes / No
		completion certificate from	
		owners are enclosed.	
14	Certified copies of audited balance sheet	i) Turnover amount and year	
		ii) Turnover amount and year	
		iii) Turnover amount and	
		year	
		Certified by the CA / FA	Yes / No

Signature of the bidder with seal

# **General Conditions of Contract Forms and Agreements**

Sanctioned by the Trustees under Resolution No. 92 of the 6<sup>th</sup> Meeting held on 27<sup>th</sup> May, 1993

## Including Addendum Sanctioned by the Trustees Meeting held on July, 2014

## **KOLKATA PORT TRUST**

KOLKATA DOCK SYSTEM & HALDIA DOCK COMPLEX JULY , 2014

## **GENERAL CONDITIONS OF CONTRACT**

	CLAUSE		PAGES
			~~ .
1.	AMENDMENT TO GENERAL CONDITIONS OF CONTRACT	•••	GC 1
2.	DEFINITION		GC 2 – GC 3
3.	DUTIES & POWERS OF ENGINEER & ENGINEER'S REPRESENTATIVE		GC 3 – GC 5
4.	THE TENDER/OFFER AND ITS PRE- REQUISITES		GC 5 – GC 9
5.	THE CONTRACT & GENERAL OBLIGATIONS OF CONTRACTOR		GC 9 – GC 14
6.	COMMENCEMENT, EXECUTION AND COMPLETION OF WORK		GC 14 – GC 17
7.	TERMS OF PAYMENT		GC 18 – GC 20
8.	VARIATION AND ITS VALUATION		GC 20 – GC 22
9.	DELAY/EXTENSION OF COMPLETION TIME/LIQUIDATED DAMAGE/TERMINATION OF CONTRACT		GC 22 – GC 24
10.	MAINTENANCE AND REFUND OF SECURITY DEPOSIT		GC 24 – GC 25
11.	INTERPRETATON OF CONTRACT DOCUMENTS, DISPUTES & ARBITRATION		GC 25 – GC 27
12	FORMS GC-1, GC-2, GC-3		
13	FORM OF AGGREMENT		
14	PROFORMA FOR B.G. FOR CONTRACT PERFORMANCE		
15	INTEGRITY PACT DOCUMENT: PROFORMA		
16	DRAFT Memorandum of Understanding between Ko.P.T. & Transparency International India		

## GC - 1 **AMENDMENT** <u>TO</u>

## **GENERAL CONDITIONS OF CONTRACT**

## **♦ CI-3.4 THE TENDER /OFFER & ITS PRE-REQUISITES**

Table under sub-clause (a)

	PREVIOUS		AS AMENDED			
			For Works	Contract	For Contract of Materials or Ec	
	For Works Contract	For Contract of Supplying Materials or Equipment only	Estimate d Value of Work	Amount of Earnest Money	Estimated Value of Work	Amount of Earnest Money
Up to Rs. 1,00,000.00	5% of the estimated value of work	1% of the estimated value of work	Up to Rs. 10 Crore	2% of the estimated value of work	Up to Rs. 1,00,000.00	1% of the estimated value of work
Over Rs. 1,00,000.00	2% of the estimated value of work subject to a maximum of Rs. 20,000/- and minimum of Rs. 5,000/-	1/2% of the estimated value of work subject to a maximum of Rs. 10,000/- and minimum of Rs. 1,000/	Over Rs. 10 Crore	2% on first Rs. 10 Crore + 1% on the balance	Over Rs. 1,00,000.00	1/2% of the estimated value of work subject to a maximum of Rs. 10,000/- and minimum of Rs. 1,000/

## [ AMENDMENT SANCTIONED BY THE BOARD OF TRUSTEES VIDE RESOLUTION NO 210 OF THE TRUSTEES' MEETING HELD ON 26.02.2013 ]

Table under sub-clause (d)

	PREVIO	OUS		AS AME	NDED
Class of	Amount Of	Financial Limit Of	Class of	Amount Of	Financial Limit Of
Registra-	Fixed	Each Tender	Registra	Fixed	Each Tender
tion	Security		-tion	Security	
Α	Rs 10,000/-	Any tender priced	Α	Rs 50,000/-	Any tender priced up
		upto Rs 2,00,000/-			to Rs 10,00,000/-
В	Rs 5,000/-	Any tender priced	В	Rs 25,000/-	Any tender priced
		upto Rs 1,00,000/-			upto Rs 5,00,000/-
С	Rs 2,500/-	Any tender priced	С	Rs 15,000/-	Any tender priced
		upto Rs 50,000/-			upto Rs 3,00,000/-

[ AMENDMENT SANCTIONED BY THE BOARD OF TRUSTEES VIDE RESOLUTION NO 82 OF THE TRUSTEES' MEETING HELD ON 12.10.2012 ]

## 1. DEFINITIONS

1.0	In the contract, as here in after defined, the following words and expressions shall have the meaning herein assigned to them, except where the context otherwise required.	
1.1	"Employer" or "Board" or "Trustees" means of the Board of Trustees for the Port of Calcutta, a body corporate under Section 3 of the Major Port Trusts Act, 1963, including their successors, representatives and assigns.	Employer
1.2	- · · · ·	Chairman
1.3	"Contractor" means the person or persons, Firm or Company whose tender/offer has been accepted by the Trustees and includes the Contractor's representatives, heirs, successor and assigns, if any, permitted by the Board/Chairman.	Contractor
1.4	"Engineer" means the Board's official who has invited the tender on its behalf and includes the Manager (Infrastructure & Civic Facilities) or other official as may be appointed from time to time by the Employer, with written notification to the Contractor, to act as Engineer for the purpose of the Contract, in place of the "Engineer" so designated.	Engineer
1.5	"Engineer's Representative" means any subordinate or Assistant to the Engineer or any other official appointed from time to time by the Engineer to perform the duties set forth in Clauses 2.4 to 2.6 hereof.	Engineer's Representative
1.6	"Work" means the work to be executed in accordance with the Contract and includes authorised "Extra Works" and 'Excess Works" and "Temporary Works".	Works
1.7	"Temporary Works" means all temporary works of every kind required in or about the execution, completion or maintenance of the works and includes (without thereby limiting the foregoing definitions) all temporary erections, scaffolding, ladders, timbering, soaking vats, site offices, cement and other godowns, platforms and bins for stacking building materials, gantries, temporary tracks and roads, temporary culverts and mixing platforms.	Temporary works
1.8	"Extra Works" means those works required by the Engineer for completion of the Contract which were not specifically and separately included in the schedule of items of the works i.e. (Bill of Quantities) of the tender. "Excess Works" means the required quantities of work in excess of the provision made against any item of the bill of Quantities.	Extra works and Excess works
1.9	"Specifications" means the relevant and appropriate Bureau of Indian Standard's specifications / International Standard's Specifications (latest revisions) for materials and workmanship unless stated otherwise in the Tender.	Specification

1.10	"Drawings" means the drawings referred to in the Tender and specification and any modification of such drawings approved in writing by the Engineer and such other drawings as may from time to time be furnished or approved in writing by the Engineer.	Drawings
1.11	"Contract" means and includes the General and Special Conditions of Contract, Specifications, Drawings, priced Bill of Quantities, the Tender / Offer, the letter of acceptance of the Tender/Offer, the Contract Agreement, if separately entered into and the Schedule of Rates and Price, if any, adopted by the Trustees at their discretion.	Contract
1.12	"Constructional Plant" means all appliances or things of whatsoever nature required or about the execution, completion or maintenance of the works or temporary works and includes (without thereby limiting the foregoing definition) all machinery and tools but does not include materials or other things intended to form or forming part of the permanent works.	Construction al Plant
1.13	"Site" means the land, waterways and other places, on, under, in or THOROUGH which the works are to be executed by the Trustees for the purpose of the Contract.	Site
1.14	"Contract Price" means the sum named in the letter of acceptance of the Tender/Offer of the Contractor, subject to such additions thereto and deductions therefrom as may be made by the Engineer under the provisions here in after contained.	Contract Price
1.15	"Month" means English Calendar Month.	Month
1.15 1.16	"Month" means English Calendar Month. "Excepted Risks" are riot in so far as it is uninsurable, war, invasion, act of foreign enemies, hostilities) whether war be declared or not), Civil War, rebellion, revolution, insurrection or military or usurped power or use or occupation by the Trustees of any portion of the works in respect of which a certificate of completion has been issued (all of which are herein collectively referred to as the excepted risks).	Month Excepted Risks
	"Excepted Risks" are riot in so far as it is uninsurable, war, invasion, act of foreign enemies, hostilities) whether war be declared or not), Civil War, rebellion, revolution, insurrection or military or usurped power or use or occupation by the Trustees of any portion of the works in respect of which a certificate of completion has been issued (all of which are herein	Excepted Risks
1.16	"Excepted Risks" are riot in so far as it is uninsurable, war, invasion, act of foreign enemies, hostilities) whether war be declared or not), Civil War, rebellion, revolution, insurrection or military or usurped power or use or occupation by the Trustees of any portion of the works in respect of which a certificate of completion has been issued (all of which are herein collectively referred to as the excepted risks). Word importing the singular only, also includes the plural and vice-versa	Excepted Risks Singular/
1.16 1.17	<ul> <li>"Excepted Risks" are riot in so far as it is uninsurable, war, invasion, act of foreign enemies, hostilities) whether war be declared or not), Civil War, rebellion, revolution, insurrection or military or usurped power or use or occupation by the Trustees of any portion of the works in respect of which a certificate of completion has been issued (all of which are herein collectively referred to as the excepted risks).</li> <li>Word importing the singular only, also includes the plural and vice-versa where the context so requires.</li> <li>The heading and marginal notes in these General Conditions of Contract shall not be deemed to be part thereof or be taken into consideration in the</li> </ul>	Excepted Risks Singular/ Plural Headings/ Marginal
1.16 1.17 1.18	<ul> <li>"Excepted Risks" are riot in so far as it is uninsurable, war, invasion, act of foreign enemies, hostilities) whether war be declared or not), Civil War, rebellion, revolution, insurrection or military or usurped power or use or occupation by the Trustees of any portion of the works in respect of which a certificate of completion has been issued (all of which are herein collectively referred to as the excepted risks).</li> <li>Word importing the singular only, also includes the plural and vice-versa where the context so requires.</li> <li>The heading and marginal notes in these General Conditions of Contract shall not be deemed to be part thereof or be taken into consideration in the interpretation or construction thereof or of the contract.</li> <li>Unless otherwise stipulated the work "Cost" shall be deemed to include</li> </ul>	Excepted Risks Singular/ Plural Headings/ Marginal Notes.

- 2.2 The Contractor shall take instructions from the Engineer and subject to limitation of Clause 2.5 hereof, from the Engineer's Representative.
- 2.3 *The Engineer shall have full power and authority :* 
  - (a) to supply to the contractor from time to time during the progress of the works such further drawings and instructions as shall be necessary for the purpose of proper and adequate execution and maintenance of the works and the contractor shall carry out and be bound by the same.
  - (b) to alter or modify the specification of any material and workmanship and to inspect the work at any time.

(c) to order for any variation, alteration and modification of the work and for extra works.

(d) to issue certificates as per contract.

(e) to settle the claims & disputes of the Contractor and Trustees, as the first referee.

- (f) To grant extension of completion time.
- 2.4 *The Engineer's Representative shall :* 
  - (i) watch and supervise the works.
  - (ii) test and examine any material to be used or workmanship employed in connection with the work.
  - (iii) have power to disapprove any material and workmanship not in accordance with the contract and the contractor shall comply with his direction in this regard.
  - (iv) take measurements of work done by the contractor for the purpose of payment or otherwise.
  - (v) order demolition of defectively done work for its reconstruction all by the Contractor at his own expense.
  - (vi) have powers to issue alteration order not implying modification of design and extension of completion time of the work and
  - (vii) have such other powers and authorities vested in the Engineer, which have been delegated to him in writing by the Engineer under intimation to the Contractor.

Authority of Engineer's Representative Engineer's Power

Power of Engineer's Representative.

Provided always that the Engineer's Representative shall have no power :

(a) to order any work involving delay or any extra payment by the

2.5

		Trustees, to make variation of or in the works; and to relieve the Contractor of any of his duties or obligations under the Contract.	e's Power
2.6	Pro	Engineer's Overriding	
	(a)	Failure of Engineer's Representative to disapprove any work or materials shall not prejudice the power of the Engineer thereafter to disapprove such work or materials and to order the pulling down, removal, breaking-up thereof and re-constructing at the contractor's cost and the contractor shall have no claim to compensation for the loss if any sustained by him.	Power
	(b)	If the contractor shall be dissatisfied by reason of any decision of the Engineer's Representative, he shall be entitled to refer the matter to the Engineer who shall thereupon confirm, reverse or vary such decision.	
	(c)	Any written instructions or written approval given by the Engineer's Representative to the contractor, within the terms of delegation of power and authority vested in the Engineer to his Representative in writing, shall bind the contractor and the Trustees as though it had been given by the Engineer, who may from time to time make such delegation.	
3.0	TH	E TENDER/OFFER AND ITS PRE-REQUISITES	
3.1	The be of fact imp dee	The tender must encompass all relevant aspects/ issues.	
	(a)	The form and nature of the site and its surroundings including their sub-surface, hydrological, tidal and climatic conditions, the means of access to the site and all other local conditions, including the likely charges and costs for temporary way-leave, if any, required for the work.	Site & Local condition.
	(b)	The drawings, specifications, the nature and extent of work to be executed and the quality, quantity and availability of the required materials and labour for the work and the need to execute the work to the entire satisfaction of the Engineer, and also by complying with the General and Special Conditions of Contract.	Drawing/ Specification/ Nature & extent of work to be done.

Limitation of Engineer's Representativ e's Power

	(c)	The accommodation required for the workmen and site office, mobilisation/demobilisation and storage of all plant, equipment and Construction materials.			Accommodation for Contractor's men/materials.
	(d)	washing and ex	d means of procurement accution of work, and so all at Contractor's cost.		Water for drinking etc. /Electrical power.
	(e) Payment of taxes and duties and compliance of all applicable statutes, ordinances and law together with the rules made thereunder, the rules, regulations and bye-laws of public bodies or any local or other authority by the Contractor, keeping the Trustees indemnified against penalties and liabilities of every kind arising from the Contractor's failure in such compliance.			Payment of Taxes/duties and observance of all statutes.	
(f) Payment of all kinds of stamp-duty for executi for any legal instrument including Bank Guara Bonds.					Payment of Stamp Duty by the Contractor.
3.2	The Contractor's tender shall be in ink on the Tender Forms supplied by the Trustees, unless stipulated otherwise in the Notice Inviting the Tender and shall be faultless in figures and free from erasing. Corrections, if any, shall only be made by scoring out and initialling of the revised figure.				
3.3				Disclosure of Owner's name.	
3.4	(a) Unless otherwise stipulated in the Notice Inviting Tender / Offer, every tender must be submitted with Earnest Money of the amount calculated as per the following scale.				Earnest Money and Security Deposit.
-			Amount of Earnest Money		
	Wor	k	For Works Contract	For Contract of Supplying Materials or Equipment only	
	Up	to Rs.	5% of the estimated	1% of the estimated	
	1,00	,000=00	value of work	value of work	

of Rs. 5,000/-.

2% of the estimated

value of work subject

to a maximum of Rs.

20,000/- and minimum

Over

Rs. 1,00,000=00

of Rs. 1,000/-.

1/2% of the estimated

value of work subject

to a maximum of Rs.

10,000/- and minimum

- (b) Earnest Money shall be deposited with the Trustees' treasurer in cash or by Banker's Cheque of any Calcutta Branch of a Nationalised Bank of India Pay drawn in favour of Calcutta Port Trust or in the form of any "Account Payee" Draft of any Nationalised Bank of India drawn in favour of "Calcutta Port Trust" and payable at Calcutta/Haldia, as the case may be, and the receipt granted therefor be kept attached to the Tender/Offer in the Sealed Cover.
- (c) Earnest Money of unaccepted tender shall be refunded without any interest Refund THOROUGH A/c. Payee Cheque drawn on a Nationalised Bank of E.M. Calcutta / Haldia.
- (d) The enlisted (registered ) Contractors of the Trustees who have deposited fixed Security with the Trustees' FA & CAO / Manager (Finance) according to his Class of Registration, shall be exempt from depositing the Earnest Money, as per the following scale :

Class of Registration	Amount of Fixed	Financial Limit of
	Security	Each Tender
А	Rs. 25,000/-	Any tender priced up to Rs.5,00,000/-
В	Rs. 10,000/-	Any tender priced up to Rs.2,00,000/-
С	Rs. 5,000/-	Any tender priced up to Rs.1,00,000/-

- (e) (i) Tender submitted without requisite Earnest Money may be liable to crejection.
- (ii) If before expiry of the validity period of his Tender/Offer, the tenderer amends his quoted rates or tender/offer making them unacceptable to the Trustees and/or withdraws his tender/offer, the Earnest Money deposited shall be liable to forfeiture at the option of the Trustees.
- (f) The Earnest Money of accepted tender/offer shall be retained by the Trustees as part of the Security Deposit, for which a separate Treasury Receipt shall be issued to the Contractor after cancellation of the previous Receipt of Earnest Money.
- (g) Balance security for works contract shall be recovered by deduction from 1 all progressive Bill (including final Bill, if necessary) @ 10% of the gross revalue of work in each such bill, so that the total recovery may not exceed be the quantum computed as per the under noted percentages of the total value of work actually done up to the stage of completion.

Method of Paying E.M.

of

Exemption from E.M. to Regd. Firms

out EM liable to rejection. Forfeiture of

Tender with-

E.M. before Acceptance of offer. E.M. to be converted to part S.D.

Mode of recovery of balance S.D.

GC	_	8
υc		0

	1	1	
Value of Work	% of Security Deposit for works contract.	% of Security Deposit For contract of supply- ing materials & equipment only.	Scale of S.D. recovery.
For works up to Rs.10,00,000/	10% (Ten percent)	1% (One percent)	
For works costing more than Rs.10,00,000/- and up to Rs.20,00,000/-	$\begin{array}{cccc} 10\% & \text{on} & \text{first} \\ \text{Rs.10,00,000/-} & +7\frac{1}{2}\% \\ \text{on the balance.} \end{array}$	1% on first Rs.10,00,000/- + ½% on the balance.	
For works costing more than Rs.20,00,000/-	10% on first Rs.10,00,000/- + 7 ½% on the next Rs.10,00,000/- + 5% on the balance.	1% on first Rs.10,00,000/- + ½% on the next Rs.10,00,000/- + ¼% on the balance.	
<ul> <li>(h) Balance Security for C computed in terms of the deposited with the Trust from the date of placem Payee Draft of a Nationa Port Trust and payable at</li> </ul>	S.D. for supply contracts to be deposited in advance.		
<ul><li>(i) No interest shall be paid the amount of Earnest M any stage.</li></ul>	No interest payable on E.M. /S.D		
(i) The Security Deposit Clause 9.3 hereinafter provision of Sub-clause 3 provides for any mainter be refunded against any expiry of half of the mai expiry of the said mai certified the final comple has submitted his "No Cl	Mode of refund of S.D.		

3.5

(ii) The Security Deposit/Earnest Money may be liable to forfeiture at the Forfeiture of option of the Trustees, if the Contractor fails to carry out the work or to perform/observe any of the conditions of the Contract. The Trustees shall also be at liberty to deduct any of their dues from the Security Deposit, fixed Security, Earnest Money or from any sum due or to become due to the Contractor under any other contract.

- 3.6 If stipulated in the contract as a Special Condition, the contractor shall have to submit to the Engineer a performance Bond in the form of an irrevocable guarantee from Calcutta/Haldia Branch, as the case may be, of any Nationalised Bank of India in the proforma annexed hereto and for the sum and period as mentioned in the letter of acceptance of the Tender/Offer, within 15 days from the date of such letter, failing which the Contract shall be liable to be terminated and the earnest money shall be liable to forfeiture; all at the discretion of the Engineer. The cost of obtaining this or any other Bank Guarantee and/or the revalidation thereof, wherever required, has to be borne by the Contractor and it shall be his sole responsibility to arrange for timely revalidation of such Bank Guarantee, failing which and for non-fulfilment of any contractual obligation by the Contractor, the Engineer and/or the Trustees shall be at liberty to raise claim against the Guarantee and/or enforce the same unilaterally.
- 3.7 "Every Tenderer/ Bidder shall submit, in respect of a tender value of more than Rs 5 Crore, along with their tender comprising Special Conditions of Contract, General Conditions of Contract, BOQ, Earnest Money, etc. a Document called Integrity Pact Agreement duly signed by their authorized representative. The Proforma of the Integrity Pact Agreement shall as specified in the GCC. In case of tender value more than Rs 5 Crore, the Integrity Pact Agreement is an essential part and parcel of bid Document to be submitted by each tenderer, without which the tender shall not be considered."

#### 4.0 THE CONTRACT & GENERAL OBLIGATIONS OF CONTRACTOR

- 4.1 (a) The contract Documents shall be drawn-up in English language.
  - (b) The contract shall be governed by all relevant Indian Acts. As applicable only within the jurisdiction of the High Court at Calcutta, India, including the following Acts :
  - 1. The Contract Act (India), 1872.
  - 2. The Major Port Trusts Act, 1963.
  - 3. The Workmen's Compensation Act, 1923.
  - 4. The Minimum Wages Act, 1948.
  - 5. The Contract Labour (Regulation & Abolition) Act, 1970.
  - 6. The Dock Workers' Act, 1948.
  - 7. The Arbitration and Conciliation Act (1996) (in the case of a definite Arbitration Agreement only).
- 4.2 After acceptance of his Tender/Offer and when called on to do so by the engineer or his representative, the contractor shall, at his own expense, enter into and execute a Contract Agreement to be prepared by him in the form annexed hereto. Until such Contract Agreement is executed, the other Documents referred to in the definition of the term 'Contract' here-in-before, shall collectively be the Contract.
- 4.3 Several Documents forming the contract are to be taken as mutually explanatory of one another. Should there by any discrepancy, ambiguity, omission or error in the various contract Documents, the Engineer shall have the power to correct the same and his decision shall be final and binding on the parties to the Contract.

Bank Guarantee in lieu of Cash S.D. in certain cases

English language to be used Applicabilit y of laws on the contract

Contractor to Execute Contract Agreement.

Interpretatio n of contract Documents -Engineers' Power

- 4.4 Two copies of the Drawings referred to in the general and special Conditions of A Contract and in the Bill of Quantities, shall be furnished by the Engineer to the a Contractors free of cost for his use on the work, but these shall remain the property of the Trustees and hence, the Contractor shall return them to the Engineer or his Representative on completion of the work, if not torn or mutilated on being regularly used at site.
- 4.5 The Contractor shall prove and make at his own expense any working or progress drawings required by him or necessary for the proper execution of the works and shall, when required, furnish copies of the same free of cost to the Engineer for his information and/or approval, without meaning thereby the shifting of Contractor's responsibility on the Engineer in any way whatsoever.
- 4.6 The Contractor shall not directly or indirectly transfer, assign or sublet the Contract or any part thereof without the written permission of the Engineer. Even if such permission be granted, the Contractor shall remain responsible (a) for the acts, defaults and neglect of any sub-contractor, his agents, servants or workmen as fully as if these were the acts, defaults or neglects of the Contractor himself or his agents, servants or workmen and (b) for his full and entire responsibility of the contract and for active superintendence of the works by him despite being sublet, provided always that the provision of labourers on a "piece rate" basis shall not be deemed to be sub-letting under this clause.
- 4.7 Unless otherwise specified, the Contractor shall be deemed to have included in his Tender/Offer all his cost for supplying and providing all constructional plant, temporary work. Materials both for temporary and permanent works, labour including supervision thereof, transporting to and from the site and in and about the work, including loading, unloading, fencing, watching, lighting, payment of fees, taxes and duties to the appropriate authorities and other things of every kind required for the construction, erection, completion and maintenance of the work.
- 4.8 The Contractor shall be solely responsible for the adequacy, stability and safety of all site operations and methods of construction, even if any prior approval thereto has been taken from the Engineer or his Representative. The Contractor shall not be responsible for the correctness of the design or specification of the Temporary and Permanent works formulated by the Engineer; but the Contractor shall be fully responsible for the correct implementation thereof, as also for any design and specification prepared/proposed/used by the Contractor.
- 4.9 Whenever required by the Engineer or his representative, the Contractor shall submit to him the details of his (a) programme for execution of the work, (b) proposed procedure and methods of work, (c) proposed deployment of plant, equipment, labour, materials and temporary works. The submission to and/or any approval by the Engineer or his Representative to any such programme or particulars shall not relieve the Contractor of any of his obligations under the contract.

All Drawings are Trustees' property.

Contractor to prepare working / progress drawings

Contractor cannot sub-let the work

Contractors' price is inclusive of all costs

Contractor is responsible for all construction process, except for correctness of design and specification formulated by the Engineer Contractor to submit his programme of work

#### GC – 11

If for any reason the contractor be unable to adhere to his earlier programme, he shall submit his revised programme for completion of work within the stipulated time whenever asked to do so.

- 4.10 Necessary and adequate supervision shall be provided by the Contractor during execution of the works and as long thereafter as the Engineer or his representative shall consider necessary during the maintenance period. The Contractor or his competent and authorised agent or representative shall be constantly at site and instructions given to him by the Engineer or his representative in writing shall be binding upon the Contractor subject to limitation in Clause 2.5 hereof. The Contractor shall inform the Engineer or his representative in writing about such representative/agent of him at site.
- 4.11 The Contractor shall employ in execution of the Contract only qualified careful and experienced persons and the Engineer shall be at liberty to direct the Contractor to stop deployment of any of is staff, workmen or official at site and the Contractor shall within 48 hours comply with such instruction without any demur whenever the Engineer shall feel that the deployment of the person concerned will not be conducive to the proper and timely completion of the work.
- 4.12 The Contractor shall be responsible for the true and proper setting out of the works in relation to reference points/lines/levels given by the Engineer in writing. The checking of any setting-out or of any alignment or level by the Engineer or his Representative shall not in any way relieve the contractor of his responsibility for the correctness thereof and he shall fully provide protect and preserve all stakes, templates, bench marks, sight rails, pegs, level marks, profile marks and other things used in setting out the works.
- 4.13 From the commencement of the works till issue of the completion certificate in Form G.C.1, vide Clause 5.12 hereof, the contractor shall take full responsibility for the care thereof. Save for the excepted risks, any damage, loss or injury to the work or any part thereof shall be made good by the Contractor at his own cost as per instruction and to the satisfaction of the engineer, failing which the Engineer or his Representative may cause the same to be made good by any other agency and the expenses incurred and certified by the Engineer shall deem proper. This Clause will not apply to that part of the work, which might have been taken over by the Trustees on partial completion of the work and in such case the Contractor's obligation will be limited to repairs and replacement for manufacturing or construction defects during the Maintenance period (Guarantee Period) as per the directions of the Engineer as also for defects/damages if any caused to the work by the Contractor during such repairs and replacement in the maintenance period.

Contractor to supervise the works

Contractor to deploy qualified men and Engineer's power to remove Contractor's men

Contractor is responsible for line, level, setting out etc.

Contractor is responsible to protect the work

#### GC – 12

- 4.14 The Contractor shall at his own cost protect support and take all precautions in regard to the personnel or structure or services or properties belonging to the Trustees or not which may be interfered with or affected or disturbed or endangered and shall indemnify and keep indemnified the Trustees against claim for injury, loss or damage caused by the Contractor in connection with the execution and maintenance of the work to the aforesaid properties, structures and services and/or to any person including the Contractor's workmen. Cost of Insurance Cover, if any, taken by the Contractor shall not be reimbursed by the Trustees, unless otherwise stipulated in the Contract.
- 4.15 The Contractor shall immediately inform the Engineer's Representatives if any fossil, coins, articles of value or antiquity and structures and other remains or things of geological or archaeological importance be discovered at site which shall remain the property of the Trustees and protect them from being damaged by his workmen and arrange for disposal of them at the Trustees' expense as per the instruction of the Engineer's Representative.
- Contractor is responsible for all damages to other structures persons / caused by him in executing the work.

Fossils. Treasure travois, etc. are Trustees' property

- 4.16 The Contractor shall be deemed to have indemnified and shall indemnify the Trustees against all claims, demands, actions and proceedings and all costs arising therefrom on account of :
  - (a) Infringement of any patent right, design, trademark or name or other protected right in connection with the works or temporary work.
  - (b) Payment of all royalties, rent, toll charges, local taxes, other payments or compensation, if any, for getting all materials and equipment required for the work.
  - (c) Unauthorised obstruction or nuisance caused by the contractor in respect of Public or Private or Private road, railway tracks, footpaths, crane tracks, waterways, quays and other properties belonging to the Trustees or any other person.
  - (d) Damage/injury caused to any highway and bridge on account of the movement of Contractor's plants and materials in connection with the work.
  - (e) Pollution of waterway and damage caused to river, lock, sea-wall or other structure related to waterway, in transporting contractor's plants and materials.
  - (f) The Contractor's default in affording all reasonable facilities and accommodation as per the direction of the Engineer or his Representative to the workmen of the Trustees and other agencies employed by or with the permission and/or knowledge of the Trustees on or near the site of work.
- 4.17 Debris and materials, if obtained by demolishing any property, building or Dismantled structure in terms of the Contract shall remain the property of the Trustees. materials

Contractor to Indemnify the Trustees against all claims for loss, damage, etc.

Trustees' property

- 4.18 The Contractor's quoted rates shall be deemed to have been Contractor's quoted inclusive of the following :
  - (a) Keeping the site free of unnecessary obstruction and removal from site of constructional plant wreckage, rubbish, surplus earth or temporary works no longer required.
  - (b) Cleaning and removal from site all the surplus materials of every kind to leave the site clean and tidy after completion of the work, without which payment against final bill may be liable to be withheld.
  - (c) Precautionary measures to secure efficient protection of Docks, the River Hooghly and other waterways against pollution of whatever nature during execution and maintenance of the works and to prevent rubbish, refuse and other materials from being thrown into the water by the Contractor's men or those of his agency.
  - (d) Making arrangements for deployment of all labourer and workers, local or otherwise including payment for their wages, transport, accommodation, medical and all other statutory benefits and entry permits, wherever necessary.
  - (e) Making arrangements in or around the site, as per the requirements of local authority or the Engineer or his Representative for preventing (i) spread of any infectious disease like smallpox, cholera, plague or malaria by taking effective actions for destruction of rats, mice, vermin, mosquitoes, etc. and by maintaining healthy and sanitary condition, (ii) illegal storage and distribution of Drugs, Narcotics, Alcoholic liquor, Arms and Ammunitions, (iii) unlawful, riotous or disorderly conduct of the Contractor's or his Sub-Contractor's workmen, (iv) deployment of workmen of age less than 16 years.
- 4.19 Every direction or notice to be given to the Contractor shall be deemed to have been duly served on or received by the Contractor, if the same is posted or sent by hand to the address given in the tender or to the Contractor's Site Office or to the Registered Office of the Contractor. The time mentioned in these conditions for doing any act after direction or notice shall be reckoned from the time of such posting or despatch.
- 4.20 The Contractor and his Sub-contractor or their agents and men and Contractor not to any firm supplying plant, materials and equipment shall not publish photograph or publish or caused to be published any photographs or description particulars of work of the works without the prior authority of the Engineer in writing.

rates/price must be all inclusive

Notice to Contractor.

73

- 4.21 The Contractor shall at the Trustees' cost to be decided by the Engineer render all reasonable facilities and Co-operation as per direction of the Engineer or his representative to any other Contractor engaged by the Trustees and their workmen to the Trustees' own staff and to the men of other Public Body on or near the site of work and in default the Contractor shall be liable to the Trustees for any delay or expense incurred by reason of such default.
- 4.22 The work has to be carried out by the Contractor causing the minimum of hindrance for any maritime traffic or surface traffic.
- 4.23 All constructional plants, temporary works and materials when brought to the site by the Contractor shall be deemed to be the property of the Trustees who will have lien on the same until the satisfactory completion of the work and shall only be removed from the site in part or in full with the written permission of the Engineer or his Representative.
- 5.0 COMMENCEMENT, EXECUTION AND COMPLETION OF WORK.
- 5.1 The Contractor shall commence the work within 7 days of the receipt of Engineer's letter informing acceptance of the Contractor's tender/offer by the Trustees or within such preliminary time as mentioned by the Contractor in the Form of Tender or the time accepted by the Trustees. The Contractor shall then proceed with the work with due expedition and without delay, except as may be expressly sanctioned or ordered by the Engineer or his Representatives, time being deemed the essence of the contract on the part of the contractor.
- 5.2 The Contractor shall provide and maintain a suitable office at or near the site to which the Engineer's Representative may send communications and instructions for use of the Contractor.
- 5.3 Unless specified otherwise in the contract or prior permission of the Engineer has been taken, the contractor shall not execute the work beyond the working hours observed by the Engineer's Representative and on Sundays and Holidays observed in the Trustees' system, except in so far as it becomes essential on account of tidal work or for safety of the work. If the progress of the work lags behind schedule or the work has been endangered by any act or neglect on the part of the contractor, then the Engineer or his Representative shall order and the contractor at his own expense shall work by day and by night and on Sundays and Public Holidays. Any failure of the Engineer or his Representative to pass such an order shall not relieve the contractor from any of his obligations. The Engineer's decision in this regard shall be final binding and conclusive.

Contractor to provide facilities to outsiders

Work to cause minimum possible hindrance to traffic movement Trustees' lien on Contractor's Plant & Equipment.

Preliminary time to commence work an maintenance of steady rate of progress

Contractor's site office

Contractor to observe Trustees' working hours

5.4	Unless stipulated otherwise in the contract all materials required for the work shall be procured and supplied by the contractor with the approval of the Engineer or his Representative and subject to subsequent testing as may be required by the Engineer or his Representative. The Engineer shall exercise his sole discretion to accept any such materials.	Contractor to supply all materials as per requirement of the Engineer or his representative
5.5	Unless stipulated otherwise in the contract all materials, workmanship and method of measurement shall be in accordance with the relevant Codes (Latest Revision) of the Bureau of Indian Standards and the written instructions of the Engineer or his Representative. Where no specific reference is available in the contract, the material and workmanship shall be of the best of their respective kinds to the satisfaction of the Engineer.	Materials & Works
5.6	Samples shall be prepared and submitted for approval of the Engineer or his representative, whenever required to do so, all at the Contractor's cost.	Contractor to submit samples for approval
	Unless stipulated otherwise in the contract, the cost of any test required by the Engineer or his representative in respect of materials and workmanship deployed on the work, shall be borne by the Contractor.	Contractor to arrange all testing at his own cost.
5.8	Regarding the supply of any materials by the Trustees to the contractor in accordance with the contract, the following conditions shall apply :	
	(a) The Contractor shall, at his own expense, arrange for transporting the materials from the Trustees' Stores, watching, storing and keeping them in his safe custody, furnishing of statement of consumption thereof in the manner required by the Engineer or his representative, return of surplus and empty container to the Trustees' Stores as per the direction of the Engineer or his Representative.	The Contractor shall account for and look after the Trustees' materials
	(b) Being the custodian of the Trustees' materials, the contractor shall remain solely responsible for any such materials issued to him and for any loss or damage thereof for any reason other than "Excepted Risks", the Contractor shall compensate the Trustees' in the manner decided by the Engineer and shall at no stage remove or cause to be removed any such material from the site without his permission in writing.	Contractor to compensate for loss and damage to Trustees' materials
	(c)The Trustees' materials will generally be supplied in stages and in accordance with the rate of progress of work but except for grant of suitable extension of completion time of work as decided by the Engineer. The Contractor shall not be entitled to any other compensation, monetary or otherwise, for any delay in the supply of Trustees' materials to him. The Contractor shall, however, communicate his requirement of such materials to the Engineer from time to time.	Delay in supply of Trustees' materials will only entitle the Contractor for extension of completion time of work

- (d) Unless stipulated otherwise in the contract, the value of the Trustees' materials issued to the contractor shall be recovered from the contractor's bills and/or any of his other dues, progressively according to the consumption thereof on the work and/or in the manner decided by the Engineer or his representative and at the rate/s stipulated in the contract. These rates shall only be considered by the contractor in the preparation of his tender/offer and these will form the basis of escalation/variation, if in future the contractor is required to procure and provide any such material on the written order of the Engineer consequent on the Trustees' failure to effect timely supply thereof.
- (e) If the Engineer decides that due to the contractor's negligence, any R of the Trustees' materials issued to the contractor has been (i) C lost or damaged, (ii) consumed in excess of requirement and (iii) T wasted by the contractor in excess of normal wastage, then the n value thereof shall be recovered from the contractor's bills or o from any of his other dues, after adding 19 ¼% extra over the c higher one of the followings -
- (1) The issue rate of the materials at the Trustees' Stores and
- (2) The market price of the material on the date of issue as would be determined by the Engineer.
- 5.9 The Engineer or his Representative shall have the power to insect any material and work at any time and to order at any time (I) for removal from the site of any material which in his opinion is not in accordance with the contract or the instruction of the engineer or his representative, (ii) for the substitution of the proper and suitable materials, or (iii) the removal and proper re-execution of any work which in respect of material and workmanship is not in accordance with the contract or the instructions of the Engineer. The Contractor shall comply with such order at his own expense and within the time specified in the order. If the contractor fails to comply, the Engineer shall be at liberty to dispose any such materials and re-do any work in the manner convenient to the Trustees by engaging any outside agency at the risk and expense of the contractor and after giving him a written prior notice of 7 days.
- 5.10 No work shall be covered up and put out of view by the contractor without approval of the Engineer or his Representative and whenever required by him, the contractor shall uncover any part or parts of the work or make openings in or THOROUGH the same as may be directed by the Engineer or his representative from time to time and shall reinstate or make good those part of works thus affected to the satisfaction of the Engineer, all at the cost of the contractor.

The Trustees shall reimburse such cost as determined by the Engineer, if the initial covering up was with prior written order of the Engineer or his Representative.

Recovery from Contractor for Trustees' materials under normal cirCu.Mstances

Recovery from Contractor for Trustees' materials under other cirCu.Mstances.

Contractor to replace materials/work not acceptable to the Engineer or his Representative

Contractor to seek approval of Engineer or his Representative before covering up any portion of work 5.11 On a written order of the Engineer or his Representative, the contractor shall delay or suspend the progress of the work till such time the written order to resume the execution is received by him. During such suspension the contractor shall protect and secure the work to the satisfaction of the Engineer or his Representative. All extra expenses in giving effect to such order shall be considered by the Trustees, unless such suspension is –

Contractor to suspend work on Order from Engineer or his Representative

- (a) otherwise provided for in the contract, or
- (b) necessary by reason of some default on the part of the contractor, or
- (c) necessary by reason of climatic conditions on the site, or
- (d) necessary for proper execution of the works or for the safety of the works or any part thereof.

The Engineer shall settle and determine such extra payment and/or Extension of completion time to be allowed to the contractor, as shall, in the opinion of the Engineer be fair and reasonable, and the same shall be final and binding on the Contractor.

- 5.11. If at any time before or after commencement of the work the Trustees 1 do not require the whole of the work tendered for the Engineer shall notify the same to the contractor in writing and the contractor shall stop further works in compliance of the same. The Contractor shall not be entitled to any claim for compensation for underived profit or for such premature stoppage of work or on account of curtailment of the originally intended work by reason of alteration made by the Engineer in the original specifications, drawings, designs and instructions.
- 5.12 When the whole of the work has been completed to the satisfaction of C the Engineer and has passed any final test prescribed in the contract, C the contractor shall, within 21 days of submission of his application to C the Engineer, be entitled to receive from him a certificate for completion of work in Form G.C.1, annexed hereto. If any part of the total work having been completed to the satisfaction of the Engineer, be taken over and/or used by the Trustees, the Contractor shall on application be entitled to partial completion certificate in the Form G.C.1 indicating the portion of the work covered by it, so that the Contractor's liability during maintenance period of the contract, if any, shall commence from the date mentioned in such certificate so far as the completed portion of the work is concerned.

Completion Certificate G.C.1.

#### GC - 18

#### 6.0 **TERMS OF PAYMENT:**

No sum shall be considered as earned by or due to the Contractor in 6.1 respect of the work till final and satisfactory completion thereof and until a certificate of final completion in Form G.C.2 has been given by the Engineer.

On account payments, if any, made prior to issue of the certificate in Form G.C.2, shall all be treated as mere advance, which shall stand recoverable in full or in part, if the Engineer so decides in the context of Contractor's unfulfilled contract condition, if any.

- All payments shall be made to the Contractor only on the basis of 6.2 measurements of actual work done, as recorded in the Trustees' measurement books and at accepted tendered or at agreed rates, as the case may be, except as otherwise provided in the contract and when the Engineer decides any other rate for change in the scope of work or omission, if any, on the part of the Contractor.
- 6.3 For work of sanctioned tender value more than Rs.50,000/- or having an initially stipulated completion period of 4 months or more, on account payments may be made sat the discretion of the Engineer or his Representative at intervals deemed suitable and justified by him. Provided always that subject to execution of work of substantial value in the context of the contract price, the interval of such on account payments shall be decided by the Engineer or his Representative, which shall ordinarily not be less than 1 month in between two payments for on account bill and/or advance.
- 6.4 Measurement for works done shall be progressively taken by the Recording Engineer's Representative and entered in the Trustees' Measurement measurements Book, at intervals deemed suitable and proper by him and/or the Engineer. The Contractor or his duly accredited Representative or Agent shall remain present at the time of such measurement and assist the engineer's Representative in every manner required by him. After the measurements taken have been entered in the Measurement Book, the Contractor or his Agent shall sign the Measurement Book at the wend of such Measurements over the Contractor's Rubber Stamp as a token of acceptance of all such measurements, recorded above and prior to such signature. If the Contractor or his Agent fails to participate even after 3 days written notice from the Engineer's Representative, the measurement shall be taken ex-parte by the Engineer's Representative and those shall be accepted by the Contractor.

All	interim
payments	are
advances	till
issue	of
Certificate	e in
Form G.C	.2

Payment on the basis of measurements at agreed rates.

Limitation for on account payment

of

- 6.5 Based on the quantum of work and the value thereof computed in the Measurement Book, the Contractor shall type out his bill in the proforma approved by the Engineer and submit the same to the Engineer's Representative in quadruplicate, duly signed by him or his accredited Agent over his Rubber Stamp. The Engineer or his Representative may in his absolute discretion, allow advance payment against such bill to the extent of an amount not exceeding 75% of the "net payable" sum of the said bill, subject to adjustment thereof against the bill at the time of checking and auditing the bill at the Trustees' end. The measurement Book will not be handed over to the Contractor; but he will obtain the abstracts of quantities, amounts and recoveries to type out the bill.
- 6.6 At the discretion of the Engineer or his Representative and only in respect of accepted offers/where estimated amount put to tender would be Rs.2,00,000/- or more, advance payment may be made to the extent of 75% of the value of any material purchased and brought to the site by the Contractor. Provided always that
  - (i) the materials shall, in the opinion of the Engineer or his Representative be of imperishable nature,
  - (ii) the value of such materials shall be assessed by the engineer or his Representative at their own discretion,
  - (iii) a formal agreement has been drawn up with the contractor, under which the Trustees secure a lien on the contractor's materials,
  - (iv) the materials are safe-guarded by the contractor against losses, shortage and misuse due to the contractor postponing the execution of the work or otherwise,
  - (v) in the event of storage of such materials within the Trustees' protected areas in the Docks, the contractor shall submit an Indemnity Bond in the proforma and manner acceptable to Trustees' whereby the contractor shall indemnify the Trustees against all financial loss/damage, on account of loss/damage to such materials for whatever reasons,

Contractor to prepare and submit his bills

Advance payment against Non-perishable materials

(vi) in the event of storage of such materials outside the
Trustees' protected areas the Contractor shall submit to the
Engineer an irrevocable Bank Guarantee favouring the Trustees
and for the same sum as is being advance, in the proforma and
manner acceptable to the Trustees. The Guarantee shall be of a
Calcutta/Haldia Branch of any Nationalised Bank or a Schedule
Commercial Bank, as the case may be, acceptable to the
Trustees and shall remain valid till the anticipated period of
consumption of such materials in the work. The Bank
Guarantee must bear an undertaking by the issuing Bank
guaranteeing automatic payment of the guaranteed sum to the
Trustees by the Bank on the date of expiry of the validity of the
Guarantee, unless with the prior written approval of the
Engineer on behalf of the Trustees, the Bank has extended the
validity of the Guarantee.
valuaty of the Guarantee.

- (vii) The amount of advance shall be recoverable from the contractor's bills or any other dues, progressively with the consumption of the materials on the basis of quantity consumed. Consequent on full recovery of the advance the Indemnity Bond/Bank Guarantee, vide Sub-clause (v) & (vi) above, shall be returned to the Contractor duly discharged by the Engineer on behalf of the Trustees.
- 6.7 No certificate of the Engineer or his representative shall protect the Recovery for Contractor against or prevent the Trustees from obtaining repayment wrong and over from the Contractor, in case the Engineer or his representative should overcertify for payment or the Trustees should over-pay the Contractor on any account.
- 6.8 No claim for interest shall be admissible or payable to the Contractor Interest not at any stage and in respect of any money or balance or Bank admissible to Guarantee, which may be due to the Contractor from the Trustees, Contractor owing to dispute or otherwise or for any delay on the part of the Trustees in making interim or final payment or otherwise.

#### 7.0 VARIATION AND ITS VALUATION :

7.1	The Quantities set out in the Bill of Quantities of the tender shall be treated as estimated quantities of the work and shall never be deemed as actual or correct quantities of the works to be executed by the contractor in fulfilment of his obligation under the contract.	Bill	in of of
7.2	The Engineer shall have the power to order the Contractor in writing to make any variation of the quantity, quality or form of the works or any part thereof that may, in his opinion, be necessary and the	Engineer's power to van the works	ry

Contractor upon receipt of such an order shall act as follows :

- 7.2 (a) Increase or decrease the quantity of any work included in the contract.
  - (b) Omit any work included in the contract.
  - (c) Change the Character or quality or kind of any work included in the contract.
  - (d) Change the levels, lines, position and dimensions of any part of the work, and
  - (e) Execute extra and additional work of any kind necessary for completion of the works
- 7.3 No such variation shall in any way vitiate or invalidate the contract or be treated as revocation of the contract, but the value (if any) of all such variations evaluated in accordance with the Engineer's sole decision shall be taken into account and the contract price shall be varied accordingly.
- 7.4 Provided always that written order of the Engineer shall not be required for increase or decrease in the quantity of any work upto 15% where such increase or decrease is not the result of any variation order given under this clause but is the result of the quantities exceeding or being less than those stated in the bill of quantities. Provided also that verbal order of variation from the Engineer shall be complied with by the Contractor and the Engineer" subsequent written confirmation of such verbal order shall be deemed to be an order in writing within the meaning of this clause.
- 7.5 (a) The Contractor shall not be entitled to any claim of extra or additional work unless they have been carried out under the written orders of the Engineer.
  - (b) The Engineer shall solely determine the amount (if any) to be added to or deducted from the sum named in the tender in respect of any extra work done or work omitted by his order.
  - (c) All extra, additional or substituted work done or work omitted by order of the Engineer shall be valued on the basis of the rates ad prices set out in the contract, if in the opinion of the Engineer, the same shall be applicable. If the contract does not contain any rates or prices directly applicable to the extra, additional or substituted work, then the Engineer may decide the suitable rates on the basis of Schedule of Rates (including surcharge in force at the time of acceptance of tender), if any, adopted by the Trustees with due regard to the accepted contractual percentage, if any thereon. In all other cases the Engineer shall solely determine suitable rates in the manner deemed by him as fair and reasonable, and his decision shall be final, binding and conclusive.

Variation by engineer do not vitiate the contract

Where written order for variation is not needed

Payment for extra or additional, or omitted work or substituted work, Engineer's powers (d) If the nature or amount of any omission or addition relative to the nature or amount of the whole of the contract work or to any part thereof shall be such that, in the opinion of the Engineer, the rate of prices contained in the contract for any item of the works or the rate as evaluated under sub-clauses (b) and (c) of this clause, is by reason of such omission or addition rendered unreasonable or in-applicable, the Engineer shall fix such other rate or price as he deems proper and the Engineer's decision shall be final, binding and conclusive.

# 8.0 DELAY / EXTENSION OF COMPLETION TIME / LIQUIDATED DAMAGE / TERMINATION OF CONTRACT

- 8.1 Should the quantum of extra or additional work of any kind or delayed availability of the Trustees' materials to be supplied as per contract or exceptionally adverse climatic conditions and natural phenomenon or strikes, lock-outs, civil commotion or other special cirCu.Mstances of any kind beyond the control of the Contractor, cause delay in completing the work, the contractor shall apply to the Engineer in writing for suitable extension of completion time within 7 days from the date of occurrence of the reason and the Engineer shall thereupon consider the stated reasons in the manner deemed necessary and shall either reject the application or determine and allow in writing the extension period as he would deem proper for completion of the work with or without the imposition of "Liquidated Damage" Clause (No.8.3 hereof) on the Contractor and his decision shall be final and binding on the Contractor. If an extension of completion time is granted by the Engineer without imposition of liquidated damage, from the Clause No.8.3 of the Liquidated damage shall apply from its date of expiry, if the work be not completed within the extended time, unless stated otherwise in the decision communicated by the Engineer, as aforesaid.
- 8.2 (a) If the Contractor fails to complete the work within the stipulated dates or such extension thereof as communicated by the Engineer in writing, the Contractor shall pay as compensation (Liquidated Damage) to the Trustees and not as a penalty, ½% (half percent) of the total value of work (contract piece) as mentioned in the letter of acceptance of the tender/offer, for every week or part thereof the work remains unfinished. Provided always that the amount of such compensation shall not exceed 10% of the said value of work. The amount of Liquidated damages shall be determined by the Engineer, which shall be final and binding.

Extension of completion time

'Liquidated Damage' and other compensation due to Trustees

- (b) Without prejudice to any of their legal rights, the Trustees shall have the power to recover the said amount of compensation/damage in Sub-clause (a) of this clause, from any money due or likely to become due to the Contractor. The payment or deduction of such compensation/damage shall not relieve the Contractor from his obligation to complete the work or from any of his other obligations/liabilities under the contract and in case of the Contractor's failure and at the absolute discretion of the Engineer, the work may be ordered to be completed by some other agency at the risk and expense of the Contractor, after a minimum three days notice in writing has been given to the Contractor by the Engineer or his Representative.
- 8.3 Without being liable for any compensation to the Contractor, the Trustees may, in their absolute discretion, terminate the contract and enter upon the site and works and expel the Contractor there from after giving him a minimum 3 days' notice in writing, due to occurrence of any of the following reasons and decision of the Trustees in this respect, as communicated by the Engineer shall be final and conclusive :

Default of the Contractors remedies & powers/Termi nation of Contract.

- (i) The Contractor has abandoned the contract.
- (ii) In the opinion of the Engineer, either the progress of work is not satisfactory or the work is not likely to be completed within the agreed period on account of Contractor's lapses.
- (iii) The Contractor has failed to commence the works or has without any lawful excuse under these conditions has kept the work suspended for at least 15 days despite receiving the Engineer" or his Representative" written notice to proceed with the work.
- (iv) The Contractor has failed to remove materials from site or to dismantle or demolish and replace work for 7 days after receiving from the Engineer or his representative the written notice stating that the said materials or work were condemned and rejected by him under these conditions.
- (v) The Contractor is not executing the works in accordance with the contract or is persistently or flagrantly neglecting to carry out his obligations under the contract.
- (vi) Any bribe, commission, gift or advantage is given, promised or offered by or on behalf of the contractor t any officer, servant or representative of the Trustees or to any person on his or their behalf in relation to the obtaining or to the execution of the contract.
- (vii) The Contractor is adjusted insolvent or enters into composition with his creditors or being a company goes into liquidation either compulsory or voluntary.

- 8.3.1 Upon receipt of the letter of termination of work, which may be issued by the Engineer on behalf of the Trustees, the Contractor shall hand over all the Trustees' tools, plant and materials issued to him at the place to be ascertained from the Engineer, within 7 days of receipt of such letter.
- 8.3.2 In all such cases of Termination of work, the Trustees shall have the power to complete the work THOROUGH any other agency at the Contractor's risk and expense and the Contractor shall be debited any sum or sums that may be expended in completing the work beyond the amount that would have been due to the Contractor, had he duly completed the work of the work in accordance with the contract.
- 8.3.3 Upon termination of contract, the Contractor shall be entitled to receipt payment of only 90% of the value of work actually done or materials actually supplied by him and subject to recoveries as per contract, provided the work done and materials conform to specifications at the time of taking over by the Trustees. The payment for work shall be based on measurements of actual work done and priced at approved contract rates or other rates, as decided by the Engineer. The payment for materials supplied shall be at the rates as decided by the Engineer, which shall I in no case be more than market rates prevailing at the time of taking over by the Trustees. The Engineer's decision in all such case shall be final, binding and conclusive.
- 8.3.4 The Trustees shall have the power to retain all moneys due to the Contractor until the work is completed by other agency and the Contractor's liabilities to the Trustees are known in all respect.

#### 9.0 MAINTENANCE AND REFUND OF SECURITY DEPOSIT

9.1 On completion of execution of the work the Contractor shall maintain the same for a period, as may be specified in the form of a Special Condition of the Contract, from the date mentioned in the Initial Completion Certificate in Form G.C.1. Any defect/fault, which may appear in the work during aforesaid maintenance period, arising, in the sole opinion of the Engineer or his representative, from materials or workmanship not in accordance with the contract or the instruction of the Engineer or his representative, shall, upon the written notice of the Engineer or his representative, be amended and made good by the Contractor at his own cost within seven days of the date of such notice, to the satisfaction of the Engineer or his representative, failing which the Engineer or his representative shall have the defects amended and made good THOROUGH other agency at the Contractor's risk and cost and all expenses, consequent thereon or incidental thereto, shall be recoverable from the Contractor in any manner deemed suitable by the Engineer.

Contractor's obligation for maintenance of work.

- 9.2 The Contractor shall not be considered completed and the work shall not be Certificate treated as finally accepted by the Trustees, until a Final Completion Certificate in Form G.C.2 annexed hereto shall have been signed and issued by the Engineer to the contractor after all obligations under the Contract including that in the maintenance period, if any, have been fulfilled by the Contractor. Previous entry on the works or taking possession, working o using thereof by the Trustees shall not relieve the Contractor of his obligations under the contract for full and final completion of the work.
- 9.3 On completion of the contract in the manner aforesaid, the Contractor may apply for the refund of his Security Deposit by submitting o the Engineer (I) The Treasury Receipts granted for the amount of Security held by the Trustees, and (ii) his "No further claim" Certificate in Form G.C.3 annexed hereto (in original), where upon the Engineer shall issue Certificate in Form G.C.2 and within two months of the Engineer's recommendation, the Trustees shall refund the balance due against the Security Deposit to the Contractor, after making deduction therefrom in respect of any sum due to the Trustees from the Contractor.

#### 10.0 INTERPRETATION OF CONTRACT DOCUMENTS, DISPUTES AND ARBITRATION

- 10.1 In all disputes, matters, claims, demands or questions arising out of or connected with the interpretation of the Contract including the meaning of Specifications, drawings, designs and instructions or as to the quality of workmanship or as to the materials used in the work or the execution of the work whether during the progress of the works or after the completion and whether before or after the determination, abandonment or breach of the contract the decision of the Engineer shall be final and binding on all parties to the contract and shall forthwith be given effect to by the Contractor.
- 10.2 If the Contractor be dissatisfied with any such decision of the Engineer, he shall within 15 days after receiving notice of such decision require that the award. matter shall be referred to Chairman, who shall thereupon consider and give a decision.
- 10.3 If, however, the Contractor be still dissatisfied with the decision of the Arbitration. Chairman, he shall within 15 days after receiving notice of such decision require that within 60 days from his written notice, the Chairman shall refer the matter to an Arbitrator of the panel of Arbitrators to be maintained by the Trustees for the purpose and any such reference shall be deemed to be a submission to arbitration within the meaning of Indian Arbitration Act, 1940 or any statutory modification thereof.
- If the Arbitrator so appointed is unable or unwilling to act or resigns his 10.3.1. appointment or vacates his office due to any reason whatsoever, another person from panel shall be appointed as Sole Arbitrator and he shall proceed from the stage at which his predecessor left it.

of final completion

Refund of Security Deposit

Engineer's decision

Chairman's

- 10.3.2 The Arbitrator shall be deemed to have entered on reference on the date he issues notice to both the parties fixing the date of first hearing.
- 10.3.3 The time limit within which the Arbitrator shall submit his award shall normally be 4 months as provided in Indian Arbitration Act, 1940 or any amendment thereof. The Arbitrator may, if found necessary, enlarge the time for making and publishing the award, with the consent of the parties..
- 10.3.4 The venue of the arbitration shall be either Calcutta or Haldia as may be fixed by the Arbitrator in his sole discretion. Upon every or any such reference the cost of any incidental to the reference and award respectively shall be in the discretion of the Arbitrator who may determine, the amount thereof or by whom and to whom and in what manner the same shall be borne and paid.
- 10.3.5 The Award of the Arbitrator shall be final and binding on all parties subject to the provisions of the Indian Arbitration Act 1940 or any amendment thereof. The Arbitrator shall give a separate award in respect of each item of disputes and respective claim referred to him by each party and give reason for the award.
- 10.3.6 The Arbitrator shall consider the claims of all the parties to the contract within only the parameters of scope and conditions of the contract in question.
- 10.3.7 Save as otherwise provided in the contract the provisions of the Arbitration Act, 1940 and rules made thereunder, for the time being in force, shall apply to the arbitration proceedings under this Clause.
- 10.4 The Contractor shall not suspend or delay the work and proceed with the work with due diligence in accordance with Engineer's decision. The Engineer also shall not withhold any payment, which, according to him, is due or payable to the Contractor, on the ground that certain disputes have cropped up and are likely to be referred to arbitration.
- 10.5 Provided always as follows:
  - [a] Nothing of the provisions in paragraphs 10.3 to 10.3.7 hereinabove would apply in the cases of contracts, where tendered amount appearing in the letter of acceptance of the tender / offer is less than Rs.40,00,000/-.
  - [b] The Contractor shall have to raise disputes or differences of any kind whatsoever in relation to the execution of the work to the Engineer within 30 days from the date of occurrence of the cause of dispute and before the preparation of the final bill, giving detailed justifications, in the context of contract conditions.

[c] Contractor's dispute if any arising only during the maintenance period, if any, stipulated in the contract, must be submitted to the Engineer, with detailed justification in the context of contract conditions, before the issuance of final completion certificate in Form G.C.-2 ibid.
 No dispute or difference on any matters whatsoever, the Contractor can raise pertaining to the Contract after submission

[d] Contractor's claim / dispute raised beyond the time limits prescribed in sub-clauses 10.5[b] and 10.5 [c] hereinabove, shall not be entertained by the Engineer and / or by any Arbitrator subsequently.

of certificate in form G.C.3 by him.

[e] The Chairman / Trustees shall have the right to alter the panel of Arbitrators, vide Clause 10.3 hereinabove, on their sole discretion, by adding the names of new Arbitrators and / or by deleting the names of existing Arbitrators, without making any reference to the Contractor.

### (TO BE SUBMITTED WITH COVER- I OFFER) <u>THE BOARD OF TRUSTEES FOR THE PORT OF KOLKATA</u> <u>FORM OF TENDER (UNPRICED)</u>

То

The Manager (I&CF), Haldia Dock Complex.

I/We\_

having examined the site of work, inspected the Drawings and read the specifications, General & Special Conditions of Contract and Conditions of the Tender, hereby tender and undertake to execute and complete all the works required to be performed in accordance with the Specification, Bill of Quantities, General & Special Conditions of Contract and Drawings prepared by or on behalf of the Trustees and at the rates & prices set out in the annexed Bill of Quantities within \_\_\_\_\_\_ months / weeks from the date of order to commence the work and in the event of our tender being accepted in full or in part. I / We also undertake to enter into a Contract Agreement in the form hereto annexed with such alterations or additions thereto which may be necessary to give effect to the acceptance of the Tender and incorporating such Specification, Bill of Quantities, Drawing and Special & General Conditions of Contract and I / We hereby agree that until such Contract Agreement is executed the said Specification, Bill of Quantities, Conditions of Contract and the Tender, together with the acceptance thereof in writing by or on behalf of the Trustees shall be the Contract.

#### THE TOTAL AMOUNT OF TENDER Rs. NOT TO BE QUOTED IN COVER I OFFER

(Repeat in words) NOT TO BE QUOTED IN COVER I OFFER

I / We require \_\_\_\_\_\_days / months preliminary time to arrange and procure the materials required by the work from the date of acceptance of tender before I We could commence the work.

I / We have deposited with the Trustees' Manager (Finance), HDC, vide Receipt No. \_\_\_\_\_ as Earnest Money.

I / We agree that the period for which the tender shall remain open for acceptance shall not be less than four months.

Dated : Seal) (Signature of Bidder with

WITNESS :

Signature :

Name : (In

Name of the Bidder :

Block Letters) Address :

Occupation

Address :

### KOLKATA PORT TRUST HALDIA DOCK COMPLEX

### FORM G.C.1

Contractor
Address
Date of completion :
Dear sir(s),
This is to certify that the following work viz :-
Name of work :
Estimate No. E.E.0Dt
C.E.ODt
Work Order No Allocation Contract No
which was carried out by you is in the opinion of the undersigned complete in every respect on the day of 2000 in accordance with terms of the Contract and you are required to maintain the work as per Clause 62 of the General Conditions of Contract and under provisions of the Contract for a period of weeks / months / years
from the day of day of 2000 to day of 2000 .
Yours faithfully,

Signature
(ENGINEER/ENGINEER'S REPRESENTATIVE)
Name
Designation
OFFICE SEAL

### KOLKATA PORT TRUST HALDIA DOCK COMPLEX

### FORM G.C.2.

#### Certificate of Final Completion.

The Financial Adviser & Chief Accounts Officer The Manager (Finance), Haldia Dock Complex.

This is to certify that the following work viz:-

Name of work : .....

Estimate No. E.E.O	dt
C.E.O	dt

Work Order No.

Contract No.

Resolution & Meeting No. ....

Allocation : .....

which was carried out by Shri/Messrs..... is now complete in every respect in accordance with the terms of the Contract and that all obligations under the Contract have been fulfilled by the Contractor.

Signature..... (ENGINEER/ENGINEER'S REPRESENTATIVE) NAME..... DESIGNATION..... OFFICE SEAL

### KOLKATA PORT TRUST HALDIA DOCK COMPLEX

#### FORM G.C.3

#### ('NO CLAIM ' CERTIFICATE FROM CONTRACTOR)

The Manager (I&CF)
Haldia Dock Complex
Calcutta Port Trust
Haldia.
(Atten:)

Dear Sir,

 $\rm I$  / We do hereby declare that  $\rm I$  / we have received full and final payment from the Calcutta Port Trust for the execution of the following work viz:-

Name of work :			
Work Order No :			
Contract No			
Agreement NoDtDt.			
and I / we have no further claim against the Calcutta Port Trust in respect of t	he above-mentioned job	).	
Yours faithfully,			
Contractor)	(Signature	of	the
Dated Name of Contractor			
Address:			
(OFFICIAL SEAL OF THE CONTRACTOR)			

## KOLKATA PORT TRUST PROFORMA OF FORM OF AGREEMENT

THIS AGREEMENT made \_\_\_\_\_\_ day of \_\_\_\_\_\_ 20\_\_\_ between the "Board Of Trustees for the Port Of Calcutta , a statutory body constituted under Major Port Trust Act ,1963 under the rules there under and statutory modification thereto having Registered Office at 15, Strand Road , Calcutta -700001 (hereinafter called "EMPLOYER'' which expression unless excluded by or repugnant to the context be deemed to include his successor/s in office) on the one part and \_\_\_\_\_

\_\_\_\_\_\_ (hereinafter called the "CONTRACTOR" which expression shall unless excluded by or repugnant to the context he deemed to include his heirs, executors, administrators, representative, successor in officer and permitted assigns) of the other part.

WHEREAS The TRUSTEES are desirous that certain works should be executed viz\_\_\_\_\_\_ and have accepted a Tender/Offer by the contractor for the execution, completion and maintenance of such works .

NOW THIS CONTRACT AGREEMENT WITNESSETH as follows :-

- 1. In this agreement words expressions shall have the same meanings as are respectively assigned to them in General Conditions Of Contract, hereinafter referred to.
- 2. The following Documents shall be deemed to form and be read and construed as part of this Agreement , viz :-

i. The said Tender/Offer & the acceptance of Tender/ Offer.

- ii. The Drawings.
- iii. The General Conditions Of Contract.
- iv.Special Conditions Of Contract (If any).
- v.The Conditions Of Tender.
- vi. The Specifications.
- vii.The Bill Of Quantities.
- viii.All correspondences by which the contract is added, amended, varied or modified in any

way by mutual consent.

- 3. In consideration of the payments to be made by the Trustees to the Contractor as hereinafter mentioned the contractor hereby covenant with the Trustees to execute ,complete and maintain the work in conformity in all respects with the provisions of Contract.
- 4. The Trustees hereby covenants to pay to the contractor in consideration of such execution , completion and maintenance of the works the Contract Prices at the times and in the manner prescribed by the contractor .

IN WITNESS whereof the parties hereto have caused their respective Common Seals to be hereunto as fixed (or have set their respective hands and seals) the day and year first above written. have executed these presents on the day and year first above written.

Was hereunto affixed in the presence of :
Name :
Address :
OR
SIGNED SEALED AND DELIVERED
By the said
In the presence of :
Name :
Address :
The Common Seal of the Trustees was hereunto affixed in he presence of :
Name :
Address :

Proforma Of Irrevocable Bank Guarantee (PERFORMANCE BOND) in lieu of cash Security Deposit, to be issued by the Kolkata/ Haldia Branch, as the case may be, of any nationalised Bank of India on Non-Judicial Stamp Paper worth Rs 50/- or as decided by the Engineer/ Legal Adviser of the Trustees.

Ref. \_\_\_\_\_

Bank Guarantee No. \_\_\_\_\_ Date

To The Board of Trustees for the Port of Kolkata, 15, Strand Road Kolkata – 700 001

Dear Sirs,

In consideration of the Board of Trustees For the Port of Kolkata, - (hereinafter referred to as the " EMPLOYER"which expression shall unless repugnant to the context or meaning thereof include its administrators successors and assigns) having awarded to registered office with at (hereinafter referred to as the "CONTRACTOR" which expression shall unless repugnant to the context or meaning thereof, include its successors, administrators, executors and assigns) a CONTRACT by issue of EMPLOYER'S work order dated \_\_\_\_\_\_ the same having been unequivocally accepted by the Contractor resulting in a 'CONTRACT' bearing Letter Of Award No dated \_\_\_\_\_ Valued Rs at \_\_\_\_\_ " and the contractor having agreed for " to prove a Contract performance Guarantee for the faithful performance of the entire Contract equivalent to Rs. (rupees only) to the EMPLOYER. , Kolkata/ Haldia having its Head Office We, the Bank. (hereinafter referred to as the "Bank", which expression shall unless repugnant to the context at or meaning thereof, include its successors, administrators, executors and assigns) do hereby guarantee

and undertake to pay the Employer on demand any and all monies payable by the Contractor to the extent of Rs. -( only) as aforesaid at any time upto without any demur, reservation, contest, recourse or protest an/or without any reference to the CONTRACTOR, Any such demand made by Employer on the Bank shall be conclusive and binding notwithstanding any difference between EMPLOYEER and CONTRACTOR or any dispute pending before any Court, tribunal, Arbitrator or any other Authority. The Bank undertakes not to revoke this guarantee during its currency without previous consent of employer and further agrees that the guarantee herein contained shall continue to be enforceable till the Employer discharges his guarantee.

EMPLOYER shall have the fullest liberty without affecting in any way the liability of the Bank under this guarantee from time to time to extend the time for performance of the CONTRACT by CONTRACTOR. Employer shall have the fullest liberty, without affecting this guarantee, to postpone from time to time the exercise of any powers vested in them or any right which they might have against Contractor, and to exercise the same at any time in any manner, and other to enforce or to forebear to enforce any covenants, contained or implied, in the CONTRACT between EMPLOYER and CONTRACTOR or any other course of remedy or security available to EMPLOYER. The Bank shall not be released of its obligations under these presents by any exercise by EMPLOYER of its liberty with reference to the matters aforesaid or any of them or by reason or any other acts of omission or commission on the part of employer or any other indulgence shown by EMPLOYER or by any other matter or thing whatsoever which under Law would, but for this provision, have the effect of reliving the bank.

The Bank also agreed that EMPLOYER at its option shall be entitled to enforce this Guarantee against the Bank as principal debtor, in the first instance without proceeding against CONTRACTOR and notwithstanding any security or other guarantee that EMPLOYER may have in relation to the CONTRACTOR'S liabilities.

Notwithstanding anything contained herein above our liability under this guarantee is restricted to Rs (rupees only) and it shall remain in force up to and including and shall be extended from time to time for such period, on whose behalf this guarantee has been given.

Dated,	this	at	day	of 	2010
WITNES	SSES				
	(Signatu	re)			(Signature)
	(Nam	e)			(Name)
(Official address)			(Designa	ation wi	ith Bank Stamp) power of Attorney No.

Dated .....

## **Integrity Pact**

Between

Kolkata Port Trust (KoPT) hereinafter referred to as "The Principal/ Employer".

And

..... hereinafter referred to as "The Bidder/Contractor"

### **Preamble**

The Principal intends to award, under laid down organizational procedures, contract/s for ...... The Principal values full compliances with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relations with its Bidder(s) and/or Contractor(s).

In order to achieve these goals, an Independent External Monitor (IEM) appointed by the principal, will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

#### NOW, THEREFORE,

To avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:-

Enabling the PRINCIPAL/EMPLOYER to get the contractual work executed and/or to obtain/dispose the desired said stores/ equipment at a competitive price in conformity with the defined specifications/ scope of work by avoiding the high cost and the distortionary impact of corruption on such work /procurement/ disposal and Enabling BIDDERs/ CONTRACTORs to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the PRINCIPAL/EMPLOYER will commit to prevent corruption, in any form, by its officials by following transparent procedures.

#### Section 1 – Commitments of the Principal/ Employer.

- (1) The Principal commits itself to take measures necessary to prevent corruption and to observe the following principles:
  - a. No employee of the Principal, personally or THOROUGH family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
  - b. The Principal will, during the tender process treat all Bidder(s) with equity and reason. The Principal will, in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/ additional information THOROUGH which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
  - c. The Principal will exclude from the process all known prejudiced persons.
- (2). If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal Code (IPC)/Prevention of Corruption (PC) Act, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary actions.

#### <u>Section-2 – Commitments of the Bidder(s) / Contractor(s)</u>

(1) The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.

- a. The Bidder(s) /Contractor(s) will not directly or THOROUGH any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
- b. The Bidder(s)/Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contract, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- c. The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act; further the Bidder(s)/Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or Document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d. The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly the Bidder(s)/Contractor(s) of Indian Nationality shall furnish the name and address of the foreign principles, if any. Further details as mentioned in the "Guidelines on Indian Agents of Foreign Suppliers" shall be disclosed by the Bidder(s)/Contractor(s). Further, as mentioned in the Guidelines, all the payments made to the Indian agent/representative have to be in Indian Rupees only. Copy of the "Guidelines on Indian Agents of Foreign Suppliers" is annexed and marked as Annex-A.
- e. The Bidder(s)/Contractor(s) will when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.
- (2). The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

#### Section-3-Disgualification from tender process and exclusion from future contracts

If the Bidder(s)/Contractor(s) before award or during execution has committed a transgression THOROUGH a violation of Section 2 above, or in any other form such as to put his reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action as considered appropriate.

#### Section 4-Compensation for damages

- If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover the damages equivalent to Earnest Money Deposit/Bid Security.
- (2) If the Principal has terminated the contract according to Section 3 or if the Principal is entitled to terminate the contract according to Section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages of the contract value or the amount equivalent to Performance Bank Guarantee.

#### Section 5-Previous transgression

- (1) The Bidder declares that no previous transgressions occurred in the last 3 years from the date of signing the Integrity pact with any other Company in any country conforming to the anti corruption approach or with any other Public Sector Undertaking / Enterprise in India, Major Ports/ Govt. Departments of India that could justify his exclusion from the tender process.
- (2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action can be taken as considered appropriate.

#### Section 6- Equal treatment of all Bidders/Contractors/Sub-Contractors

- (1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact, and to submit it to the Principal before contract signing.
- (2) The Principal, will enter into agreements with identical conditions as this one with all Bidders, Contractors and Sub-contractors.
- (3) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

#### Section 7- Other Legal actions against violating Bidder(s)/ Contractor(s)/ Sub Contractor(s)

The actions stipulated in this Integrity pact are without prejudice to any other legal action that may follow in accordance with provisions of the extant law in force relating to any civil or criminal proceedings.

#### <u>Section 8 – Role of Independent External Monitor(IEM):</u>

(a) The task of the Monitors shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this pact.

(b) The Monitors shall not be subject to instructions by the representatives of the parties and shall perform their functions neutrally and independently.

(c) Both the parties accept that the Monitors have the right to access all the Documents relating to the contract.

(d) As soon as the Monitor notices, or has reason to believe, a violation of this pact, he will so inform the authority designated by the Principal and the Chief Vigilance Officer of Kolkata Prot Trust.

(e) The BIDDER/ CONTRACTOR(s) accepts that the Monitor has the right to access without restriction to all contract Documentation of the PRINCIPAL including that provided by the BIDDER/ CONTRACTOR. The BIDDER/ CONTRACTOR will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his contract Documentation, if any. The same is applicable to sub-contractors. The Monitor shall be under contractual obligation to treat the information and Documents of the Bidder/Contractor/ Sub-contractor(s) with confidentiality.

(f) The Principal/ Employer will provide to the Monitor sufficient information about all meetings among the parties related to the contract provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor, the option to participate in such meetings.

(g) The Monitor will submit a written report to the designated Authority of Principal/ Employer/ Chief Vigilance Officer of Kolkata Port Trust within 8 to 10 weeks from the date of reference or intimation to him by the Principal/ Employer/ Bidder/ Contractor and should the occasion arise, submit proposals for correcting problematic situation. BIDDER/ CONTRACTOR can approach the Independent External Monitor (s) appointed for the purposes of this Pact.

(h) As soon as the Monitor notices, or believes to notice, a violation of this agreement, he will so inform the Management of the Principal and request the Management to discontinue or to take corrective action, or to take other relevant action. The Monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.

(i) If the Monitor has reported to the Principal substantiated suspicion of an offence under the relevant IPC/PCA, and the Principal/ Employer has not, within reasonable time, taken visible action to proceed against such offence or reported to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner, Government of India.

(j) The word 'Monitor' would include both singular and plural.

#### <u>Section 9 – Facilitation of Investigation:</u>

In case of any allegation of violation of any provisions of this Pact or payment of commission, the PRINCIPAL/EMPLOYER or its agencies shall be entitled to examine all the Documents including the Books of Accounts of the BIDDER/CONTRACTORS and the BIDDER/CONTRACTOR shall provide necessary information and Documents **in English** and shall extend all possible help for the purpose of such examination.

#### Section 10 – Pact Duration:

The pact beings with when both parties have legally signed it and will extend upto 2 years or the complete execution of the contract including warranty period whichever is later. In case bidder/contractor is unsuccessful this Integrity Pact shall expire after 6 months from the date of signing of the contract.

If any claim is made/lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged/determined by Chairman, KoPT.

#### <u>Section 11 – Other Provisions:</u>

- (1) This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal in Kolkata.
- (2) Changes and supplements as well as termination notices need to be made in writing in English.
- (3) If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
- (4) Should one or several provisions of this agreement turn out to be invalid, the reminder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

(For & on behalf of the Principal)

(For & on behalf of Bidder/Contractor).

(Office Seal)

(Office Seal)

Place :

Date :

Witness 1:

(Name & Address) .....

.....

.....

Witness 2:

(Name & Address) .....

.....

#### **GUIDELINES FOR INDIAN AGENTS OF FOREIGN SUPPLIERS**

- 1.1 There shall be compulsory registration of Indian agents of Foreign suppliers for all Tenders. An agent who is not registered with KoPT shall apply for registration in the prescribed Application-Form.
- 1.2 Registered agents will file an authenticated Photostat copy (duly attested by a Notary Public)/Original certificate of the principal confirming the agency agreement and giving the status being enjoyed by the agent and the commission/ remuneration/salary/retainer ship being paid by the principal to the agent before the placement of order by KoPT.
- 1.3 Wherever the Indian representatives have communicated on behalf of their principals and the foreign parties have stated that they are not paying any commission to the Indian agents, and the Indian representative is working on the basis of salary or as retainer, a written declaration to this effect should be submitted by the party (i.e. Principal) before finalizing the order.

#### 2.0 DISCLOSURE OF PARTICULARS OF AGENTS/REPRESENTATIVES IN INDIA. IF ANY.

- 2.1 Tenderers of Foreign nationality shall furnish the following details in their offer:
- 2.1.1 The name and address of the agents/representatives in India, if any and the extent of authorization and authority given to commit the Principals. In case the agent/representative be a foreign Company, it is to be conformed whether it is real substantial Company and details of the same shall be furnished.
- 2.1.2 The amount of commission/ remuneration included in the quoted price(s) for such agents/ representatives in India.
- 2.1.3 Confirmation of the Tenderer that the commission/remuneration if any, payable to his agents/ representatives in India, is to be paid by KoPT in Indian Rupees only.

#### 2.2 Tenderers of Indian Nationality shall furnish the following details in their offers:

- 2.2.1 The name and address of the foreign principals indicating their nationality as well as their status, i.e. whether manufacturer or agents of manufacturer holding the Letter of Authority of the Principal specifically authorizing the agent to make an offer in India in response to tender either directly or THOROUGH the agents /representatives.
- 2.2.2 The amount of commission/remuneration included in the price(s) quoted by the Tenderer for himself.
- 2.2.3 Confirmation of the foreign principals of the Tenderer that the commission/remunerations, if any, reserved for the Tenderer in the quoted price(s), is to be paid by KoPT in India in equivalent Indian Rupees.
- 2.3 In either case, in the event of contract materializing, the terms of payment will provide for payment of the commission/remuneration, if any payable to the agents/representatives in India in Indian Rupees on expiry of 90 days after the discharge of the obligations under the contract.
- 2.4 Failure to furnish correct and detailed information as called for in paragraph-2.0 above will render the concerned tender liable for rejection or in the event of a contract materializing, the same liable to termination by KoPT. Besides this there would be a penalty of banning business dealings with KoPT or damage or payment of a named sum.