#### कोलकाता पत्तन न्यास

#### **KOLKATA PORT TRUST**

মিবিল इंजीनियरिंग विभाग/ Civil Engineering Department

विश्व कार्यकारी अभियंता**, अ।र. टी** का कार्यालय/ Office of the Senior Executive Engineer, R.T 51 ,सि. जी. आर. रोड , कोलकाता -700043

RT/TN/05 Dated:27.07.2015

Sealed tenders are invited from experienced and bonafide registered contractors of KoPT for the following work, on percentage above / below / at par basis on estimated rates / amount as shown in the Bill of Quantities.

Name of Work: **Tender for** "Sinking of Tube Well (50 mm x 100 mm dia) For Hooghly Point Semaphore Station.

Estimated Amount: Rs.3,43,435.00

Time of Completion: 2(two) months from date of placement of work order

Earnest Money: Rs.6,870/=

Cost of Tender document: Rs. 300.00

Tender documents can be obtained from the office of the undersigned during office hours on any working day and up to **12-noon** on **10.8.2015** on payment of **Rs. 300.00** only per set (non-refundable) on application in duplicate or may be downloaded from the KoPT website <a href="https://www.kolkataporttrust.gov.in">www.kolkataporttrust.gov.in</a> before **12 noon on 10.08.2015** 

The tenders must be submitted along with copy of certificate of valid Permanent Account No., valid Sales Tax Clearance Certificate/VAT Registration Certificate / Valid Labour Licence no. & Trade Licence No. (as applicable) & documentary evidence in support of Prequalification Criteria & ESI Regn. Certificate as per following by **3 P.M on 11.08.2015** fulfilling clause no. 5 of the cover page of tender document. The tenderers must submit Annexure "C" duly filled in along with the tender documents (outside the sealed envelope).

- 1. Tenderer should have experience in completing similar works like Sinking of tube well with or without plumbing and sanitary works in Residential Complex / Office Building / Industrial Complex / Hospitals etc during last 7(seven) years ending at the last day of the month previous to the one in which applications are invited should be either of the following:
- Three similar completed works each costing not less than the amount equal to 40% of the estimated cost put to tender.
- Two similar completed works each costing not less than the amount equal to 50% of the estimated cost put to tender.
- One similar completed work each costing not less than the amount equal to 80% of the estimated cost put to tender.

Similar work means Sinking of tube well with or without plumbing and sanitary works in Residential Complex / Office Building / Industrial Complex / Hospitals etc.

2. Turn Over: The average Annual Financial turn over of the intending tenderer during the last 03 (three) years ending 31<sup>st</sup> March of the previous financial year should be at least 30% of the estimated amount put to tender

- 3. i) All intending tenderer at the time of tender shall disclose all necessary documents as to whether they are covered under ESI Act or not.
  - ii) In case they are covered under ESI Act they have to furnish the details of registration, failing which their tender would be liable to be cancelled.
- iii) In case they are not covered under ESI Act or exempted, they would furnish necessary documents along with an affidavit affirmed before a first class Judicial Magistrate to that effect as per enclosed format (Annexure-A).
- iv) In case they are not covered under ESI Act they must additionally indemnify KoPT against all damages & accident occurring to his labour in a non-judicial stamp papers worth Rs. 50.00 as per enclosed format (Annexure-'B') which is required to be submitted by the tenderer.
- 4. i) The successful tenderer will be required to comply with the relevant provisions of Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996 and West Bengal Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 2004 as well as Building and Other Construction Workers' Welfare Cess Act, 1996 and the rules framed there under.
- ii) An amount of cess calculated at the rate of 1% of the billed amount shall be progressively recovered from each running bill as well as from the final bill of the contractor for onward transmission of the same to the appropriate authority.
- iii) As KoPT is not a Registered Body Corporate, it is not liable to pay service tax under "Reverse Charge Mechanism" as per Service Tax Law. The service provider is liable to recover service tax as applicable".
- 5. Tenderers to be duly filled in the enclosed "Form of Tender", which must be attached with the tender document during submission of tender bid.
- 6. All tenderer should attach a checklist duly filled up enclosing the relevant documents along with the tender documents. If the tenderer fails to submit such checklist duly filled up, the tender would not be considered for opening. If contents for the checklist turns out to be misrepresentation of facts, then such bids would be rejected even after opening of price bid with a recorded warning for the bidder. A Proforma of checklist is enclosed (Annexure C) for attaching in tender documents.

Tenderers are required to furnish relevant documentary evidence in the above regard. In case of any non-conformity to the same, the concerned tenders would be liable to be rejected.

The Tenders must be submitted by **3.00 P.M**. on **11.08.2015** and tenders will be opened shortly after 3.P.M. on the same day in presence of tenderers or their authorised representatives who may wish to be present. In the event of any unforeseen circumstances such as holidays, bandhs, strikes etc., on that day, the tenders may be submitted by 3 P.M. on the next working day, and will be opened shortly after 3 P.M. on the same day. All other conditions shall remain the same. **There will be no extension of tender for purchasing and dropping of the bid.** 

All intending Tenderers shall furnish the details of P.F. Registration filing which their tender would be liable to be cancelled. Certified copy of the P.F. Registration is to be submitted along with the tender .

वरिष्ठ कार्यपालक अभियंता(साऊथ)

Senior Executive Engineer (RT)

# Kolkata Port Trust

वरिष्ठ कार्यपालक अभियंता(साऊथ) का कार्यालय Office of Senior Executive Engineer (South) Civil Engineering Department

No.: RT/TN/ 05 Dated: 27.07.2015

Messrs/Shri

Call for Tender.
Contract No.
EEO No. RT/ES/M/24 dt 28.04.15
CEO No.H/RT/11 dt 23.06.2015

Dear Sir/s.

Re:. **Tender for** "Sinking of Tube Well (50 mm x 100 mm dia) For Hooghly Point Semaphore Station.

You are invited to tender for the above in accordance with the Trustees' General Conditions of Contract, Special Conditions of the Contract and Specification for materials & workmanship for this particular contract, drawing, and preamble to the Bill of Quantities.

- The Trustees' General Conditions of Contract (rest of the documents like Special Conditions of Contract, Technical Specifications, and B.O.Q etc. are attached herewith) may be inspected at this office during office hour.
- The Tenderers, who are tendering beyond their financial limit as per their class of enlistment with KoPT, as per New Rules, are requested to deposit with KoPT's Financial Advisor & Chief Accounts Officer a sum of Rs. 6,870/= as Earnest Money before submission of the tender. The original receipt must be attached with the tender without which the tender may be disqualified. This amount will be refunded to the unsuccessful tenderers without any interest. In case of being successful tenderer, this amount will be adjusted against the Security Deposit as per the relevant clause of the G.C.C.
- In case of a tenderer who has already deposited a Permanent Security with the KoPT under the new rules, he shall be bound by the Clauses of the General Conditions of the Contract pertaining to Earnest Money and Security Deposits for Registered Contractors.
- The tenderers (Registered Contractors of KoPT) may also submit the tender getting downloaded from KoPT website. In that case, the bidding party shall have to pay the amount of **Rs. 300.00** (non-refundable) towards the cost of bid document by Draft or Banker's Cheque drawn in favour of 'Kolkata Port Trust' at the time of submission of tender documents.
- The rates quoted by the Contractor must be valid for 4(four) months from the date of opening of the tender
- The rate quoted by the tenderer should be complete in all respect and should include all Taxes, Octroi, Surcharge, Sales Tax / VAT, Registration No. etc. and no extra payment, whatsoever will be entertained by the Trustees' under any circumstances.
- While quoting the rate (on percentage above / below / at par basis on estimated rates / amount as shown in the Bill of Quantities) it should be noted that the tenderer should on no account overwrite the figures. Any necessary correction should be made by cancelling the original figures and writing the

corrected figures on the top. All such corrections should be initialed by the tenderer. If the figures are tampered with, the tender shall be rejected.

- Bidder shall not use white ink for correction at any place of the tender paper.
- (b) Non-conformation to the instruction at Point No. (a) shall be treated as non-responsive and hence, may disqualify the tenderer
- If there is any disparity between the quoted rate in percentage & the Tender amount, the rate quoted in percentage shall prevail as the rate quoted by the Tenderer & the Tender amount shall be derived by adding/subtracting(as the case may be) this percentage with/from the estimated value put to Tender. Similarly, in case of disparity between the rate quoted in figures & in words, the rate quoted in words shall prevail.

The tender duly filled in, totaled and signed shall be submitted in sealed cover superscribed the above name of Work so as to reach this office within **3 P.M. on 11.08.2015** The tender will be opened shortly after 3 P.M., on the same day and the intending tenderers or their authorised representatives may attend. In the event of any unforeseen circumstances such as holidays, bandhs, strikes etc., on that day, the tenders may be submitted by 3 P.M. on the next working day, and will be opened shortly after 3 P.M. on the same day. All other conditions shall remain the same. **There will be no extension of tender for purchasing and dropping of the bid.** 

The undersigned does not bind himself to accept the lowest or any tender or to assign any reason there for and also reserve the right to accept or reject any or all the tenders in part or whole.

All intending Tenderers shall furnish the details of P.F. Registration filing which their tender would be liable to be cancelled. Certified copy of the P.F. Registration is to be submitted along with the tender .

Encl: All papers as stated above.

Yours faithfully,

वरिष्ठ कार्यपालक अभियंता(साऊथ) Senior Executive Engineer (RT)

# Kolkata Port Trust

वरिष्ठ कार्यपालक अभियंता(साऊथ) का कार्यालय Office of Senior Executive Engineer (South) Civil Engineering Department

Name of work: Sinking of Tube Well (50 mm x 100 mm dia) For Hooghly Point Semaphore Station.

### **SPECIAL CONDITION OF CONTRACT**

#### 1. General:

These conditions are part of the tender documents which must read as a whole, the various sections being complimentary to one another and are to be taken as mutually explanatory. These conditions shall be read in conjunction with the other parts of the tender documents, viz. Trustees' General Condition of Contract, Drawings, if any, and other documents forming part of the Contract.

Unless otherwise specified the work to be provided for by the contractor shall include but not be limited to the following:-

- (i) Provide all materials, supervision, testing, services, scaffolding, temporary drainage, temporary fencing and temporary lighting as required for safety & work purposes etc. for the execution of the work.
- (ii) To take all the safety measures like using safety belt, helmet etc. required for such type of work and if required, insure the labourers against any accident which may occur in the course of execution of the job at no extra cost.
- (iii) To make good to any damage done to any property during execution of work at no extra cost.

#### 2. Prequalification Criteria:

Tenderer should have experience in completing similar works like Sinking of tube well with or without plumbing and sanitary works in Residential Complex / Office Building / Industrial Complex / Hospitals etc during last 7(seven) years ending at the last day of the month previous to the one in which applications are invited should be either of the following

- a) Three similar completed works each costing not less than the amount equal to 40% of the estimated cost put to tender.
- b) Two similar completed works each costing not less than the amount equal to 50% of the estimated cost put to tender.
- c) One similar completed work each costing not less than the amount equal to 80% of the estimated cost put to tender.

### 3. Registration under E.S.I. Act:

- i) All intending tenderer at the time of tender shall disclose all necessary documents as to whether they are covered under ESI Act or not.
- ii) In case they are covered under ESI Act they have to furnish the details of registration, failing which their tender would be liable to be cancelled.
- iii) In case they are not covered under ESI Act or exempted, they would furnish necessary documents along with an affidavit affirmed before a first class Judicial Magistrate to that effect.
- iv) In case they are not covered under ESI Act they must additionally indemnify KoPT against all damages & accident occurring to his labour in a non-judicial stamp papers worth Rs. 50.00 which is required to be submitted by the tenderer.
- 4. i) The successful tenderer will be required to comply with the relevant provisions of Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 1996 and West Bengal Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act, 2004 as well as Building and Other Construction Workers' Welfare Cess Act, 1996 and the rules framed there under.
- ii) An amount of cess calculated at the rate of 1% of the billed amount shall be progressively recovered from each running bill as well as from the final bill of the contractor for onward transmission of the same to the appropriate authority.
- iii) As KoPT is not a Registered Body Corporate, it is not liable to pay service tax under "Reverse Charge Mechanism" as per Service Tax Law. The service provider is liable to recover service tax as applicable".
- **5.** Turn Over: The average Annual Financial turn over of the intending tenderer during the last 03 (three) years ending 31<sup>st</sup> March of the previous financial year should be at least 30% of the estimated amount put to tender
- 6. All tenderer should attach a checklist duly filled up enclosing the relevant documents along with the tender documents. If the tenderer fails to submit such checklist duly filled up, the tender would not be considered for opening. If contents for the checklist turns out to be misrepresentation of facts, then such bids would be rejected even after opening of price bid with a recorded warning for the bidder. A Proforma of checklist is enclosed (Annexure C) for attaching in tender documents.

Tenderers are required to furnish relevant documentary evidence in the above regard. In case of any non- conformity to the same, the concerned tenders would be liable to be rejected.

# 7. Scope of work:

The work mainly consists of **Sinking of one 50mm. x 100 mm. dia tube well** at Hooghly Point as mentioned in the B.O.Q. and as per direction of the Engineer's representative including procurement and fixing of machine, pump-motor etc as will be required all complete..

However, the intended Tenderers shall inspect the site to make himself thoroughly conversant with the exact nature and volume of work before quoting his rates.

#### 8. Work site:

The work site is at **Hooghly Point Semaphore station.** The tenderer shall visit the site of work & acquaint himself with exact nature, scope & site of work before quoting the rates. No claims for any extra payment will be entertained under any circumstances after opening of the tender. The contractor shall bear in mind that least possible inconvenience to be created for users of essential facilities located within or in the vicinity of the work site during the tenure of his work.

#### 9. Time of Completion:

The work will have to be completed within **2 (two) months** from the date of placement of order which may be extended as per mutual consent of the tenderer with same terms and conditions of tender.

#### 10. Materials and Testing:

All materials required for the job are to be procured by the Contractor at his own cost & shall conform to the relevant I.S specification whenever available. Where such specifications have not been drawn by I.S, best quality materials available in the market shall be supplied. All materials should be brought to the work site sufficiently ahead so that the same may be approved by the Engineer's representative at site before actual documentation in the works.

The contractor shall procure cement from approved dealers/stockists and the same shall be Ambuja, Lafarge, Ultratech or equivalent approved brand. The contractor must produce appropriate document/vouchers in support of the quantity as also of quality of the cement procured. Testing of any materials including cement, if found necessary, shall have to be carried out at the laboratories to be recommended by the Engineer-in-Charge. No payment will however be made to the Contractor towards charges of such testing. In the event of materials being adjudged substandard, the Contractor shall arrange for immediate removal of such materials from the work site at his own cost.

### 11. Working Period:

Normally the work will be carried out between 8 A.M & 5 P.M on the Trustees' working day only. In case of any deviation from this, the Contractor shall have to take prior permission from the Engineer-in-Charge. However, the tenderer should note that he might be required to carry out the job on Sundays, Holidays and after normal working hours and at night in addition to the normal working hours to expedite the progress of the work. The tenderer should include in his rates the cost, if any, involved on these accounts.

### 12. Site godown and watching:

The contractor has to make his own arrangement for construction of site godown at his own cost for storage of cement and other materials required for the job. He will also arrange for watching the materials during day and night at his own cost. However, the godowns to be dismantled by the contractor leaving the site clean free, all at his own cost after completion of the work. The Trustees' will however, allow the construction of the godown on Trustees' land free of rent during the period of execution of the work.

## 13. Specification/Codes and Standards:

All works under this contract will be executed according to the spirit of the Trustees' Specification for works. Whenever the details are not specifically covered in the Specifications, relevant provision in the latest revision and/or replacement of the Indian Standard Specifications (IS) or any other International Code of Practice/CPWD Specifications will be followed. The Contractor shall have to procure copies of such codes/standards for ready reference of his own Technical personnel as well as the Trustees' Engineers at site at his own cost & without any additional reimbursement.

# 14. Plants & Equipments:

All constructional Plants & Equipments shall have to be supplied by the successful Tenderer for completion of the Job at his own cost.

#### 15. Contractor's responsibility for Workmanship:

The Contractor shall not be relieved from the responsibility for quality & workmanship of any executed work even if it is supervised by KoPT Personnel during execution. All executed works are subject for testing, if considered necessary by the Engineer-in-Charge.

#### 16. <u>Discrepancies in the contract documents:</u>

- In case of any discrepancies in the tender documents due to printing mistake or others, the relevant clause of General condition of Contract shall apply and the decision of the Engineer-in-Charge is final & binding on the Contractor regarding interpretation of any clause/clauses.
- In case of any discrepancies in Specification, Rate and Unit of B.O.Q of the tender document due to the above reasons, the actual of the same as per Trustees' Schedule of rates will prevail over the misprinted/erroneous Specification, Rate and Unit of B.O.Q. The amount of those items would be ascertained and rectified accordingly.

#### 17. Employment of Local Resources:

The Contractor shall pay special attention to engage the maximum possible number of Engineers, other technical personnel, workers & labourers from amongst the local people.

#### 18. Compliance to the Labour Laws and Contract Labour Regulation and Abolition Act, 1970:

The contractor shall be required to comply with the Minimum Wages Act 1948, Employees Liability Act 1938, Industrial Dispute Act 1947 and the Contract Labour (Regulation and Abolition) Act 1970 or statuary amendments and the modifications thereof or any other laws relating thereto and the rules made there under from time to time.

It will be the duty of the contractor to abide by the provisions of the Acts, Ordinances, Rules, Regulations, Bye-laws and Procedures as are lawfully necessary in the execution of the works. The contractor will be fully responsible for any delay/damage etc. and shall keep the Engineer indemnified against all penalties and liabilities of any kind for non-compliance or infringement of such Acts, Ordinances, Rules Regulations, By-Laws and Procedures.

The contractor shall indemnify the KoPT against payment to be made under or for the observance of the laws aforesaid without prejudice to his right to claim indemnity from his business associates.

The aforesaid regulations shall be deemed to be a part of this contract and any breach thereof shall be deemed to be a Breach of Contract. It will be obligatory on the part of Contractor to obtain necessary Labour Licence from the Competent Authority for deploying requisite nos. of labours in the work and submit to the Engineer-in-Charge prior to commencement of the work.

# 19. Protection of existing services:

The contractor must pay full attention to the fact that the existing service facilities for users are not distributed at any time due to storing of materials and equipments and take every precaution to keep the entrance passage clear if the same are being used by the labourers.

The contractor shall be held liable for all damage and interference to the existing service, caused by him during execution of works. Should any damage be done to the existing services, in general, the contractor shall make good the same and do any further work considered necessary by the Engineer's representative without any delay otherwise the cost of such repairing shall be recovered for his running bill for which Engineer's decision shall be final and binding.

#### 20. Forwarding the materials:

The Contractor has to transport the dismantled materials to the reclamation area or any other site including forwarding to the Trustees' sales Yard or stores as directed by the Engineer's representative at the site and unloaded all at his own cost. No separate payment will be made to the contractor on this account.

## 21. Water:

The contractor shall make his own arrangement for supplying water for construction purposes as well as for drinking purposes for his workmen at his own cost.

# 22. Cleaning on completion:

On completion of the works, the contractor shall reinstate and make good at his own expense any property or land which might have been disturbed and/or damaged by his works. He should also clean the site as required during execution and fully clear the site after completion of all the works.

The Contractor shall forward any usable materials found during the course of construction at the site or its vicinity to KoPT's stores/ yards, dispose off the debris beyond the Port area all at his own expenses by his own transport and labour and clean out all part of the work and leave everything clean and tidy to the entire satisfaction of the Engineer.

#### 23. Method of measurement and payment:

The Tenderer shall paid on actual measurement of the finished work on the basis of quoted rates in the priced Bill of Quantities. It is to be clearly understood that this is not a lump sum tender. All payments including on account payments shall be arranged as and when required at the discretion of the Engineer and as provide for in Clause No. 6 of the General Conditions of Contract.

### 24. Escalation:

No escalation variation on the prices of labour, materials and POL, will be entertained and thus the rate should be quoted with due consideration of the same.

# **25. Safety:**

The contractor shall follow all safety precautions for prevention of injury or accidents and safeguarding human lives and property. Dock safety regulations shall be strictly observed and safety officers of the KoPT accorded all facilities for inspections of the works, plants and equipments etc, whenever so required. The contractor shall further comply with any instruction issued by the Engineer in respect of safety, which may relate to temporary or permanent works, working of tools, plants and equipments, means of access or any other aspect. The contractor shall provide all necessary first aid measures, rescue and life saving equipment, etc in proper condition, which shall be readily available for use at all times. The contractor shall adopt all the above safety measures at his own cost .

## 26. Power Supply:

The contractor shall have to make his own arrangement for supply of power at no extra cost To the Trustees'.

### 27. Method of carrying out the sinking of the tube well:

The drilling of tube well shall be carried out as set forth in the Bill of Quantities.

Samples of soils should be collected at an interval of 2 meters of whenever there is any change in strata..

Samples of water should be collected as different aquifers as drilled through.

All necessary tests as per direction of Engineer-in charge except where otherwise specified will have to be carried out by the contractor at his own cost within his quoted rates.

# 28. Gravel Packing:

After the tube well assembly has been placed in position, gravel shall be inserted in the annular space between the pipe assembly and the borehole as described below.

Clean and washed gravel with the uniformity co-efficient of two or loss and size between 2 mm. and 5 mm. in the context 90% of the gravel to be obtained on the sieve mesh corresponding to the slot size shall be used in the tube well.

The contractor shall use best quality gravel

The gravel filling shall be started from the bottom of the borehole and shall continuously worked up to the bottom of housing as directed by the Engineer. Gravel shall be placed in the hole preferably by a Gravel Conductor pipe (Terming pipe). It may be noted if the Engineer feels after carrying out

#### 29. Verticality Test:-

The housing pipe shall be placed vertically inside the borehole and a tolerance of not more than 10 Cm. in 30 m. in case of housing pipe will be permitted as deviation from the plumb, vertically test must be arranged by the contractor with the standard equipment as IS: 2800, 1964. The level of the drilling rig should be checked every 8 hours or more frequently to ensure vertically of the borehole

# 30. Development of tube well:

The development tests shall be strictly adhered to during development:

- (i) Air surging by air compressor shall be intermittent and not continuous.
- (ii) After removal of the silty materials, pump of the contractor shall be lowered into the tube well and surging by pump shall also be conducted in the same manner as in case of air compressor to remove any remnants silty materials.
- **31.** Collection of water sample from tube well shall be collected for chemical, bacteriogical examination from all the aquifer met with during boring as directed and these should be subject to chemical analysis in a recognised laboratory regarding their suitability for drinking.

# **32.** Defect Liability Period:

The defect liability period for the work is **1 (One)** year from the date of completion. During this period, if any defect arises the contractor is bound to repair the same or take any other action as directed by the Engineer including replacement of the defective portion and redoing the same at his own cost within **7** days in case of repairing and **21** days in case of replacement and re-doing from receipt of such instruction failing which the work may be done by the Trustees' by some other agencies and the cost of which including  $19^{1/4}$ % departmental charges will be recovered from the security deposit or any other dues of the contractor.

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

# कोलकाता पत्तन न्यास KOLKATA PORT TRUST

सिवित इंजीनियरिंग विभाग/ Civil Engineering Department

# वरिष्ठ कार्यकारी अभियंता, अ।र. टी का कार्यालय/

Office of the Senior Executive Engineer, (R.T.) 51 ,शि. जी. आर. शेंड , कोलकाता -700043

# Bill of Quantities For

Name of work: Sinking of Tube Well (50 mm x 100 mm dia) For Hooghly Point Semaphore Station.

SI No.	Description of work	Qnty.	Rate Rs. P. Unit	Amount Rs. P.
1.	Labour for boring tube well of required dia. by water jet system through any type of soil strata including hire and labour charges for boring pipes, scaffolding, tools and plants as necessary and taking out them and lowering pipes, strainers, blind pipe etc. and fitting and fixing the same complete including bucket washing and other incidental works in the connection. The tube well should have a minimum 50 mm gap in between the outside of the tube well pipe and the bore.  For depth upto 150 metre for 50 mm dia. tube well with top enlargement of 100 mm dia.			
	a) 50 mm dia. boring etc.	110.00	290.00 Mtr. (Rs. Two hundred ninety only)	31900.00
	b) 100 mm dia. boring etc. top enlargement	40.00	430.00 Mtr. (Rs. Four hundred thirty only)	17200.00
2.	For depth more than 150 metre for 50 mm dia. tube well with top enlargement of 100 mm dia. 50 mm dia. boring etc. beyond 150 metre. Supply of G.I. pipes of TATA make including	150.00	218.00 Mtr. (Rs. Two hundred eighteen only) 479.00 Mtr.	32700.00
	necessary sockets. (i) 50mm dia Medium quality	250.00	(Rs. Four hundred seventy nine only) 990.00 Mtr.	119750.00
	(ii) 100mm dia Medium quality	40.00	(Rs. Nine hundred ninety only) 278.00 Mtr.	39600.00
	(iii) 25 mm dia. Medium quality	35.00	(Rs. Two hundred seventy eight only)	9730.00
3.	Supplying brass-strainer with brass socket of approved make. (Heavy type) 50 mm dia	10.00	1423.00 Mtr. (Rs. One thousand four hundred twenty three only)	14230.00
4.	Supplying, fitting and fixing plug of approved make conforming to I.S. specification (i) 50 mm dia.	1.00	84.00 Each. (Rs. Eighty four	84.00
5.	Supplying, fitting and fixing heavy type bell mouth reducing socket. 50 mm X 100 mm.	1.00	only) 540.00 Each (Rs. Five hundred forty only)	540.00

				$\mathcal{C}$
6.	Supply fit & Fix housing clamp out of 20 mm thick mild steel plate & fitted with 4 nos. 20 mm x 75 mm bolts & nuts and arms extending 50 mm beyond yhe pipes on either side. Include for painting 2 coats of anticorrosive bitumastic paint before fixing.	1.00	830.00 Each. (Rs. Eight hundred thirty only)	830.00
7.	Packing the annular space between the outside of the tube well pipes & strainers and the bore with pea size washed gravel of approved quality having size from 2 mm to 5 mm or the size approved by the Engineer-incharge including cost of all materials labour and equipment complete. Note:- initial 6m of angular space between the housing pipe and the bore should not be shrouded with pea size gravel to avoid contamination with surface water.	7.00	2050.00 Cum (Rs. Two thousand fifty only)	14,350.00
8.	Packing annular space between the outside of the housing pipe and the bore with puddle clay balls of approved size as per direction of the Engineer-in-charge with cost of all materials and labour complete. Inital 6m of angular space the hosing pipe and the bore should not be	5.00	421.00 Cum (Rs. Four hundred twenty one only)	2105.00
9.	Washing and developing tube well with air compressor pump and engine for 8 (eight) hours continuous pumping per day with necessary arrangements for testing the yield in gallons per hour with 'V' notch including hire and labour charges for all tools and plants and scaffolding as required.	3.00	7613.00 Day (Rs. Seven thousand six hundred thirteen only)	22,839.00
10.	Supplying, fitting and fixing G.I. cap at top 100 mm.	1.00	163.00 Each (Rs. One hundred sixty three only)	163.00
11.	Supplying, fitting and fixing G.I. pipes of TATA make with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbow, nipple, long screw, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground. (Payment will be made on the centre line measurements of total pipe line including all specials. No separate payment will be made for accessories, specials. Payment for painting will be made separately.) For exposed work.			
	25 mm dia. medium quality.	10.00	354.00 Mtr. (Rs. Three hundred fifty four only)	3540.00
12.	Collecting sample of water for bacteriological and chemical test from any depth at any time during execution of work including hire and labour charges for tools and plants and sterilising the equipments, paying all charges and fees, testing etc. complete in all respect as per direction.	L.S.	1243.00 (Rs. One thousand two hundred forty three only)	1243.00
13.	Supplying, fitting and fixing gunmetal wheel valve of approved brand and make tested to 21	1.00	963.00 Each.	963.00

14.	kg per sq. cm. (for water lines only). 25 mm. Supply of G.I. reducing tee of approved brand and make 25 mm X 20 mm.	1.00	(Rs. Nine hundred sixty three only) 79.00 Each (Rs. Seventy nine only)	79.00
15.	Supply delivery and install one multistage submersible pump Motor set of Kirlosker make with 35 mm of cable, discharge of pump should be 45 LPM total head -40/50 meter with one no. non-return valve, one Peet valve (Sluice valve) and one pressure gauge, clamp & necessary GI fittings (the dia of column pipe will be 1" which will be supplied from KoPT site) with the following electrical equipments(Pump motor to be installed inside the housing pipe of 100 mm dia I/D) - (a) one electric main switch of approved make of 15 AMPS, SPIC / DPIC and (b) one DOL starter suitable for the pump with Ammeter and Voltammeter.	1.00	30900.00 Set. (Rs. Thirty thousand nine hundred only)	30,900.00
16.	Supplying, fitting and fixing bib cock or stop cock. Chromium plated Bib Cock short body (Equivalent to Code No. 511 & Model - Tropical / Sumthing Special of ESSCO or similar).	1.00	689.00 Each. (Rs. Six hundred eighty nine only)	689.00
	y surfaming special of 255co of similary.		TOTAL:	Rs. 3,43,435.00
	ffered by me / us (score out whichever is not applicab	le)		
1)		(+)	Rs.	
2) At p	par		Rs.	
3)	% below (-) (Both in figures & words)		Rs.	
Total a	mount in words Rupees			
Time o	of completion			
Signati	ure of the Contractor			
Name	and address of the Contractor			
Perma	nent Income Tax A/c. No			

# HE BOARD OF TRUSTEES FOR THE PORT OF KOLKATA

# FORM OF TENDER

CONTRACT NO
То
I/We
of
having examined the site of works, inspected the Drawings and read the Specifications, General & Special
Conditions of Contract and Conditions of Tender, hereby tender and undertake to execute and complete all the
works required to be performed in accordance with the Specification, Bill of Quantities, General & Special
Conditions of Contract and Drawings prepared by or on behalf of the Trustees and at the rates & prices set out
in the annexed Bill of Quantities within 2 month from the date of order to commence the work and in the event
of our tender being accepted in full or in part, I/We also undertake to enter into a Contract Agreement in the
Form hereto annexed with such alterations or additions there to which may be necessary to give effect to the
acceptance of the Tender and incorporating such specification, Bill of Quantities, Drawings and Special &
General Conditions of Contract and I/We hereby agree that until such Contract Agreement is executed the said
Specifications, Bill of Quantities, Conditions of Contract and the Tender, together with the acceptance thereof
in writing by or on behalf of the Trustees shall be the contract.
THE TOTAL AMOUNT OF TENDER Rs
(Repeat in words)

I/We require days/months preliminary time to arrange			
and procure the materials required by the work from date of acceptance of tender before I/We could			
commence the work.			
I/We have deposited with the Trustees' Financial Adviser & Chief Accounts Officer, a sum of			
Rsvide Receipt No			
of as Earnest Money.			
I/We agree that the period for which the tender shall remain open for acceptance shall not be less			
than four months.			
Signature of Tenderer (Seal of the Tenderer)			
(Seal of the Terructer)			
Witness:			
Signature			
Name Name of the			
(In Block Letters) Tenderer :			
Address:			
Dated:			
Address:			
Occupation:			

# **FORMAT**

# $\frac{\text{INDEMNITY BOND}}{\text{On the Rupees fifty Non-Judicial Stamp Paper}}$

BY THIS BOND I, Shri / Smt, son of Shri /
Smt residing at By
occupation, the Partner / Proprietor / Director having office at
, am a tenderer under Civil Engineering Department, Kolkata Port Trust (A
Statutory Body under MPT Act, 1963).
2. WHEREAS, the said Kolkata Port Trust had asked the every tenderer, who is not covered under ESI Act or
exempted to furnish an Indemnity Bond in favour of Civil Engineering Department, Kolkata Port Trust
against all damages and accidents to the Labourer Tenderer / Contractor.
3. NOW THIS BOND OF INDEMNITY WITNESSETH THAT the Tenderer / Contractor named herein above
shall indemnify the Kolkata Port Trust against all damages and accidents occurring to the Labourers of the
Tenderer / Contractor as demanded by the Kolkata Port Trust and which shall be legal and / or claimed by
the Kolkata Port Trust during the execution of the work stated in the NIT No RT/TN/15 dt 28/01/2011
4. AND the Contractor hereunder agree to indemnify and at all times keep indemnified the Kolkata Port Trust
and its administrator and representative and also all such possible claim or demand for damages and
accidents.
IN WITNESS WHEREOF I,, the Partner / Proprietor / Director
, the rather , repriete , breeto set and seal this the day of
in the year
at
Signature of the Indemnifier
Surities:
1. Name:
Address:
2. Name:
Address:
Witness:

# **FORMAT**

# On the Rupees Ten Non-Judicial Stamp Paper

BEFORE THE 1 <sup>ST</sup>	CLASS JUDICIAL MAGISTRATE AT

<u>AFFIDAVIT</u>	
I aged about years, t	οу
faith, by occupation, residing at, do herebook solemnly affirm and declare as follows :-	ЭУ
01. THAT I am the proprietor / Partner of having office atand carryin on business on the said name and style.	ıg
(In case the above Deponent is an enlisted Contractor at Kolkata Port Trust, the same should be mentione in the affidavit)	ed
02. THAT my aforesaid Firm is exempted from ESI Act and the said Firm has no valid ESI Registration.	
03. THAT the present affidavit is to be filed before the Kolkata Port Trust as per the Clause No of the Tender No issued by the Kolkata Port Trust in respect of the work (the work is to be mentioned).	ıe
THAT the statements made above are all true to the best of my knowledge and belief.	

DEPONENT

Identified by me

ANNEXURE - "C"

No:	Date:
To, The Chief Engineer / Senior Executive Engineer ( Kolkata Port Trust.	River Training)
Re: NIT NoRT/TN/15 Dt 28/01/2011	
	aled envelope containing our tender in connection with the be shown for verification as and when requested.
01. Treasury Receipt in original for Earnest Mone	y / Bankers Cheque for Earnest Money.
02. Proof of experience and turn over as per pre	– qualification criteria.
03. ESI Registration Certificate, if applicable. Or	
04. An Affidavit in original affirmed before a first	class Magistrate indicating that ESI Act is not applicable on and Indemnity Bond in original in favour of KoPT drawn on a as per your given proforma.
05. The VAT Registration Certificate.	
06. I. T. PAN Certificate.	
07. Copy of Labour Licence (if applicable).	
08. Copy of Trade Licence (if applicable)	
Enclo: As above.	
faithfully,	Yours
	Signature of the Tenderer